

4K USB-C Dock, Triple UHD 4K Monitor Docking Station, Mac & Windows, USB C to HDMI & DisplayPort, 100W Power Delivery, 5x USB 5Gbps Hub - TAA

Product ID: DK30CH2DEP



This triple-4K dock for Mac, Windows and Chrome USB-C laptops helps you take productivity to a whole new level. With three 4K video connections, 100W Power Delivery, and 5x USB 3.0 ports, the USB-C dock is perfect for your MacBook, Dell XPS, Chromebook or other USB-C laptop requiring additional ports.

You can also connect the dock to your USB 3.0 laptop through a USB-A port, using a USB-C to A cable, such as the USB315AC1M(sold separately). Note: Power Delivery to charge your laptop is not available through USB-A, and only dual display is supported.

The 4K USB-C docking station lets you create a three-monitor Ultra HD workstation. Connect:

- 2x 4K DisplayPort (DisplayLink) at 4096 x 2160 resolution @ 60Hz / 3840 x 2160 @ 60Hz and
- 1x 4K HDMI (DP Alt Mode) at 4096 x 2160 resolution @ 24Hz / 3840 x 2160 @ 30Hz

For high-resolution applications, you can connect the dock to a 5K display at 60Hz, using the two DisplayPort ports.

Using a single cable, the USB-C dock will power and charge power-hungry laptops, with up to 100W Power Delivery, and power your peripherals with its 150W power adapter.

This triple-monitor docking station lets you transform your laptop into a full-sized workstation. It gives you five USB 3.0 ports (1x USB Type-C and 4x USB Type-A incl. 1x Fast-Charge port), a Gigabit Ethernet port, headset jack, and separate 3.5 mm audio and microphone ports.

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

Advanced Windows Layout Utility: To setup and save custom windows layouts.

Mac Address Pass-Through Utility: To improve network security.



USB Event Monitoring Utility: To track and log connected USB devices

Wi-Fi Auto Switch Utility: Enabling users to quickly access faster network speeds via wired LAN.

For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/Connectivity-Tools

The TAA compliant DK30CH2DEP is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Ideal for 4K video editing or working with high-resolution graphics
- Work on multiple documents simultaneously in office applications
- View multiple monitors at a glance, in financial or investment firms
- Enhanced Power Delivery (100W) supports power-hungry laptops

Features

• FULL-FEATURED DOCK: USB-C Dock with 3 video outputs (2x DP & 1x HDMI), 100W Power Delivery, 4x USB-A & 1x USB-C 5Gbps Hub, Gigabit Ethernet, headset + separate speaker/mic audio ports, K-Slot & 1m/3.3ft USB-C cable; Includes DisplayLink Update Utility

• TRIPLE DISPLAY ON MACBOOK AIR: Enable three external displays on Apple MacBook Air/Pro (base M-Series) laptops that natively only support one; Dual or Triple video connectivity w/ DisplayPort or HDMI ports; Driver installation required on Windows/macOS

• WORKS WITH ANY LAPTOP: Simplify your deployment with a USB-IF, VESA & DisplayLink compliant docking station that offers optimal performance and universal compatibility with any laptop (Windows, macOS and Ubuntu) or Chromebook (ChromeOS)

• UNIVERSAL USB-C & USB-A FUNCTIONALITY: Also connects to USB-A laptops with a USB-C to A cable adapter



(USB315AC1M, sold separately); Note: Power Delivery to charge your laptop is not available through USB-A, and only dual display is supported

• IT-PRO ADVANTAGES: Included connectivity tools for IT Pros and IT help-desk support teams with Network MAC Address Pass-Through for network security, WiFi Auto Switching for improved network performance, USB Event Monitoring, and Windows Layout

Hardware	Warranty	3 Years
	4K Support	Yes
	Fast-Charge Port(s)	Yes
	Displays Supported	3
	Bus Type	USB-C
	Compatible Lock Slot	Kensington Standard Slot (K-Slot)
	Industry Standards	USB Power Delivery Specification Rev. 2.0
		USB Battery Charging Specification Rev. 1.2
		DisplayPort 1.2
		IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
		USB 3.0 - Backward compatible with USB 2.0 and 1.1
	Chipset ID	DisplayLink - DL-6950
		Genesys Logic - GL3523
		Genesys Logic - GL3523S
		Texas Instruments - TPS65982
		Parade Technologies - PS176
Performance		
	Maximum Data Transfer Rate	5 Gbps (USB 3.0)
		2 Gbps (Ethernet; Full-Duplex)
	Maximum Digital Resolutions	1x HDMI (DP Alt Mode) - 4096 x 2160p @24Hz / 3840 x 2160p @30Hz
		2x DisplayPort (DisplayLink) - 4096 x 2160p @60Hz / 3840 x 2160p @60Hz



Lower resolutions are also supported. For example, if the max is 3840 x 2160p (4K), it also supports 2560 x 1600p and 2560 x 1440p.

	Type and Rate	USB 3.0 - 5 Gbit/s
	UASP Support	Yes
	Compatible Networks	10/100/1000 Mbps
	Auto MDIX	Yes
	Full Duplex Support	Yes
Connector(s)		
	Connector Type(s)	2 - DisplayPort (20 pin)
		1 - HDMI (19 pin)
		2 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)
		1 - USB 3.2 Type-A (9 pin, Fast-Charge)
		3 - USB Type-A (9 pin, 5 Gbps)
		1 - RJ-45
		1 - 3.5 mm Mini-Jack (4 Position)
		2 - 3.5 mm Mini-Jack (3 Position)
		1 - Security Lock Slot
Software		
	OS Compatibility	Windows 7, 8, 8.1, 10, 11
		macOS 10.9 - 10.12, 10.14 - 10.15, 11.0, 12.0, 13.0, 14.0, 15.0
		Ubuntu 18.04, 20.04, 22.04, 24.04
		Chrome OS v55+
Special Notes / Requirements		
	System and Cable Requirements	USB-C enabled computer with an available USB Type-C port



Note	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.
	4K resolution is supported on all 3 video ports. A 4K-capable display is required to achieve 4Kx2K resolution
	If connected to a USB 2.0 host port, or if using a USB 2.0 host connection cable, performance may be limited (USB 3.0 host cable included)
	USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps
	5K resolution is supported by connecting the two DisplayPort video ports to a single 5K display. A 5K-capable display is required to achieve 5K (5120 x 2880 60Hz) resolutions
	The dock connects to the USB-C port on your laptop. The dock can also be connected to the USB-A port on laptops using a USB-C to A cable, sold separately, but only dual display is supported, and Power Delivery to charge your laptop is not available through USB-A
	DisplayLink docking stations and video adapters support more than one external display on Apple's M1-based Mac. Requires driver installation. Please contact StarTech.com support for a recommendation based on your specific setup.
Power Source	AC Adapter Included

	Power Source	AC Adapter Included
	Power Delivery	100W
	Input Voltage	100 - 240 AC
	Input Current	2.5 A
	Output Voltage	20V DC
	Output Current	7.5 A
	Center Tip Polarity	Positive
	Plug Type	Ν
Environmental		
	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-20C to 60C (-4F to 140F)
	Humidity	0~70% RH

Power





Physical Characteristics		
	Color	Black & Silver
	Material	Plastic
	Product Length	10.6 in [27.0 cm]
	Product Width	3.2 in [8.2 cm]
	Product Height	1.3 in [3.4 cm]
	Weight of Product	13.5 oz [382.0 g]
Packaging Information		
	Package Quantity	1
	Package Length	6.4 in [16.2 cm]
	Package Width	12.5 in [31.8 cm]
	Package Height	3.3 in [8.4 cm]
	Shipping (Package) Weight	3.5 lb [1.6 kg]
What's in the Box		
	Included in Package	1 - Docking Station
		1 - USB-C Cable
		1 - Universal Power Adapter (NA/JP, ANZ)
		1 - User Manual
		1 - Anti-Slip Rubber Pads

*Product appearance and specifications are subject to change without notice.

