Overview

Epson TM-H6000V Hybrid Printer



Model

Epson TM-H6000V Hybrid Printer

4ZE21AA

Introduction

The Epson TM-H6000V Hybrid Printer is a revolutionary receipt printer with dual-interface connectivity and cloud support. The printer can connect to multiple devices simultaneously and be dynamically shared by legacy POS terminals, tablets and mobile devices, as well as cloud servers.

Key Benefits

- Flexibility with two connectivity options, including powered USB and Ethernet
- Fast check processing high MICR reader accuracy of 99.9 percent
- Print speeds up to 350 mm/sec, plus a high-speed auto cutter
- Top-margin and character-height reduction features help reduce paper usage by up to 47 percent
- Three-year limited warranty from HP

QuickSpecs

Overview

Compatibility

The Epson TM-H6000V Hybrid Printer is compatible with the HP Point of Sale Systems.

NOTE: Not all Point of Sale system models are available in all regions. Not all HP Cash Drawer models are available in all regions.

Service and Support

Three (3) year limited warranty with advance exchange when purchased from HP.



QuickSpecs

Technical Specifications

General

Fonts Font A (default): 12 x 24

Font B: 9 x 17 (including 2-dot horizontal spacing)

Character Set 95 Alphanumeric, 18 International, 128 x 43 Graphic

(including user-defined page); Standard firmware includes

Traditional/Simplified Chinese, Thai; requires utility to set the desired

language support.

Barcodes UPC-A, UPC-E, JAN 8 (EAN 8), JAN 13 (EAN 13), CODE 39, ITF, CODABAR,

CODE 93, CODE 128, GS1-128, GS1 DataBar, PDF417, QR CODE,

MaxiCode, Composite Symbology, Datamatrix, Aztec

Print Method Thermal line printing

Print method slip 9-pin serial impact dot matrix

Technology Hybrid

Print Speed 350 mm/sec

Character Set 95 Alphanumeric, 37 International

Receipt-Columns
Paper Roll Size

56/51/42 columns

Paper Thickness Range $_{53-75\,\mu m}$

Paper Type Direct Thermal Receipt

Knife Auto Cutter

Data Buffer 4 KB or 45 bytes

Mechanical Dimensions (WxDxH) 185.9 x 278.13 x 181.1 mm (7.32 x 10.95 x 7.13 in)

Weight 4.4 kg (9.7 lb)

Color Black

Interface/Connection Interface PUSB, USB, Ethernet

Power Operating Voltage 24 V

Communication

Protocols

ESC/POS®, ePOS Print Service (Ethernet), Server Direct Print (Ethernet)

Software and Utilities ePOS-Print (XML over HTTP): WEP/WPA/WPA2-Personal/Enterprise ePOS-Display

Server Collaboration: Server Direct Print, Status notification PHP/Sqlite3

Drivers Windows native, OPOS, JPOS

Technical Specifications

Operating System Compatibility

Microsoft® Windows 10, 8.1, 8.0, 7, Windows XP, Windows Vista®, Windows Server® 2012/2012 R2,

2008/2008 R2

WEPOS POSReady

Red Hat® Enterprise Linux

OPEN SUSE® CentOS® Ubuntu®

Android support (Android SDK available)

Reliability

MTBF: 360,000 hours MCBF: 96,000,000 lines Thermal head life: 200 km

Auto cutter life: 3 million cuts

Agency Certifications

RoHS compliant FCC/ICES-003 Class A UL62368-1/CSA C22.2 No. 62368.1

Box contents

 $TM-H6000V\ printer, sample\ paper\ roll,\ power\ switch\ cover,\ ribbon\ cassette:\ ERC-32,\ ribbon\ cassette:$

ERC-43. Cable kits sold separately.

Cables

Recommended:

2KH43AA Epson 6-ft PUSB Cable

OR

7NX62AA Epson 12-ft PUSB Cable (AMS only)

Please contact your HP rep if you have alternate cable requirements.

QuickSpecs

Summary of Changes

Date of change:	Version History:		Description of change:
September 23, 2019	From v1 to v2	Changed	Service and Support section
February 21, 2020	From v2 to v3	Added	Print method slip and Technology
March 5, 2020	From v3 to v4	Changed	Kit contents and Cable Kit sections
November 25, 2021	From v4 to v5	Changed	Character set, fonts, Operating System, cable sections
April 3, 2023	From v5 to v6	Changed	Key Benefits and Interface/Connection sections



© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks of the Microsoft group of companies.

