



## ZEBRA® ZIPSHIP SUPPLIES



Zebra is one of the largest converters of thermal supplies in North America. Featuring the largest selection of pre-tested, high-quality labels, tags, receipt paper, wristbands, cards and ribbons, Zebra can provide a solution for virtually any application.

**Effective September 12, 2022**

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2022 Zebra Technologies Corp. and/or its affiliates.



## Zebra Certified Supplies

Print Confident. Print Quality. Print Zebra.



### Zebra™ Certified Supplies

#### Zebra makes selling supplies easy.

- With more than 1,500 combinations of high-quality and reliable labels, tags, receipts, wristbands and ribbons we can meet the needs of most applications and budgets.
- We have over 1,000 ZipShip™ products in stock and available for immediate shipment from four convenient locations, ensuring quick and low-cost delivery.
- We have a dedicated Supplies R&D team and lab with a combined 30 years of experience committed to developing unique solutions for customers, in addition to providing diagnostic testing services.
- Can't find the product you need in stock? We pride ourselves on our extensive manufacturing capabilities, including printing, converting and finishing.
- We are ISO 9001:2015 certified. We have standard consistent processes in place that we must follow to ensure the creation of finished products that deliver high customer satisfaction.
- Our knowledgeable sales team has been extensively trained which allows them to quickly recommend materials and solutions that are best suited for the end-user's application.
- We offer several inventory management options, so you don't have to manage inventory.
- The Printhead Protection Program allows end-users to get free printheads when they exclusively utilize Zebra Certified Supplies, giving you an advantage over the competition.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Table of Contents

---

<b>2021 Bestsellers Spotlight</b> .....	9
<b>New ZipShip Items</b> .....	9
<b>Printer Media Specifications</b> .....	10
<b>Industrial Printers</b> .....	11
<b>Z-Perform 1000D</b> .....	11
<b>Z-Perform 2000D</b> .....	11
<b>Z-Perform 1500T</b> .....	12
<b>Z-Perform 2000T</b> .....	12
<b>Z-Perform 2000T All-Temp</b> .....	13
<b>Z-Perform 2000T Floodcoated</b> .....	13
<b>Z-Perform 1000T 7.5 mil Tag</b> .....	13
<b>Z-Select 4000D</b> .....	14
<b>Z-Slip</b> .....	15
<b>8000D Lab</b> .....	15
<b>Z-Select 4000T</b> .....	15
<b>Z-Select 4000T Removable</b> .....	16
<b>Z-Select 4000T 7.0 mil Tag</b> .....	16
<b>Z-Ultimate 2000T White</b> .....	17
<b>Z-Ultimate 3000T White</b> .....	18
<b>Z-Ultimate 4000T White</b> .....	19
<b>Z-Ultimate 4000T Silver</b> .....	20
<b>Z-Ultimate 4000T Clear</b> .....	20
<b>Z-Ultimate 4000T Removable</b> .....	21
<b>Z-Ultimate 4000T High-Tack White</b> .....	21
<b>Z-Ultimate 4000T High-Tack Silver</b> .....	22
<b>Z-Xtreme 4000T White</b> .....	22
<b>Z-Xtreme 4000T High-Tack White</b> .....	23
<b>Z-Xtreme 4000T High-Tack Silver</b> .....	23
<b>Z-Xtreme 5000T</b> .....	24
<b>Z-Supreme 2000T White</b> .....	24
<b>Z-Supreme 3000T White</b> .....	25
<b>Z-Supreme 4000T Green</b> .....	26

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

<b>PolyPro 4000D</b> .....	27
<b>PolyPro 3000T</b> .....	27
<b>PolyPro 4000T</b> .....	28
<b>PolyPro 4000T Removable</b> .....	28
<b>8000T Void Gloss</b> .....	29
<b>8000T Void Matte Silver</b> .....	30
<b>8000T Z-Destruct</b> .....	30
<b>8000T Vinyl Clear</b> .....	31
<b>8000T Primary Blood Bag</b> .....	31
<b>8000T Tuff 7.0 mil Tag</b> .....	31
<b>Desktop Printers</b> .....	32
<b>Z-Perform 1000D</b> .....	32
<b>Z-Perform 2000D</b> .....	32
<b>Z-Perform 2000D Floodcoated</b> .....	33
<b>Z-Perform 2000T</b> .....	33
<b>Z-Select 4000D</b> .....	33
<b>Z-Select 4000D Removable</b> .....	34
<b>Z-Select 4000T</b> .....	34
<b>Z-Select 4000T Removable</b> .....	36
<b>8000D Near-IR</b> .....	36
<b>8000D Lab</b> .....	36
<b>Z-Select 4000D 7.0 mil Tag</b> .....	37
<b>Z-Perform 1000D 2.4 mil Receipt</b> .....	37
<b>Z-Ultimate 2000T White</b> .....	37
<b>Z-Ultimate 3000T White</b> .....	37
<b>Z-Ultimate 4000T White</b> .....	38
<b>Z-Ultimate 4000T Clear</b> .....	38
<b>Z-Ultimate 4000T Removable</b> .....	39
<b>Z-Xtreme 4000T White</b> .....	39
<b>Z-Xtreme 4000T High-Tack Silver</b> .....	39
<b>Z-Xtreme 5000T</b> .....	40
<b>8000T Slide</b> .....	40
<b>PolyPro 3000T</b> .....	40
<b>PolyPro 4000T</b> .....	41
<b>PolyPro 4000T Removable</b> .....	41
<b>PolyPro 4000D</b> .....	41

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

<b>PolyPro 4000D Jewelry</b> .....	42
<b>8000D Jewelry</b> .....	42
<b>PolyPro 3000T Gloss Removable</b> .....	42
<b>8000D Linerless</b> .....	42
<b>Kiosk Printers</b> .....	43
<b>Z-Perform 1000D 3.5 mil Receipt (10-year archivability)</b> .....	43
<b>Mobile Media Reference Guide</b> .....	44
<b>Mobile Printers</b> .....	46
<b>Z-Perform 1000D</b> .....	46
<b>Z-Perform 2000D</b> .....	47
<b>IQ Color 2000D</b> .....	47
<b>Z-Select 4000D</b> .....	47
<b>8000D Lab</b> .....	48
<b>Z-Select 4000T</b> .....	49
<b>PolyPro 4000D</b> .....	49
<b>Z-Ultimate 4000T White</b> .....	50
<b>PolyPro 4000T</b> .....	50
<b>Z-Perform 1000D 2.4 mil Receipt (10-year achivability)</b> .....	50
<b>Z-Select 4000D 3.2 mil Receipt (25-year archivability)</b> .....	51
<b>8000D 3.2 mil High-Temp Receipt (20-year archivability)</b> .....	51
<b>8000D Linerless</b> .....	52
<b>ThermaLock 4000D</b> .....	52
<b>Wristband Media – Industrial Printers</b> .....	53
<b>Z-Band Direct</b> .....	53
<b>Z-Band Fusion</b> .....	53
<b>Z-Band Fusion Infant ID Tags</b> .....	53
<b>Z-Band 4000 Wristband Kit</b> .....	54
<b>Z-Band QuickClip Kit</b> .....	54
<b>Color Clips for use with QuickClip Wristbands</b> .....	54
<b>Z-Band Fun</b> .....	54
<b>Z-Band Splash</b> .....	55
<b>Wristband Media – Desktop Printers</b> .....	56
<b>Z-Band UltraSoft</b> .....	56
<b>Z-Band Direct</b> .....	56
<b>Z-Band Direct Lite (White)</b> .....	56
<b>Soft Infant Z-Band Wristband</b> .....	57

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

<b>Z-Band Fusion</b> .....	57
<b>Z-Band Fusion Infant Tags</b> .....	57
<b>Z-Band 4000</b> .....	57
<b>Z-Band QuickClip Kit</b> .....	58
<b>Color Clips for use with QuickClip Wristbands</b> .....	58
<b>Z-Band Fun</b> .....	58
<b>Z-Band Splash</b> .....	59
<b>Z-Band Direct Lite</b> .....	59
<b>Wristband Cartridges</b> .....	59
<b>Z-Band UltraSoft Kit</b> .....	59
<b>Z-Band UltraSoft Kit - Bracelet Design</b> .....	60
<b>Z-Band Direct Wristband Cartridges</b> .....	60
<b>Z-Band Comfort Wristband Cartridges</b> .....	61
<b>Z-Band Newborn Soft Kit</b> .....	61
<b>Z-Band Newborn Kit</b> .....	61
<b>Z-Band UltraSoft Maternity ID Solution</b> .....	61
<b>Z-Band Quickclip Kit</b> .....	62
<b>Z-Band Fun Wristband Cartridges</b> .....	62
<b>Z-Band Splash Wristband Cartridges</b> .....	63
<b>Wristband Media – Non-Printable</b> .....	64
<b>Spot Alert Labels</b> .....	64
<b>Slim Alert Wristbands</b> .....	64
<b>Tyvek® Alert Wristbands</b> .....	65
<b>Triage Band</b> .....	65
<b>EMS Band</b> .....	65
<b>Rapid ID Band</b> .....	66
<b>OmniBand – Follow the link for more information</b> .....	66
<b>Vinyl Infant Wristband Solutions</b> .....	66
<b>ComfyCuff</b> .....	66
<b>ComfyCuff Infant Swaddle Band</b> .....	67
<b>ComfyCuff Security Seal</b> .....	67
<b>Zebra ZipShip Ribbons</b> .....	68
<b>Industrial Wax Ribbons</b> .....	70
<b>1600</b> .....	70
<b>6000</b> .....	70
<b>2000</b> .....	71

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip	
<b>2100</b> .....	72
<b>5319</b> .....	72
<b>Industrial Wax/Resin Ribbons</b> .....	73
<b>6100</b> .....	73
<b>5555</b> .....	73
<b>3200</b> .....	74
<b>5586</b> .....	74
<b>Industrial Resin Ribbons</b> .....	75
<b>6200</b> .....	75
<b>5095</b> .....	75
<b>5100</b> .....	76
<b>Image Lock Resin Ribbon</b> .....	76
<b>ChemResist</b> .....	76
<b>Industrial Color Wax Ribbons</b> .....	77
<b>5319</b> .....	77
<b>Red Resin</b> .....	77
<b>Desktop Ribbons</b> .....	78
<b>6000 Wax Ribbons</b> .....	78
<b>5319 Wax Ribbons</b> .....	78
<b>6100 Wax/Resin Ribbons</b> .....	78
<b>5555 Wax/Resin Ribbons</b> .....	79
<b>3200 Wax/Resin Ribbons</b> .....	79
<b>5586 Wax/Resin Ribbons</b> .....	79
<b>6200 Resin Ribbons</b> .....	79
<b>5095 Resin Ribbons</b> .....	80
<b>5100 Resin Ribbons</b> .....	80
<b>Image Lock Resin Ribbon</b> .....	80
<b>ChemResist</b> .....	81
<b>2000 Wax Ribbon</b> .....	82
<b>5555 Wax/Resin Ribbon</b> .....	82
<b>5095 Resin Ribbon</b> .....	83
<b>Image Lock Resin Ribbon</b> .....	83
<b>5319 Wax Ribbon</b> .....	83
<b>3200 Wax/Resin Ribbons</b> .....	83
<b>5095 Resin Ribbons</b> .....	84
<b>5100 Resin Ribbons</b> .....	84

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

<b>1600 Wax Ribbons</b> .....	84
<b>2000 Wax Ribbons</b> .....	84
<b>5555 Wax/Resin Ribbons</b> .....	85
<b>5095 Resin Ribbons</b> .....	85
<b>1600 Wax Ribbons</b> .....	85
<b>Mobile Ribbons</b> .....	86
<b>5555 Wax/Resin Ribbon</b> .....	86
<b>5095 Resin Ribbon</b> .....	86
<b>Specialty Printer Ribbons</b> .....	87
<b>6000 Wax Ribbon</b> .....	87
<b>2100 Wax Ribbon</b> .....	87
<b>Industrial Ribbon Cores</b> .....	87
<b>Replacement Core Kit</b> .....	87
<b>Zebra ZipShip Samples</b> .....	88
<b>Tabletop/Industrial Printers – 3” Core Media</b> .....	88
<b>RFID Printers - 3" Core Media</b> .....	89
<b>Desktop Printers - 1" Core Media</b> .....	90
<b>Tabletop/Industrial Printers - 1" Core Ribbons</b> .....	90

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



## 2021 Bestsellers Spotlight

Rank	Part Number	Product Name	Printer
1	10023701	Z-Perform 1000D	Industrial
2	10018340	Z-Perform 1500T	Industrial
3	10000301	Z-Perform 1000D	Industrial
4	10010034	Z-Perform 2000D	Desktop
5	10010043	Z-Select 4000D	Desktop
6	10015341	Z-Select 4000D	Desktop
7	10000281	Z-Perform 2000T	Industrial
8	18950	Z-Ultimate 3000T White	Desktop
9	LD-R4AW5B	Z-Perform 1000D	Mobile
10	LD-R2BF5W	PolyPro 4000D	Mobile

## New ZipShip Items

Part Number	Product Type	Product Name	Printer
10033481	Label	ThermaLock 4000D	Mobile
10033482	Label	ThermaLock 4000D	Mobile
10033483	Label	ThermaLock 4000D	Mobile
10037679	Wristband	Z-Band Direct Lite (White)	Desktop
08000CR11030	Ribbon	ChemResist	Industrial
08000CR11007	Ribbon	ChemResist	Desktop
01600ZD25707	Ribbon	1600 Wax	Desktop
05319ZD25707	Ribbon	5319 Wax	Desktop
06100ZD25707	Ribbon	6100 Wax/Resin	Desktop
03200ZD25707	Ribbon	3200 Wax/Resin	Desktop
05095ZD25707	Ribbon	5095 Resin	Desktop
05095ZD23307	Ribbon	5095 Resin	Desktop

Zebra wants to help you select the supplies you need. Zebra Supplies ZipShip provides over 1000 different stock items. Our catalog lists our stock part numbers and provides the spec sheets associated with the product name.

Please take a moment to view our [Zebra Certified Supplies Selector Guide](#) to aid your browsing process.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

# Printer Media Specifications

		Core Size	Max OD	Min Media Width	Max Media Width	Min Media Length	Min Media Caliper	Max Media Caliper
	Printer	In.	In.	In.	In.	In.	mil	mil
<b>Tabletop / Industrial</b>	ZT220 / ZT230	1 & 3	5 & 8	0.75	4.5	0.5	3	10
	ZT410 / ZT410R	3	8	1	4.5	0.5	2.3	10
	ZT411 / ZT411R	3	8	1	4.5	0.5	2.3	10
	ZT420 / ZT420R	3	8	2	7	0.5	2.3	10
	ZT421 / ZT421R	3	8	2	7	0.5	2.3	10
	ZT510	3	8	0.79	4.5	0.25	3	12
	ZT610 / ZT610R	3	8	1	4.5	0.5	2.3	10
	ZT620 / ZT620R	3	8	2	7	0.5	2.3	10
	110XiiiPlus / 110Xi4 / R110Xi4	3	8	0.79	4.5	0.25	3	12
	140XiiiPlus / 140Xi4	3	8	1.57	5.5	0.25	3	12
	170XiiiPlus / 170Xi4 / R170Xi4	3	8	2	7.1	0.25	3	12
	220XiiiPlus / 220Xi4	3	8	4.25	8.8	0.25	3	12
	105SL / 105SLPlus	3	8	0.79	4.5	0.25	3	12
	S4M	1 & 3	5 & 8	0.75	4.5	0.5	3	10
	ZM400	3	8	1	4.5	0.5	2.3	10
	ZM600	3	8	2	7	0.5	2.3	10
<b>Desktop</b>	ZD410	0.5 & 1.0	5	0.59	2.36	0.25	3	7.5
	ZD220 / ZD230	0.5 & 1.0	5	1	4.4	1	3	7.5
	ZD420 / ZD421	0.5 & 1.0	5	0.59	4.65	0.25	3	7.5
	ZD620 / ZD621	0.5 & 1.0	5	0.59	4.65	0.25	3	7.5
	ZD500 / ZD500R	1	5	0.75	4.25	0.25	3	12
	GK & GX Series	1	5	0.75	4.25	0.38	3	7.5
	GC Series	1	5	1	4.25	0.38	3	7
	GT800	1	5	0.75	4.49	0.25	3	7
	LP / TLP 2824 Plus	1	5	1	2.36	0.38	3	7
	LP / TLP 2844 Series	1	5	1	4.25	0.38	3	7
	TLP 3842	1	5	1	4.25	0.38	3	7
	TLP 3844-Z	1	5	1	4.25	0.38	3	7
	<b>Mobile</b>	QLn220	0.75 / 1.375	2.2	0.63	2.18	0.5	2.3
QLn320		0.75 / 1.375	2.6	1	3.13	0.5	2.3	6.5
QLn420		0.75 / 1.375	2.6	2	4.4	0.5	3.2	7.5
ZQ110		0.5 / 0.75	1.18	-	2.28	-	2.3	4
ZQ310		0.5 / 0.75	1.57	-	2.28	0.5	2.3	6.3
ZQ320		0.5 / 0.75	1.57	-	3.15	0.5	2.3	6.3
ZQ510		0.75	2	1.38	3.15	0.5	2.3	6.3
ZQ511		0.75	2	1.38	3.15	0.5	2.3	6.3
ZQ520 / ZQ520R		0.75	2.25	-	4.45	0.5	2.3	6.3
ZQ521 / ZQ521R		0.75	2.25	-	4.45	0.5	2.3	6.3
ZQ610		0.75 / 1.375	2.2	1	2.18	0.5	2.3	6.5
ZQ620		0.75 / 1.375	2.6	1	3.125	0.5	2.3	6.5
ZQ630 / ZQ630R		0.75 / 1.375	2.6	2	4.4	0.5	2	6.5
iMZ220 / MZ 220		0.5 / 0.75	1.88	2	2	-	2	4
iMZ320 / MZ 320		0.5 / 0.75	1.88	3	3	-	3.2	4
P4T		0.75	2.6	2	4.12	1.25	-	8.2
RW 220	0.75 / 1.375	2.25	1	2.38	0.5	2	6.3	
RW420 / RW420 Print Station	0.75 / 1.375	2.25	2	4.13	0.5	2	6.3	
<b>Print Engine</b>	ZE511	Varies	Varies	0.63	4.5	0.25	5.3	10
	ZE521	Varies	Varies	3	7.1	1	3	12
	ZE500 / ZE500R - 4	Varies	Varies	0.63	4.5	0.25	5.3	10
	ZE500 / ZE500R - 6	Varies	Varies	3	7.1	1	3	12
	110PAX4 / R110PAX4	3	Varies	0.63	4.5	0.25	5.8	10
	170PAX4	3	Varies	3	7.1	1	3	12

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Industrial Printers

### Z-Perform 1000D

A standard, direct thermal, bright white, uncoated paper label with a permanent acrylic adhesive. Ideal for direct thermal applications that require limited durability.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
2	x	2	10028310	X	2,765	6	24 lbs.	X			
3	x	1	10000303	X	5,500	6	26 lbs.	X	X	X	X
3	x	3	10028312	X	1,880	4	25 lbs.	X			
4	x	2	10003051	X	2,760	4	26 lbs.	X	X	X	X
4	x	3	10000302	X	2,000	4	26 lbs.	X	X	X	X
4	x	4	10028311	X	1,425	4	26 lbs.	X			
4	x	6	10000301	X	1,000	4	26 lbs.	X	X	X	X
4	x	6	10015366	FF	2,000	2	30 lbs.	X	X		X
4	x	6.5	10000300	X	900	4	26 lbs.	X	X		
4	x	8	10023701	X	750	4	26 lbs.	X	X	X	X

\*FF = Fanfold w/ perf  
3" ID, 12" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
4	x	6	10026037		2,500	2	26 lbs.		X		

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
2	x	1	10000298	X	5,500	8	26 lbs.	X	X		X
2.25	x	1.25	10000297	X	4,350	8	27 lbs.	X	X		X
3	x	1	10000296	X	5,500	6	26 lbs.	X	X		X
3	x	2	10000295	X	2,750	6	26 lbs.	X	X	X	X
4	x	2	10012164		2,720	4	26 lbs.	X	X		X
4	x	2	10015365	X	2,719	4	26 lbs.	X			
4	x	2.5	10000294	X	2,280	4	26 lbs.	X	X		X
4	x	3	10000293	X	2,000	4	26 lbs.	X	X	X	X
4	x	4	10000292	X	1,500	4	26 lbs.	X	X	X	X
4	x	6	10000290	X	1,000	4	26 lbs.	X	X	X	X
4	x	6.5	10000289	X	900	4	26 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Perform 1500T

A standard, thermal transfer, smooth paper label with a permanent acrylic adhesive. Provides the optimal balance between performance and price. Recommended for printing applications up to 12 inches per second.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
4	x	2	10018351	X	3,000	4	26 lbs.	X	X	X	X
4	x	3	10018349	X	2,000	4	26 lbs.	X	X	X	X
4	x	4	10021230	X	1,500	4	26 lbs.	X	X		X
4	x	6	10018340	X	1,000	4	26 lbs.	X	X	X	X
4	x	6	10021198	FF	2,000	2	26 lbs.	X	X		X
4	x	6.5	10021229	X	900	4	26 lbs.	X		X	X
4	x	8	10021228	X	750	4	26 lbs.	X	X	X	X

\*FF = Fanfold w/ perf.

3" ID, 12" OD

Size W	x	L	Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	WI	Stocking Locations		
									GA	TX	CA
4	x	6	10026038		2,750	2	26 lbs.		X		

## Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
2	x	0.5	10022942	X	3,000	4	8 lbs.		X		
2	x	1	10000288	X	5,500	10	31 lbs.	X	X	X	X
2.5	x	1.25	10022943	X	2,000	4	12 lbs.		X		
3	x	1	10000287	X	5,500	6	27 lbs.	X	X	X	X
3	x	2	10000286	X	2,750	6	27 lbs.	X	X	X	X
3	x	5	10010242	X	1,200	6	27 lbs.	X	X	X	X
3.5	x	1	10010243	X	5,470	4	27 lbs.	X	X	X	
4	x	1	10010244	X	5,470	4	27 lbs.	X	X	X	X
4	x	2	10000285	X	2,750	4	23 lbs.	X	X	X	X
4	x	3	10000284	X	2,000	4	27 lbs.	X	X	X	X
4	x	4	10000283	X	1,500	4	24 lbs.	X	X	X	X
4	x	6	10000281	X	1,000	4	27 lbs.	X	X	X	X
4	x	6	10000299	FF	2,000	2	26 lbs.	X	X		X
4	x	6.5	10000280	X	900	4	27 lbs.	X	X	X	X
4	x	8	10014013	X	750	4	27 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### Z-Perform 2000T All-Temp

A standard, thermal transfer, bright white, coated, smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20°F.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
2	x	5.5	72305		1,050	10	31 lbs.		X		
2.75	x	1.25	72369		4,240	8	32 lbs.	X	X		
3	x	5	97477	X	1,100	6	26 lbs.	X			X
3.25	x	5.5	72371		1,040	6	32 lbs.	X			
3.25	x	cont.	72372		486'	6	35 lbs.	X			
3.5	x	1	72373		5,180	6	30 lbs.	X			
4	x	2.5	72374		2,220	4	25 lbs.	X			X
4	x	6	72377		950	4	25 lbs.	X			
4	x	6	72376	X	950	4	25 lbs.	X	X		X

### Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID, 8" OD

W	Size		Part #	Color	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L								GA	TX	CA
4	x	3	10006209-1	Yel.	X	1840	4	27 lbs.	X	X	X	X
4	x	3	10006209-3	Pink	X	1840	4	27 lbs.	X	X	X	X
4	x	6	10006208	Blue	X	1000	4	27 lbs.	X	X		
4	x	6	10006208-1	Yel.	X	1000	4	27 lbs.	X	X	X	X
4	x	6	10006208-2	Grn.	X	1000	4	27 lbs.	X	X	X	X
4	x	6	10006208-4	Org.	X	1000	4	27 lbs.	X	X	X	X
4	x	6	10006208-5	Red	X	1000	4	27 lbs.	X	X	X	
4	x	6	10006208-7	Fl.Org.	X	1000	4	27 lbs.	X	X	X	X
4	x	6.5	10005725-1	Yel.	X	900	4	27 lbs.	X			

### Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated 7.5 mil paper tag.

3" ID, 8" OD

W	Size		Part #	Perf.	Tags/roll	Carton Weight	WI	Stocking Locations		
	x	L						GA	TX	CA
3	x	1.25	67251	FF	3.75	6	X	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20°F.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1.5	x	1	88686		5,120	14	29 lbs.	X	X		X
2	x	1	72275		4,620	8	22 lbs.	X	X	X	X
2.25	x	1.25	72276		3,770	8	24 lbs.	X		X	X
2.25	x	1.25	10002635	X	3,770	8	16 lbs.	X	X		X
2.25	x	2.5	72277		1,980	8	24 lbs.	X			
2.25	x	4	72278		1,260	8	25 lbs.	X	X		
3	x	1	74569		5,120	6	24 lbs.	X	X	X	
3	x	2	98958	X	2,710	6	26 lbs.	X	X	X	
3	x	3	84086		1,840	6	27 lbs.	X			X
3.5	x	1	75856		5,120	6	29 lbs.	X			X
4	x	1.5	10015348	X	4,225	4	25 lbs.	X	X		X
4	x	2.5	72344		2,220	4	25 lbs.	X		X	X
4	x	3	800740-305	X	2,238	4	25 lbs.	X		X	X
4	x	4	82801		1,400	4	25 lbs.			X	X
4	x	6	72345		950	4	25 lbs.	X	X		X
4	x	6	98959	X	940	4	25 lbs.	X	X		X
4	x	6	83398	FF	720	6	28 lbs.	X			
4	x	6.5	117945		870	4	25 lbs.	X		X	

\*FF=Fanfold w/  
perf

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
3.5	x	1	HC10000684	X	5,760	6	30 lbs.	X			

Label has square edges and sensing notches. Printable area is 3.5" x 0.875".

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
3.5	x	1.125	10013639	X	5,219	6	29 lbs.	X			

Label has square edges and black mark sensing.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	WI	Stocking Locations			
	x	L							GA	TX	CA	
6.625	x	6	10004425	X	660	2	20 lbs.	X	X			
4.375	x	6.875	10006703	X	580	4	32 lbs.	X	X			

### 8000D Lab

A premium, direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75°F.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	WI	Stocking Locations			
	x	L							GA	TX	CA	
4	x	5.5	10018338	X	1,050	4	26 lbs.	X				

Slits through face stock create five labels: (1) 4" x 3.75" label, (2) 2" x 0.8125" labels, and (2) 2" x 0.9375" labels.

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	WI	Stocking Locations			
	x	L							GA	TX	CA	
1.125	x	1.125	10036351	X	5,000	6	11 lbs.	X				
1.375	x	1.375	10036354	X	4,400	14	32 lbs.	X				
1.5	x	1	72280		5,180	14	30 lbs.	X	X		X	
1.75	x	0.75	10036352	X	7,750	4	11 lbs.	X				
2	x	1	72281		5,180	10	29 lbs.	X	X	X	X	
2.25	x	0.75	800622-075	X	7,995	4	14 lbs.	X	X		X	
2.25	x	1.25	800622-125	X	5,087	4	16 lbs.	X	X		X	
2.25	x	1.25	72283		4,240	8	26 lbs.	X	X		X	
2.25	x	2	800622-205	X	3,292	4	16 lbs.	X				
2.75	x	1.25	72282		4,240	8	31 lbs.	X	X		X	
3	x	1	72284		5,180	6	25 lbs.	X	X	X	X	
3	x	2	72285		2,740	6	27 lbs.	X	X		X	
3	x	5	72993		1,100	6	28 lbs.	X	X		X	
3	x	6	81397	X	910	6	26 lbs.	X	X	X		
3.25	x	2	72974		2,700	6	30 lbs.	X				
3.25	x	5.5	72286		1,040	6	30 lbs.	X	X		X	
3.25	x	cont.	72287		486'	6	35 lbs.		X			
3.5	x	1	72288		5,180	6	28 lbs.	X	X	X		
4	x	1	92071	X	4,970	4	23 lbs.	X	X	X		
4	x	1.375	10036355	X	4,400	4	25 lbs.	X				
4	x	1.5	800640-155	X	4,225	4	23 lbs.	X	X		X	
4	x	2	72289		2,740	4	23 lbs.	X	X		X	
4	x	2.5	94681	X	2,130	4	23 lbs.	X		X		
4	x	2.5	72290		2,220	4	25 lbs.	X	X		X	

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

4	x	3	72291		1,870	4	25 lbs.	X	X		X
4	x	3	800640-305	X	2,238	4	25 lbs.	X	X		X
4	x	4	800640-405	X	1,696	4	26 lbs.	X		X	X
4	x	4	72292		1,410	4	26 lbs.	X	X		X
4	x	5	800640-505	X	1,365	4	26 lbs.	X	X		X
4	x	6	72295	FF	900	6	35 lbs.	X	X		
4	x	6	72353		950	4	26 lbs.	X	X		X
4	x	6	72294	X	950	4	26 lbs.	X	X	X	X
4	x	6.5	73298	X	840	4	26 lbs.	X	X		
4	x	6.5	72296		880	4	26 lbs.		X		X
4	x	8	98963	X	690	4	26 lbs.		X		
4	x	10	94682	X	550	4	26 lbs.	X			
4	x	13	72297		440	4	26 lbs.	X			X
4	x	cont.	98962		466'	4	26 lbs.	X			
5	x	2.5	72298		2,220	4	32 lbs.	X			
5	x	6	72301		960	4	32 lbs.	X		X	X
5	x	cont.	72300		486'	4	32 lbs.	X			
6	x	4	72354		1,410	2	18 lbs.	X			
6	x	4	73909	X	1,360	2	18 lbs.	X	X		
6	x	8	94683	X	690	2	18 lbs.	X	X	X	X
6.5	x	4	72302		1,410	2	18 lbs.	X			X

\*FF = Fanfold w/  
perf

### Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
2	x	1	10022944	X	3,000	4	12 lbs.		X		
3	x	1	10022945	X	3,000	4	20 lbs.		X		
3	x	2	10022946	X	1,000	4	12 lbs.		X		
4	x	2	10022948	X	1,000	4	16 lbs.		X		
4	x	6	10005486	X	1,000	4	27 lbs.	X	X	X	

### Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, pa 3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	WI	Stocking Locations		
	x	L							GA	TX	CA
4	x	6	72352	X	860	4	22 lbs.	X	X	X	X

Contains side sensing  
notch.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

## Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
0.25	x	0.25	10011965	X	8	10,000	4	12 lbs.	M			
0.25	x	0.25	10022950	X	7	10,003	1	5 lbs.		M		
0.25	x	0.25	10011966	X	3	10,002	4	9 lbs.	M			
0.27	x	0.27	10022952	X	5	10,000	1	5 lbs.		M		
0.3	x	0.2	10022992	X	6	10,002	1	5 lbs.		M		
0.3125	x	0.3125	10011967	X	2	10,000	4	9 lbs.	M			
0.313	x	0.313	10022994	X	8	10,000	1	5 lbs.		M		
0.375	x	0.375	10022970	X	7	10,003	1	5 lbs.		M		
0.375	x	0.375	10011968	X	6	11,964	4	16 lbs.	M			
0.375	x	0.375	10022995	X	4	10,000	1	5 lbs.		M		
0.5	x	0.2	10022998	X	5	10,000	1	5 lbs.		M		
0.5	x	0.2	10022997	X	4	10,000	1	5 lbs.		M		
0.5	x	0.25	10011969	X	6	9,996	4	16 lbs.	M			
0.5	x	0.375	10023000	X	4	10,000	1	5 lbs.		M		
0.5	x	0.438	10011970	X	4	10,000	4	12 lbs.				M
0.5	x	0.438	10022967	X	5	10,000	1	2 lbs.		M		
0.5	x	0.438	10023002	X	3	10,002	1	2 lbs.		M		
0.5	x	0.5	10011971	X	4	10,000	4	12 lbs.	M			
0.66	x	0.2	10022971	X	5	10,000	1	5 lbs.		M		
0.66	x	0.2	10023006	X	4	10,000	1	5 lbs.		M		
0.66	x	0.2	10023005	X	2	10,000	1	3 lbs.		M		
0.7	x	0.375	10023007	X	4	10,000	1	2 lbs.		M		
0.75	x	0.25	10011972	X	4	10,000	4	20 lbs.	M			
0.75	x	0.25	10022973	X	1	10,000	1	5 lbs.		M		
0.75	x	0.75	10011973	X	4	10,000	4	20 lbs.	M			
0.9	x	0.25	10022977	X	3	10,002	1	2 lbs.		M		
0.9	x	0.25	10022976	X	1	10,000	1	2 lbs.		M		
1	x	0.25	10011974	X	3	10,002	4	20 lbs.	M			
1	x	0.25	10011975	X	1	16,456	4	9 lbs.	M			
1	x	0.375	10011976	X	3	10,002	4	20 lbs.	M			
1	x	0.375	10023011	X	1	10,000	1	2 lbs.		M		
1	x	0.5	10023012	X	3	10,002	1	3 lbs.		M		
1	x	0.5	10008510	X	1	9.42	4	9 lbs.	X	X		
1	x	1	10011977	X	3	16,455	4	20 lbs.	M			
1.1	x	0.38	10022984	X	2	10,000	1	3 lbs.		M		
1.25	x	0.25	10022986	X	2	10,000	1	2 lbs.		M		
1.25	x	0.25	10022985	X	1	10,000	1	2 lbs.		M		
1.25	x	0.375	10022987	X	2	10,000	1	3 lbs.		M		
1.25	x	0.375	10011978	X	1	12,342	4	20 lbs.	M			
1.25	x	1	10023017	X	2	10,000	1	6 lbs.		M		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

W	Size		Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
1.375	x	0.25	10022989	X	2	10,000	1	2 lbs.		M		
1.375	x	0.25	10022988	X	1	10,000	1	2 lbs.		M		
1.5	x	0.25	10011979	X	3	10,002	4	30 lbs.				M
1.5	x	0.25	10022991	X	2	10,000	1	2 lbs.		M		
1.5	x	0.25	10022990	X	1	10,000	1	2 lbs.		M		
1.5	x	0.375	10022956	X	2	10,000	1	3 lbs.		M		
1.5	x	0.375	10022955	X	1	10,000	1	3 lbs.		M		
1.5	x	0.5	10022957	X	2	10,000	1	4 lbs.		M		
1.5	x	0.5	10008511	X	1	9,420	4	9 lbs.	X	X		
1.5	x	0.75	10023032	X	2	10,000	1	6 lbs.		X		
1.5	x	1	10011981	X	1	5,486	4	9 lbs.	M			
1.75	x	0.25	10011982	X	1	16,456	4	9 lbs.	M			
2	x	0.25	10011983	X	1	16,456	4	12 lbs.	M			
2	x	0.375	10011984	X	2	10,000	4	30 lbs.				M
2	x	0.375	10022959	X	1	10,000	1	4 lbs.		M		
2	x	0.4	10023035	X	1	10,000	1	4 lbs.		M		
2	x	0.5	10011985	X	1	9,874	4	12 lbs.	M			
2	x	1	10008512	X	1	5,570	4	12 lbs.	X	X	X	
2	x	1.25	10022960	X	1	2,500	1	4 lbs.		M		
2.5	x	0.2	10023036	X	1	2,500	1	3 lbs.		M		
2.75	x	1	10022961	X	1	5,000	1	6 lbs.		M		
2.75	x	1.25	10008513	X	1	4,270	4	16 lbs.	X	X		X
2.75	x	1.375	10022962	X	1	4000	1	6 lbs.		M		
3	x	0.25	10023038	X	1	2,500	1	3 lbs.		M		
3	x	0.313	10022963	X	1	10,000	1	5 lbs.		M		
3	x	1	10011691	X	1	5,240	4	20 lbs.	X		X	X
3	x	1.5	10022964	X	1	2,500	1	6 lbs.		X		
3	x	2	10008514	X	1	2,950	4	20 lbs.	X	X	X	X
3	x	3	10008515	X	1	1,880	4	20 lbs.	X			
4	x	1	10017522	X	1	5,500	4	32 lbs.	X			
4	x	1.5	10018339	X	1	3,800	4	32 lbs.	X			
4	x	2	10002634	X	1	2,950	4	32 lbs.	X	X	X	X
4	x	2.5	10008516	X	1	2,240	4	32 lbs.	X	X	X	
4	x	3	10017521	X	1	2,000	4	32 lbs.	X			
4	x	4	10008517	X	1	1,520	4	32 lbs.	X			X
4	x	6	10008518	X	1	960	4	32 lbs.	X	X	X	

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations				
	x	L						WI	GA	TX	CA	
1.25	x	0.25	10011692		15,710	4	8 lbs.	X				X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1.5	x	0.5	10011693		9,420	4	8 lbs.	X	X		X
1.75	x	0.75	10011694	X	7,160	4	8 lbs.	X			
2	x	0.375	10011695		10,000	4	10 lbs.	X			
2	x	0.5	10011696		10,000	4	10 lbs.	X	X		
2	x	1	10011697	X	5,570	4	10 lbs.	X	X	X	X
2	x	1.25	10011698		4,270	4	10 lbs.		X		X
2	x	4	10011699		1,570	4	10 lbs.	X			
2.5	x	0.5	10011700	X	10,000	4	16 lbs.	X			
2.75	x	1.25	10011701		4,270	4	16 lbs.	X	X		X
3	x	1	10011702		5,240	4	20 lbs.	X	X	X	X
3	x	2	10011703	X	2,950	4	20 lbs.	X	X		X
3	x	3	10011704		1,880	4	20 lbs.		X	X	
3.5	x	1	10011705	X	5,570	4	20 lbs.	X	X		
4	x	2	18951	X	2,950	4	32 lbs.	X	X		X
4	x	2.5	65816		2,240	4	32 lbs.	X			X
4	x	4	94688	X	1,520	4	32 lbs.	X	X		
4	x	6	66458		960	4	32 lbs.	X	X		X

**Z-Ultimate 4000T White**

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1.5	x	0.5	10011706	X	9,420	4	8 lbs.	X	X		X
2	x	0.5	10011707	X	10,000	4	10 lbs.	X			
2	x	1	10011708	X	5,570	4	10 lbs.	X		X	
3	x	1	10011709	X	5,240	4	20 lbs.	X	X	X	X
3	x	3	10011710	X	1,880	4	20 lbs.	X			
4	x	2.5	10002627	X	2,240	4	32 lbs.	X	X		
4	x	6	10002628	X	960	4	32 lbs.	X	X		X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Ultimate 4000T Silver

A silver gloss thermal transfer polyester label with a high-performance permanent acrylic adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra resin ribbon.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.75	x	0.25	10023152	X	4	10,000	1	5 lbs.	M			
1	x	0.5	10023153	X	3	10,002	1	3 lbs.	M			
1.5	x	0.5	10023154	X	2	10,000	1	4 lbs.	M			
1.5	x	0.75	10023155	X	2	10,000	1	6 lbs.	M			
2	x	1	10023156	X	1	3,000	1	3 lbs.	M			
3	x	1	10023157	X	1	3,000	1	5 lbs.	M			
3	x	2	10023158*	X	1	1,000	1	3 lbs.	M			
3	x	3	10023159	X	1	1,000	1	5 lbs.	M			
3	x	5	10023166	X	1	1,000	1	6 lbs.	M			
3	x	cont.	10023160		1	300	1	3 lbs.	M			
4	x	2	10023161	X	1	1,000	1	4 lbs.	M			

M = made-to-order (MTO). MTO lead time = ships within 7 business days. \*10023158: OD = 5.3"

## Z-Ultimate 4000T Clear

A clear gloss thermal transfer polyester label with a high-performance permanent acrylic adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.5	x	0.5	10023042	X	4	10,000	1	1 lb.	M			
1	x	0.5	10023043	X	3	10,002	1	3 lbs.	M			
2	x	1	10023045	X	1	3,000	1	3 lbs.	M			
3	x	1	10023047	X	1	3,000	1	5 lbs.	M			
3	x	2	10023048	X	1	1,000	1	3 lbs.	X			
3	x	cont.	10023049		1	300	1	3 lbs.	M			

Notch sensing. M = made-to-order (MTO). MTO lead time = ships within 6 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### Z-Ultimate 4000T Removable

A white gloss thermal transfer polyester label with a removable adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor recognition when paired with compatible Zebra resin ribbons.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.5	x	0.437	10023066	X	5	10,000	1	2 lbs.		M		
1	x	0.5	10023069	X	3	10,002	1	3 lbs.		M		
1	x	0.5	10023362	X	1	10,000	1	3 lbs.		M		
1	x	2	10023149	X	1	3,000	1	3 lbs.		M		
3	x	1	10023150	X	1	3,000	1	5 lbs.		M		
3	x	2	10023151	X	1	1,000	1	3 lbs.		M		

### Z-Ultimate 4000T High-Tack White

A white gloss thermal transfer polyester label with a high-tack permanent acrylic adhesive. Ideal for applications that require up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra resin ribbon.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10023052	X	3	10,002	1	3 lbs.		M		
1	x	0.5	10023050	X	1	7,770	1	2 lbs.		M		
1.5	x	0.5	10023053	X	2	10,000	1	4 lbs.		M		
2	x	1	10008521	X	1	4,300	4	12 lbs.	X	X		
2	x	cont.	10023055		1	300'	1	3 lbs.		X		
2.75	x	1.25	10023056	X	1	3,000	1	5 lbs.		M		
3	x	1	10014014	X	1	4,300	4	20 lbs.	X			
3	x	2	10008520	X	1	2.28	4	20 lbs.	X	X		X
3	x	3	10023058	X	1	1000	1	5 lbs.		M		
3	x	cont.	10023059		1	300'	1	3 lbs.		M		
4	x	2	10023060	X	1	1,000	1	4 lbs.		X		
4	x	3	10023061	X	1	1,000	1	6 lbs.		M		
4	x	4	10023062	X	1	1,000	1	6 lbs.		M		
4	x	6	10008519	X	1	790	4	32 lbs.	X	X		X
4	x	cont.	10023063		1	300'	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Ultimate 4000T High-Tack Silver

A silver gloss thermal transfer polyester label with a high-tack permanent acrylic adhesive. Ideal for applications that require up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra resin ribbon.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.5	x	0.438	10021220	X	4	10,000	1	2 lbs.		M		
0.75	x	0.25	10021221	X	4	10,000	1	5 lbs.		M		
1	x	0.375	10021222	X	3	10,002	1	2 lbs.		M		
1	x	0.5	10021223	X	3	10,002	1	3 lbs.		M		
1.5	x	0.5	10023349	X	2	10,000	1	4 lbs.		M		
1.5	x	0.75	10023350	X	2	10,000	1	6 lbs.		M		
2	x	0.5	10023351	X	1	3,000	1	2 lbs.		M		
2	x	1	10023352	X	1	3,000	1	3 lbs.		X		
2	x	cont.	10023353		1	300'	1	3 lbs.		M		
2.75	x	1.25	10023354	X	1	3,000	1	5 lbs.		M		
3	x	1	10023355	X	1	3,000	1	5 lbs.		X		
3	x	2	10023356	X	1	1,000	1	3 lbs.		M		
3	x	cont.	10023339		1	300'	1	3 lbs.		M		
4	x	2	10023357	X	1	1,000	1	4 lbs.		M		
4	x	cont.	10023358		1	300'	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

## Z-Xtreme 4000T White

A thermal transfer white matte polyester label with a high-performance permanent acrylic adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.66	x	0.2	10023162	X	4	10,000	1	5 lbs.		M		
0.75	x	0.25	10023163	X	4	10,000	1	5 lbs.		M		
0.75	x	0.9	10023237	X	2	3,000	1	3 lbs.		M		
0.9	x	0.25	10023238	X	3	10,002	1	2 lbs.		M		
0.9	x	0.9	10023241	X	2	3,000	1	2 lbs.		M		
0.9	x	0.9	10023240	X	1	1,000	1	3 lbs.		M		
1	x	0.313	10023340	X	1	3,000	1	3 lbs.		M		
1	x	0.5	10023164	X	3	10,002	1	3 lbs.		M		
1.05	x	0.25	10023342	X	1	3,000	1	3 lbs.		M		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
2	x	0.25	10023243	X	1	2,500	1	3 lbs.	M			
2	x	1	10023244	X	1	3,000	1	3 lbs.	M			
3	x	1	10023245	X	1	3,000	1	5 lbs.	M			
3	x	2	10023165	X	1	1,000	1	3 lbs.	M			

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

### Z-Xtreme 4000T High-Tack White

A thermal transfer white matte polyester label with a permanent high-tack adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/ cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10023186	X	10,002	1	3 lbs.	M				
1.5	x	0.5	10023226	X	10,000	1	4 lbs.	M				
2	x	1	10023227	X	3,000	1	3 lbs.	M				
2.75	x	1.25	10023228	X	3,000	1	5 lbs.	M				
3	x	1	10023229	X	3,000	1	5 lbs.	M				
3	x	2	10023230	X	1,000	1	3 lbs.	M				
3	x	cont.	10023231		300'	1	3 lbs.	M				
4	x	2	10023232	X	1,000	1	4 lbs.	M				
4	x	3	10023233	X	1,000	1	6 lbs.	M				

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

### Z-Xtreme 4000T High-Tack Silver

A thermal transfer silver matte polyester label with a permanent high-tack adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/ cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10023170	X	3	10,002	1	3 lbs.	M			
1	x	0.5	10023168	X	1	10,000	1	3 lbs.	M			
1.5	x	0.5	10023171	X	2	10,000	1	4 lbs.	M			
1.5	x	0.75	10023172	X	2	10,000	1	6 lbs.	M			
2	x	0.5	10023173	X	1	3,000	1	2 lbs.	M			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
2	x	1	10023175	X	1	3,000	1	3 lbs.		X		
2	x	cont.	10023176		1	300'	1	3 lbs.		M		
2.75	x	1.25	10023177	X	1	3,000	1	5 lbs.		M		
3	x	1	10023179	X	1	3,000	1	5 lbs.		M		
3	x	2	10023180	X	1	1,000	1	3 lbs.		M		
3	x	3	10023181	X	1	1,000	1	5 lbs.		M		
3	x	cont.	10023182		1	300'	1	3 lbs.		M		
4	x	4	10023183	X	1	1,000	1	6 lbs.		M		
4	x	6	10023184	X	1	1,000	1	6 lbs.		M		
4	x	cont.	10023185		1	300'	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

### Z-Xtreme 5000T

A white matte thermal transfer polyester label with a permanent acrylic adhesive. Provides outstanding chemical resistance for harsh chemicals such as xylene. Withstands temperature exposure up to 300°F.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.9	x	0.375	10023247	X	1	3,000	1	3 lbs.		M		
0.9	x	0.75	10023248	X	1	3,000	1	3 lbs.		M		
0.9	x	0.9	10023251	X	2	3,000	2	2 lbs.		M		
0.9	x	0.9	10023249	X	1	3,000	1	2 lbs.		X		
2.5	x	2.5	10023253	X	1	2,100	1	6 lbs.		M		

### Z-Supreme 2000T White

A thermal transfer white gloss polyimide label with a high-temp permanent acrylic adhesive that provides temperature resistance up to 500°F. Recommended for printed circuit board (PCB) labeling. UL/cUL indoor recognition when paired with compatible Zebra

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.25	x	0.25	10015787	X	7	10,003	1	2 lbs.			M	
0.27	x	0.27	10023019	X	5	10,000	1	5 lbs.		M		
0.3	x	0.2	10023020	X	6	10,002	1	5 lbs.		M		
0.313	x	0.313	10023023	X	8	10,000	1	5 lbs.		M		
0.313	x	0.313	10023021	X	5	10,000	1	5 lbs.		M		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.375	x	0.375	10023025	X	7	10,003	1	5 lbs.		M		
0.375	x	0.375	10023024	X	4	10,000	1	5 lbs.		M		
0.5	x	0.2	10023027	X	4	10,000	1	5 lbs.		M		
0.5	x	0.25	10023029	X	5	10,000	1	5 lbs.		M		
0.5	x	0.438	10023337	X	5	10,000	1	2 lbs.		M		
0.5	x	0.438	10023030	X	3	10,002	1	2 lbs.		M		
0.66	x	0.2	10023192	X	4	10,000	1	5 lbs.		M		
0.66	x	0.2	10023191	X	2	10,000	1	3 lbs.		M		
0.7	x	0.375	10023190	X	4	10,000	1	2 lbs.		M		
0.75	x	0.25	10023193	X	4	10,000	1	5 lbs.		M		
0.75	x	0.25	10015764	X	1	10,000	1	2 lbs.	X			
0.75	x	0.75	10023194	X	4	10,000	1	3 lbs.		M		
0.9	x	0.25	10023196	X	3	10,002	1	2 lbs.		M		
0.9	x	0.25	10023195	X	1	10,000	1	2 lbs.		M		
1	x	0.25	10015765	X	1	10,000	1	2 lbs.	X			
1	x	0.375	10023199	X	3	10,002	1	2 lbs.		M		
1	x	0.5	10023201	X	3	10,002	1	3 lbs.		M		
1	x	0.5	10023200	X	1	8,500	1	3 lbs.		M		
1	x	1	10023202	X	3	10,002	1	5 lbs.		M		
1.1	x	0.38	10023203	X	2	10,000	1	2 lbs.		M		
1.25	x	0.25	10023206	X	2	10,000	1	2 lbs.		M		
1.25	x	0.25	10023204	X	1	10,000	1	2 lbs.		M		
1.25	x	0.375	10023205	X	2	10,000	1	3 lbs.		M		
1.375	x	0.25	10023208	X	2	10,000	1	2 lbs.		M		
1.375	x	0.25	10023207	X	1	10,000	1	2 lbs.		M		
1.5	x	0.25	10023209	X	2	10,000	1	2 lbs.		M		
1.5	x	0.25	10015766	X	1	10,000	1	2 lbs.	X			
1.5	x	0.5	10023210	X	2	10,000	1	4 lbs.		M		
1.75	x	0.25	10023211	X	1	10,000	1	3 lbs.		M		
2	x	0.25	10021219	X	1	10,000	1	3 lbs.		M		
2	x	0.375	10023213	X	1	10,000	1	4 lbs.		M		
2	x	0.5	10023214	X	1	8,500	1	5 lbs.		M		
3	x	0.313	10023215	X	1	10,000	1	5 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

### Z-Supreme 3000T White

A thermal transfer white gloss polyimide label with a high-temp permanent acrylic adhesive that provides temperature resistance up to 480°F. Recommended for printed circuit board (PCB) labeling.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.25		0.25	10023217	X	7	20,006	1	5 lbs.		M		
0.375	x	0.375	10023216	X	7	10,003	1	5 lbs.		M		
0.5	x	0.28	10023219	X	4	10,000	1	5 lbs.		M		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Zebra ZipShip

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.66	x	0.2	10023223	X	4	10,000	1	5 lbs.		M		
0.75	x	0.25	10023225	X	4	10,000	1	5 lbs.		M		
0.75	x	0.25	10023224	X	1	10,000	1	3 lbs.		M		
1	x	0.25	10023304	X	1	10,000	1	2 lbs.		M		
1	x	0.5	10023305	X	1	9,300	1	3 lbs.		M		
1.25	x	0.25	10023306	X	1	10,000	1	2 lbs.		M		
1.5	x	0.25	10023307	X	1	10,000	1	2 lbs.		M		
2	x	0.25	10023308	X	1	2,500	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

## Z-Supreme 4000T Green

A thermal transfer white gloss polyimide label with a high-temp permanent acrylic adhesive that provides temperature resistance up to 500°F. Recommended for printed circuit board (PCB) labeling.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.25	x	0.25	10023309	X	7	20,006	1	5 lbs.		M		
0.66	x	0.2	10023311	X	4	10,000	1	5 lbs.		M		
0.75	x	0.25	10023312	X	1	10,000	1	3 lbs.		M		
0.91	x	0.25	10023315	X	3	10,002	1	2 lbs.		M		
0.91	x	0.25	10023314	X	1	10,000	1	2 lbs.		M		
1	x	0.5	10023317	X	1	8,000	1	2 lbs.		M		
1.25	x	0.25	10023319	X	2	10,000	1	2 lbs.		M		
1.25	x	0.25	10023318	X	1	10,000	1	2 lbs.		M		
1.5	x	0.25	10023321	X	2	10,000	1	2 lbs.		M		
1.5	x	0.25	10023320	X	1	10,000	1	2 lbs.		M		
2	x	0.25	10023322	X	1	10,000	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## PolyPro 4000D

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations				
	x	L						WI	GA	TX	CA	
2	x	1	10028316	X	6,000	6	20 lbs.	M				
2	x	1.25	10026377	X	5,000	6	20 lbs.	M				
2	x	1.125	10025481	X	5,000	6	20 lbs.	M				
4	x	2.1875	10025480	X	2,600	2	16 lbs.	M				

10025480 and 10025481 have slits through face stock. For an image of these products, please refer to Zebra's Healthcare Supplies Catalog on zebra.com.

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

## PolyPro 3000T

A thermal transfer white matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
0.5	x	1.5	10023264	X	2	2,000	1	3 lbs.		M		
0.75	x	0.25	10011986	X	4	10,000	4	8 lbs.	M			
0.75	x	1	10023323	X	2	2,000	1	3 lbs.		M		
0.75	x	1.5	10023325	X	1	2,000	1	3 lbs.		M		
1	x	0.5	10011987	X	3	10,002	4	20 lbs.		X		X
1	x	1	10023327	X	1	2,000	1	3 lbs.		M		
1	x	1.5	10023330	X	1	2,000	1	2 lbs.		M		
1	x	2	10023331	X	1	2,000	1	2 lbs.		M		
1.75	x	0.75	10011988	X	2	11,888	4	10 lbs.	X			X
1.75	x	1.5	10023334	X	1	2,000	1	3 lbs.		M		
2	x	1	10023335	X	1	2,000	1	2 lbs.		M		
2.75	x	1.25	10011989	X	1	3,923	4	16 lbs.	M			
3	x	1	10011990	X	1	4,610	4	30 lbs.	X	X	X	
3	x	2	10011991	X	1	2,440	4	30 lbs.	X			
3	x	5	10011992	X	1	1,015	4	30 lbs.	X			
3.25	x	2	10011993	X	1	2,448	4	20 lbs.				M
4	x	2	10011994	X	1	2,441	4	32 lbs.	X	X	X	X
4	x	3	10023336	X	1	1,000	1	6 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## PolyPro 4000T

A white thermal transfer Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	1	10014716	X	3,940	4	10 lbs.	X	X	X	
2.75	x	1.25	10014717	X	3,210	4	28 lbs.	X	X		
3	x	1	10011688		4,350	4	20 lbs.	X	X		X
3	x	2	10011689		2,230	4	20 lbs.	X	X	X	X
3.25	x	5.5	10011690		870	4	20 lbs.	X	X		X
4	x	3	10008531	X	1,420	4	32 lbs.	X	X		X
4	x	6	10008530	X	720	4	32 lbs.	X	X	X	
5	x	8	10014715	X	560	4	24 lbs.	X			

## PolyPro 4000T Removable

A thermal transfer matte Kimdura polypropylene label with a removable adhesive.

3" ID, 8" OD

W	Size		Part #	Perf.	Labels/across	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations	
	x	L							WI	GA
0.5	x	1.5	10023264	X	2	2,000	1	3 lbs.		M
0.75	x	0.25	10011986	X	4	10,000	4	8 lbs.	M	
0.75	x	1	10023323	X	2	2,000	1	3 lbs.		M
0.75	x	1.5	10023325	X	1	2,000	1	3 lbs.		M
1	x	0.5	10011987	X	3	10,002	4	20 lbs.		X
1	x	1	10023327	X	1	2,000	1	3 lbs.		M
1	x	1.5	10023330	X	1	2,000	1	2 lbs.		M
1	x	2	10023331	X	1	2,000	1	2 lbs.		M
1.75	x	0.75	10011988	X	2	11,888	4	10 lbs.	X	
1.75	x	1.5	10023334	X	1	2,000	1	3 lbs.		M
2	x	1	10023335	X	1	2,000	1	2 lbs.		M
2.75	x	1.25	10011989	X	1	3,923	4	16 lbs.	M	
3	x	1	10011990	X	1	4,610	4	30 lbs.	X	X
3	x	2	10011991	X	1	2,440	4	30 lbs.	X	
3	x	5	10011992	X	1	1,015	4	30 lbs.	X	
3.25	x	2	10011993	X	1	2,448	4	20 lbs.		
4	x	2	10011994	X	1	2,441	4	32 lbs.	X	X
4	x	3	10023336	X	1	1,000	1	6 lbs.		M

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

W	Size		Part #	Perf.	Labels/across	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
1	x	0.5	10022930	X	3	10,002	1	3 lbs.		M		
1.25	x	0.25	10022932	X	2	10,000	1	2 lbs.		M		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1.5	x	0.75	10022934	X	2	3,000	1	2 lbs.		M		
2	x	1	10022935	X	1	3,000	1	3 lbs.		M		
3	x	1	10022936	X	1	3,000	1	5 lbs.		M		
3	x	2	10022937	X	1	1,000	1	3 lbs.		M		
4	x	2	10022938	X	1	1,000	1	4 lbs.		X		
4	x	3	10022939	X	1	1,000	1	6 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

### 8000T Void Gloss

A thermal transfer white gloss polyester label with a tamper-evident adhesive that leaves a "void" pattern when removed.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10023255	X	3	10,002	1	3 lbs.		M		
1	x	0.5	10023254	X	1	9,000	1	3 lbs.		M		
1.5	x	0.5	10023256	X	2	10,000	1	4 lbs.		M		
1.5	x	0.75	10023257	X	2	10,000	1	6 lbs.		M		
2	x	0.5	10023258	X	1	3,000	1	2 lbs.		M		
2	x	1	10023259	X	1	3,000	1	3 lbs.		M		
2.75	x	1.25	10023260	X	1	3,000	1	5 lbs.		M		
3	x	1	10022914	X	1	3,000	1	5 lbs.		M		
3	x	2	10023261	X	1	1,000	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## 8000T Void Matte Silver

A thermal transfer silver matte polyester label with a tamper-evident adhesive that leaves a "void" pattern when removed. UL/cUL indoor/outdoor when paired with compatible Zebra ribbon.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10022917	X	3	10,002	1	3 lbs.	M			
1	x	0.5	10022916	X	1	9,000	1	3 lbs.	M			
1.5	x	0.5	10022918	X	2	10,000	1	4 lbs.	M			
1.5	x	0.75	10022919	X	2	10,000	1	6 lbs.	M			
2	x	0.5	10022920	X	1	3,000	1	2 lbs.	M			
2	x	1	10022921	X	1	3,000	1	3 lbs.	X			
2.75	x	1.25	10022922	X	1	3,000	1	5 lbs.	M			
3	x	1	10022915	X	1	3,000	1	5 lbs.	M			
3	x	2	10022923	X	1	1,000	1	3 lbs.	M			

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

## 8000T Z-Destruct

A thermal transfer white vinyl label with a tamper-evident adhesive that destructs when removed.

3" ID, 8" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10022924	X	1	10,000	1	3 lbs.	M			
2	x	0.5	10022926	X	1	2,989	1	2 lbs.	M			
2	x	1	10022927	X	1	3,000	1	3 lbs.	M			
3	x	1	10022928	X	1	3,000	1	5 lbs.	M			
3	x	2	10022929	X	1	1,000	1	3 lbs.	M			

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## 8000T Vinyl Clear

### Self-Laminating Wire Wrap Label

A thermal transfer, clear vinyl label with a white printable area and a permanent acrylic adhesive that provides excellent durability and chemical resistance. The conformable vinyl material utilizes a self-laminating design that provides additional image durability.

3" ID, 8" OD

Size			Part #	Perf.	Print Area Height (in.)	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.5	x	1	10015768	X	0.375	5,000	1	4 lbs.	X			
1	x	1.4337	10015769	X	0.5	7,500	1	4 lbs.	X			
1	x	2.25	10015770	X	0.75	3,000	1	4 lbs.	X		X	

Labels equipped with black mark sensing.

## 8000T Primary Blood Bag

### ISBT 128 Format

A thermal transfer polypropylene label with an all-temp permanent acrylic adhesive. Compliant with FDA 175.105 indirect food contact requirements.

3" ID, 8" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
4	x	4	HC10000688	X	1,110	4	24 lbs.	X	X		

ISBT 128 format creates 2" x 0.75" die cut in upper left-hand corner of label.

## 8000T Tuff 7.0 mil Tag

### Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.0 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID, 8" OD

Size			Part #	Perf.	Tags/roll	Rolls/carton	Carton Weight	WI	Stocking Locations		
W	x	L							GA	TX	CA
1	x	10	69531	X	1,920	4	21 lbs.	X			

\*4 tags across

## Desktop Printers

### Z-Perform 1000D

A standard, direct thermal, bright white, uncoated paper label with a permanent acrylic adhesive. Ideal for direct thermal applications that require limited durability.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	1	10026381	X	2,340	6	24 lbs.	X	X		
3	x	2	10026378	X	1,240	6	10 lbs.	X			
4	x	2	10026379	X	1,240	6	15 lbs.	X	X		X
4	x	3	10026380	X	840	6	15 lbs.	X			
4	x	6	10026382	X	430	6	15 lbs.	X	X	X	X

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1.25	x	1	10015784	X	2,340	6	6 lbs.	X	X	X	
2	x	1	10010028	X	2,340	6	10 lbs.	X	X	X	X
2.25	x	0.75	10015785	X	3,315	12	20 lbs.	X	X		
2.25	x	1.25	10015781	X	2,100	12	20 lbs.	X	X	X	X
3	x	1	10015782	X	2,340	6	11 lbs.	X	X	X	X
3	x	2	10010029	X	1,240	6	11 lbs.	X	X	X	X
3	x	3	10010030	X	840	6	11 lbs.	X	X	X	
4	x	1	10015783	X	2,340	6	12 lbs.	X	X		
4	x	1.5	10015786	X	1,620	6	12 lbs.	X	X		
4	x	2	10010031	X	1,240	6	14 lbs.	X	X	X	X
4	x	2	10012163		1,240	6	12 lbs.		X		X
4	x	3	10010032	X	840	6	15 lbs.	X	X	X	X
4	x	4	10010033	X	640	6	15 lbs.	X	X	X	X
4	x	6	10010034	X	430	6	16 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

## Z-Perform 2000D Floodcoated

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

1" ID, 5" OD

W	Size		Part #	Color	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
4	x	6	10010035	Yel.	X	430	6	16 lbs.	X	X		X
4	x	6	10010035-1	Grn.	X	430	6	12 lbs.	X	X		X
4	x	6	10010035-2	Org.	X	430	6	12 lbs.	X	X		X
4	x	6	10010035-3	Red	X	430	6	12 lbs.	X	X		X

Colors/PMS: Yellow/Pantone Yellow, Green/365, Red/185, Orange/021

## Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	1	10005850	X	2,490	6	6 lbs.	X	X	X	X
4	x	2	10005851	X	1,320	6	15 lbs.	X	X	X	X
4	x	3	10005852	X	890	6	9 lbs.	X	X	X	X
4	x	6	10005853	X	460	6	15 lbs.	X	X	X	X

## Z-Select 4000D

Premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20°F.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels / roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1	x	3	10010036	X	840	6	6 lbs.	X	X	X	X
1.2	x	0.85	10010037	X	2,710	6	6 lbs.	X	X	X	X
1.25	x	1	10010038	X	2,340	6	6 lbs.	X	X	X	X
2	x	1	10010039	X	2,340	4	6 lbs.	X	X	X	X
2.25	x	0.5	10010040	X	4,200	4	6 lbs.	X	X		X
2.25	x	0.75	10015340	X	3,315	12	20 lbs.	X	X	X	X
2.25	x	1.25	10015341	X	2,100	12	20 lbs.	X	X	X	X
2.25	x	2	10015342	X	1,370	12	20 lbs.	X	X	X	X
2.25	x	2.5	10010041	X	1,000	4	6 lbs.	X	X		X
2.25	x	3	10010042	X	840	6	10 lbs.	X	X	X	X
2.25	x	4	10015343	X	700	12	20 lbs.	X	X	X	X
3	x	1	10010043	X	2,340	6	11 lbs.	X	X	X	X
3	x	2	10010044	X	1,240	6	11 lbs.	X	X	X	X
4	x	1	10010045	X	2,340	6	12 lbs.	X	X	X	X
4	x	1.25	10015349	X	2,100	12	28 lbs.	X	X	X	X
4	x	1.5	10010046	X	1,620	6	12 lbs.	X	X	X	X
4	x	2	10010047	X	1,240	6	12 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

### Zebra ZipShip

W	Size		Part #	Perf.	Labels / roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
4	x	2.5	10010048	X	1,000	6	12 lbs.	X	X		X
4	x	3	10015344	X	930	12	30 lbs.	X	X	X	X
4	x	4	10015345	X	700	12	30 lbs.	X	X	X	X
4	x	5	10015346	X	565	12	30 lbs.	X	X	X	X
4	x	6	10010049		475	6	15 lbs.	X	X		X
4	x	6	10015347	X	475	12	30 lbs.	X	X	X	X

W	Size		Part #	Perf.	Labels / roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2.375	x	1	10010050	X	2,340	6	10 lbs.	X	X	X	X

Center vertical slit creating two 1.1875" x 1" labels.

W	Size		Part #	Perf.	Labels / roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2.75	x	1.25	10010051	X	1,910	6	10 lbs.	X	X		X

Center vertical slit creating two 1.125" x 1.25" labels.

W	Size		Part #	Perf.	Labels / roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
3.5	x	1.25	10013885	X	2,374	4	10 lbs.	M			

Label has square edges and black mark sensing.

### Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2.375	x	1	10010052	X	2,260	6	6 lbs.	X	X		X

Center vertical slit creating two 1.1875" x 1" labels.

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1.125	x	1.125	10037155	X	2,300	8	7 lbs.	X			
1.2	x	0.85	10009522	X	3,000	6	6 lbs.	X	X	X	X
1.25	x	1	10009523	X	2,580	6	6 lbs.	X	X	X	X
1.375	x	1.375	10037157	X	1,900	12	12 lbs.	X			
1.5	x	1	83258	X	2,260	8	8 lbs.	X	X		X
1.75	x	0.75	10037156	X	3,300		5 lbs.	X			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	1	83259	X	2,260	8	6 lbs.	X	X	X	X
2.25	x	0.75	10009524	X	3,320	6	10 lbs.	X	X		X
2.25	x	1.25	800272-125	X	2,100	12	20 lbs.	X	X	X	X
2.25	x	2	10009525	X	1,370	6	10 lbs.	X	X		X
2.25	x	3	10009526	X	930	6	10 lbs.	X	X	X	X
2.25	x	4	10009527	X	700	6	10 lbs.	X	X	X	X
2.75	x	1.25	83260	X	1,850	4	7 lbs.	X	X		X
3	x	1	10009528	X	2,580	6	10.5 lbs.	X	X	X	X
3	x	2	10009529	X	1,370	6	10.5 lbs.	X	X	X	X
4	x	1	83340	X	2,260	4	15 lbs.	X	X	X	X
4	x	1.375	10037158	X	1,900	4	11 lbs.	X			
4	x	1.5	800274-155	X	1,790	12	30 lbs.	X	X		X
4	x	2	10009530	X	1,370	6	15 lbs.	X	X	X	X
4	x	3	800274-305	X	930	12	30 lbs.	X	X	X	X
4	x	3	83262		810	4	9 lbs.	X	X		
4	x	4	800274-405	X	700	12	30 lbs.	X	X	X	X
4	x	5	10009531	X	570	6	15 lbs.	X	X	X	X
4	x	6	82868		420	4	15 lbs.	X	X		X
4	x	6	800274-605	X	475	12	30 lbs.	X	X	X	X
4	x	6.5	83257	X	380	4	10.5 lbs.		X	X	X

W	Size		Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2.38	x	1	10005848	X	2,580	6	10 lbs.	X	X		X

Labels have center vertical slit creating two 1.1875" x 1" labels.

W	Size		Color	Part #	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
3.5	x	1.5	White	HC10000665K	1,570	3	15 lbs.	X			

Kit contains 3 rolls of labels and 3 rolls of ribbon part number 05319GS11007.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Select 4000T Removable

Premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
4	x	6	10005849	X	430	6	15 lbs.	X	X		

## 8000D Near-IR

Parcel Shipping Label

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
4	x	2.25	10010059	X	1,060	4	10 lbs.	X			
4	x	6	10010060	X	410	4	10 lbs.	X			
4	x	8	10010061	X	310	4	10 lbs.	X			

## 8000D Lab

A premium, direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75°F.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
4	x	6	10018357	X	1,911	6	26 lbs.	M			

Die-cuts within label face stock create 3 labels: (1) 2x1.25 and (2) 2x0.625. Meditech format. M = made-to-order (MTO). MTO lead time = ships within 6 business days

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
4	x	6	10012148	X	2,000	4	20 lbs.	X			

Die-cuts within label face stock create MISYS/Sunquest Laboratory Aliquot format.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### Z-Select 4000D 7.0 mil Tag

A premium, direct thermal, bright white, coated, 7 mil, paper tag.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1.25	x	2.25	10010053	X	980	6	4 lbs.	X	X		X
2.25	x	1.37	10010054	X	1,600	6	6 lbs.	X	X	X	X
3.25	x	1.875	10010055	X	1,170	6	8 lbs.	X	X		
4	x	3	10010056	X	730	4	10 lbs.	X	X		X
4	x	6	10015364	X	365	4	14 lbs.	X	X		

Contains sensing notch.

PN's 10010053 & 10010054 have string hole in tag

### Z-Perform 1000D 2.4 mil Receipt

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Stocking Locations				
	x	L					WI	GA	TX	CA	
2	x	cont.	10010057		574'	6	X				
4	x	cont.	10010058		574'	6	X	X			X

Last 3 feet of media marked with a pink stripe to indicate end of roll.

### Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
1	x	0.5	10022982	X	3	5,001	1	2 lbs.		X		
2	x	0.25	100230033	X	1	2,500	1	1 lb.		M		

M = made-to-order (MTO). MTO lead time = ships within 9 business days.

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	0.5	18943	X	4,550	8	20 lbs.		X		X
2	x	1	17157	X	2,530	12	18 lbs.	X	X		X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	1.25	18940	X	2,070	8	12 lbs.	X	X		
3	x	1	18939	X	2,530	8	12 lbs.	X	X		X
3	x	3	18942	X	910	8	13 lbs.	X	X		X
4	x	2	18950	X	1,340	4	15 lbs.	X	X		X
4	x	6	18941	X	460	4	15 lbs.	X	X		X

### Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
2	x	1	10002629	X	2,530	8	12 lbs.	X	X	X	
3	x	1	10002630	X	2,530	6	12 lbs.	X	X	X	
4	x	2	10002631	X	1,340	4	15 lbs.	X	X		

### Z-Ultimate 4000T Clear

A clear gloss thermal transfer polyester label with a high-performance permanent acrylic adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F.

1" ID, 5" OD

W	Size		Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L							WI	GA	TX	CA
1	x	0.5	10023363	X	3	2,502	1	1 lb.			M	
1	x	0.5	10023067*	X	2	2,500	1	1 lb.			M	
1	x	2	10023148	X	2	1,500	1	2 lbs.			M	

M = made-to-order (MTO). MTO lead time = ships within 16 business days. \*10023067:  
OD = 3.8\*

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### Z-Ultimate 4000T Removable

A white gloss thermal transfer polyester label with a removable adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor recognition when paired with compatible Zebra resin ribbons.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10023363	X	3	2,502	1	1 lb.		M		
1	x	0.5	10023067*	X	2	2,500	1	1 lb.		M		
1	x	2	10023148	X	2	1,500	1	2 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 16 business days. \*10023067:

OD = 3.8\*

### Z-Xtreme 4000T White

A thermal transfer white matte polyester label with a high-performance permanent acrylic adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons. 1"

ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.75	x	0.9	10023236	X	2	1,500	1	1 lb.		M		
0.9	x	0.9	10023239	X	1	1,000	1	1 lb.		X		
1	x	0.5	10023341	X	1	3,000	1	1 lb.		M		

M = made-to-order (MTO). MTO lead time = ships within 10 business days.

### Z-Xtreme 4000T High-Tack Silver

A thermal transfer silver matte polyester label with a permanent high-tack adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 3 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	0.5	10023169	X	3	5,001	1	2 lbs.		M		
2	x	1	10023174	X	1	1,500	1	2 lbs.		X		
3	x	1	10023178	X	1	1,500	1	3 lbs.		M		

M = made-to-order (MTO). MTO lead time = ships within 10 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Xtreme 5000T

A white matte thermal transfer polyester label with a permanent acrylic adhesive. Provides outstanding chemical resistance for harsh chemicals such as xylene. Withstands temperature exposure up to 300°F.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.9	x	0.9	10023250	X	2	1,500	1	1 lb.		M		
0.9375	x	0.9375	10008404	X	4	8,760	4	6 lbs.	X			
0.9375	x	0.9375	10018342	X	1	2,195	4	4 lbs.	X			
2.5	x	2.5	10023252	X	1	900	1	3 lbs.		X		
0.9375	x	0.9375	10018356*	X	4	8,780	4	6 lbs.	X			

PN 10018356\*: No gap between labels across.

M = made-to-order (MTO). MTO lead time = ships within 10 business days.

## 8000T Slide

Thermal transfer, premium, white gloss polyester label with a permanent acrylic adhesive. Withstands immersion in harsh chemicals when paired with Image Lock ribbon.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.9375	x	0.9375	10034219	X	1	2,512	4	4 lbs.	X			
0.9375	x	0.9375	10034220	X	4	10,048	4	8 lbs.	X			
0.9375	x	0.9375	10034298	X	4	8,760	4	8 lbs.	X			

No gap between labels across

## PolyPro 3000T

A thermal transfer white matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.5	x	1.5	10023263	X	2	2,000	1	1 lb.		M		
0.75	x	1	10023324	X	2	2,000	1	1 lb.		M		
0.75	x	1.5	10023326	X	1	1,450	1	1 lb.		M		
1	x	1	10023328	X	1	2,000	1	1 lb.		X		
1	x	1.5	10023329	X	1	1,450	1	2 lbs.		X		
1	x	2	10023332	X	1	1,110	1	2 lbs.		X		
1.5	x	0.5	18930	X	1	3,780	8	12 lbs.	X	X		
1.75	x	1.5	10023333	X	1	1,450	1	2 lbs.		M		
2	x	0.5	18928	X	1	3,780	8	12 lbs.	X	X		X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
2	x	1	17154	X	1	2,100	8	12 lbs.	X	X	X	X
2	x	1.25	18925	X	1	1,720	8	12 lbs.	X	X		X
3	x	1	18924	X	1	2,100	8	12 lbs.	X	X		
3	x	3	18927	X	1	760	8	13 lbs.	X	X		
4	x	2	18932	X	1	1,110	4	13 lbs.	X	X	X	X
4	x	2.5	18929	X	1	900	4	13 lbs.	X	X		X
4	x	6	18926	X	1	390	4	13 lbs.	X	X		X

M = made-to-order (MTO). MTO lead time = ships within 10 business days.

### PolyPro 4000T

A white thermal transfer Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
0.9375	x	0.9375	10007446	X	4	1,900	6	10 lbs.	X			

### PolyPro 4000T Removable

A thermal transfer matte Kimdura® polypropylene label with a removable adhesive. 1"

ID, 5" OD

Size			Part #	Perf.	Labels/ across	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L							WI	GA	TX	CA
1	x	2	10022931	X	1	1,025	1	1 lb.		M		
1.5	x	0.75	10022933	X	2	1,500	1	1 lb.		X		

M = made-to-order (MTO). MTO lead time = ships within 10 business days.

### PolyPro 4000D

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1.25	10028821	X	2,189	8	14 lb.	X	X		
2.25	x	1.25	10010063	X	2,000	6	12 lb.	X	X	X	X

PN 10028821: labels equipped with protective overvarnish

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## PolyPro 4000D Jewelry

### Jewelry Butterfly Label

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2.2	x	0.5	10010062		4,400	6	12 lbs.	X	X		

\*Label with flaps and equipped with black mark sensing.

## 8000D Jewelry

### Jewelry Butterfly Label

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultraviolet light.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2.2	x	0.5	10010064		3,510	6	12 lbs.	X	X		
2.2	x	0.5	10010065		3,510	6	12 lbs.	X	X		

Labels are equipped with black mark sensing.

PN 10010067: label with flaps

## PolyPro 3000T Gloss Removable

Thermal transfer white gloss polypropylene label with a removable adhesive. Offers excellent adhesion to glass and plastics.

1" ID, 5" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1.25	10032211	X	1,410	8	10 lbs.	X			

## 8000D Linerless

### Requires Linerless roller

A linerless direct thermal paper label with a permanent acrylic adhesive. Features a specially formulated silicone coating for easy release.

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
3.9375	x	cont.	10025491		438'	3	8	8 lbs.	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Kiosk Printers

### Z-Perform 1000D 3.5 mil Receipt (10-year archivability)

To be used with TTP 2000, 5250, & 7000 Series and KR203 and KR403

Size			Part #	Length	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L					WI	GA	TX	CA
3.125	x	cont.	10007008	645'	8	23 lbs.	X	X		

To be used with TTP 5250 & 7000 Series

Size			Part #	Length	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L					WI	GA	TX	CA
4.375	x	cont.	10007009	645'	8	32 lbs.	X	X		

To be used with TTP 8000 Series

Size			Part #	Length	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L					WI	GA	TX	CA
8.5	x	cont.	10007010	565'	4	28 lbs.	X	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Media Characteristics				Printer Compatibility												
	Description	Part #	Width	Length	ZQ610	ZQ620	ZQ630	ZQ510	ZQ520	ZQ310	ZQ320	P4T	QLn220	QLn320	QLn420	RW220	RW420/Print Station
Direct Thermal Labels - Paper	Z-Perform 1000D	10034526	2.09"	1.00"	o	o	o	o	o	x			o	o		o	o
	Z-Perform 1000D	10034527	2.09"	1.25"	o	o	o	o	o	x		o	o	o		o	o
	Z-Perform 1000D	10034528	2.09"	3.00"	o	o	o	o	o	x		o	o	o		o	o
	Z-Perform 1000D	10034815	2.95"	1.00"		o	o	o	o			x		o			
	Z-Perform 1000D	10034816	2.95"	1.75"		o	o	o	o			x	o	o			
	Z-Perform 1000D	LD-R7MU5P	2.00"	1.00"	o	o	o	x					o	o	o	o	o
	Z-Perform 1000D	LD-R7AO5B	2.00"	2.00"	o	o	o	x				o	o	o	o	o	o
	Z-Perform 1000D	LD-R7AM5R	2.00"	3.00"	o	o	o	x				o	o	o	o	o	o
	Z-Perform 1000D	10026369	3.00"	1.00"		o	o		x			o		o	o		
	Z-Perform 1000D	10026371	3.00"	1.75"		o	o		x			o		o	o		
	Z-Perform 1000D	10026370	3.00"	5.00"		o	o		x			o		o	o		
	Z-Perform 1000D	10026372	4.00"	2.00"		o	o		x			o		o	o		
	Z-Perform 1000D	10026373	4.00"	3.00"		o	o		x			o		o	o		
	Z-Perform 1000D	10026374	4.00"	4.00"		o	o		x			o		o	o		
	Z-Perform 1000D	10023377	4.00"	6.00"		o	o		x			o		o	o		x
	Z-Perform 1000D	LD-R3TU5B	2.90"	1.00"		o	o							x	x		
	Z-Perform 1000D	LD-R2AQ5J	4.00"	2.00"		o	o					x			x		
	Z-Perform 1000D	LD-R6AO5B	4.00"	3.00"			o					x			x		
	Z-Perform 1000D	LD-R3AK5B	4.00"	4.00"		o	o					x			x		
	Z-Perform 1000D	LD-R4AW5B	4.00"	6.00"			o					x			x		
	Z-Perform 2000D	LD-R6AD5W	2.94"	4.94"		o	o					x		x	x		
	Z-Perform 2000D	LD-R3AT5F	3.00"	1.75"		o	o					x		x	x		
	IQ Color 2000D	10020397	2.00"	1.00"	x	o	o						x	o	o	x	x
	Z-Select 4000D	10015767	2.00"	1.5"	x	o	o					o	x	o	o	x	x
	Z-Select 4000D	10001962	3.00"	2.00"		o	o		x			o		o	o	o	x
	Z-Select 4000D	800322-125	2.25"	1.25"		o	o					o		o	o	o	
	Z-Select 4000D	800340-305	4.00"	3.00"		o	o					o		o	o	o	
	8000D Lab	10025486	2.00"	1.00"	x	o	o					o	x	o	o	o	x
	8000D Lab	10015772	2.00"	1.25"	x	o	o					o	x	o	o	o	x
	8000D Lab	10015773	2.00"	1.5"	x	o	o					o	x	o	o	o	x
8000D Lab	10015774	2.00"	2.00"	x	o	o					o	x	o	o	o	x	
8000D Lab	10017573	2.00"	1.25"	x	o	o					o	x	o	o	o	x	
8000D Lab	10015780	2.00"	2.1875"	x	o	o					o	x	o	o	o	x	
8000D Lab	10015775	2.00"	2.1875"	x	o	o					o	x	o	o	o	x	
8000D Lab	10024049	2.00"	2.1875"	x	o	o					o	x	o	o	o	x	

x Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

o Media compatible with your mobile printer, but the printer can support a larger outer diameter.

	Media Characteristics				Printer Compatibility												
	Description	Part #	Width	Length	ZQ610	ZQ620	ZQ630	ZQ510	ZQ520	ZQ310	ZQ320	P4T	QLn220	QLn320	QLn420	RW220	RW420/Print Station
Direct Thermal Labels - Synthetic	PolyPro 4000D	LD-R7BL58	2.00"	1.00"	o	o	o	x					o	o	o	o	o
	PolyPro 4000D	LD-R2BF58W	2.00"	1.25"	o	o	o	x				o	o	o	o	o	o
	PolyPro 4000D	10015778	2.00"	1.25"	x	o	o					o	x	o	o	x	x
	PolyPro 4000D	10017577	2.00"	1.25"	x	o	o					o	x	o	o	x	x
	PolyPro 4000D	10015779	2.00"	2.00"	x	o	o					o	x	o	o	x	x
	PolyPro 4000D	10017578	2.00"	2.00"	x	o	o					o	x	o	o	x	x

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

	Description	Part #	Width	Length	P4T
<b>Thermal Transfer Labels</b>	Z-Select 4000T	10008549	2.00"	1.00"	x
	Z-Ultimate 4000T	10010073	2.00"	1.25"	x
	Z-Ultimate 4000T	10008551	2.00"	1.25"	x
	PolyPro 4000T	10008424	2.00"	1.25"	x
	PolyPro 4000T	82414	2.00"	2.00"	
	PolyPro 4000T	82413	2.00"	2.00"	o

x Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

o Media compatible with your mobile printer, but the printer can support a larger outer diameter.

	Description	Part #	Width	Length	ZQ110	ZQ310	ZQ320	ZQ510	ZQ520	ZQ610	ZQ620	ZQ630	MZ 220/ IMZ220	MZ 320/ IMz320	P4T	QLn220	QLn320	QLn420	RW220	RW420/ Print Station
<b>Direct Thermal Receipts</b>	Z-Perform 1000D 2.4 mil Receipt	10021203	2.25"	Cont.	x			o			o									
	Z-Perform 1000D 2.4 mil Receipt	10021232	3.14"	Cont.			x			o	o		x							
	Z-Perform 1000D 2.4 mil Receipt	10011041	2.00"	Cont.				o		o	o									
	Z-Perform 1000D 2.4 mil Receipt	10021233	2.2812"	Cont.		x					o									
	Z-Perform 1000D 2.4 mil Receipt	10011042	3.00"	Cont.				o	o		o				x					
	Z-Perform 1000D 2.4 mil Receipt	10023348	3.00"	Cont.				x			o	o				o		o	o	o
	Z-Perform 1000D 2.4 mil Receipt	10006224	4.00"	Cont.					x				o			o		o	o	x
	Z-Perform 1000D 2.4 mil Receipt	800398-004	4.00"	Cont.												o		o		
	Z-Perform 1000D 2.4 mil Receipt	10031411	4.375"	Cont.					x									o		
	Z-Select 3.2 mil Receipt	10008899	2.25"	Cont.				o				o								
	Z-Select 3.2 mil Receipt	10021236	3.14"	Cont.			x													
	Z-Select 3.2 mil Receipt	10011043	2.00"	Cont.				o		o	o			x						
	Z-Select 3.2 mil Receipt	10011044	3.00"	Cont.				o	o	o	o				x					
	Z-Select 3.2 mil Receipt	10023347	3.00"	Cont.				x	o		o	o				o		o	o	x
	Z-Select 3.2 mil Receipt	LD-R2KH5B	2.00"	Cont.						o	o	o				o		o	o	x
	Z-Select 3.2 mil Receipt	LD-R3KH5B	3.00"	Cont.					x		o	o				o		o	o	x
	Z-Select 3.2 mil Receipt	LD-R4KN5B	4.00"	Cont.					x		o	o				o		o	o	x
	Z-Select 3.2 mil Receipt	LD-R4KN5B	4.00"	Cont.					x		o	o				o		o	o	x
	8000D 3.2 mil High-Temp Receipt	10001965	4.00"	Cont.					x			o				o		o	o	x
	8000D Linerless*	10024007	3.00"	Cont.					o		o	o						x	o	o
	8000D Linerless*	LD-R2LS5W	2.00"	Cont.							x	o					x	o	o	o
	8000D Linerless*	10024006	4.00"	Cont.					x			o						o	o	x
	8000D Linerless*	LD-R4LF5P	4.00"	Cont.								o						x	o	x

\*Requires linerless roller

\*Requires 0.5" core adapter when using with ZQ500 series printers. 2Please note: Maximum print width for the ZQ510 is 2.83".

x Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

o Media compatible with your mobile printer, but the printer can support a larger outer diameter.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Mobile Printers

### Z-Perform 1000D

Refer to Mobile Media Reference Guide for printer compatibility

A standard, direct thermal, bright white, uncoated paper label with a permanent acrylic adhesive. Ideal for direct thermal applications that require limited durability.

#### 0.75" ID, 2" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1	LD- R7MU5P		350	36	7 lbs.	X	X		X
2	x	1.25	LD- R2AL5B		280	36	7 lbs.	X	X	X	X
2	x	2	LD- R7AO5B		185	36	7 lbs.	X	X	X	
2	x	3	LD- R7AM5R		125	36	8 lbs.	X	X	X	X

#### 0.75" ID, 2.25" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
3	x	1	10026369	X	430	36	16 lbs.	X	X		
3	x	1.75	10026371	X	260	36	16 lbs.	X			
3	x	5	10026370	X	95	36	18 lbs.	X	X		
4	x	2	10026372	X	230	36	18 lbs.	X	X	X	X
4	x	3	10026373	X	155	36	18 lbs.	X	X		X
4	x	4	10026374	X	120	36	18 lbs.	X			
4	x	6	10023377	X	75	36	20 lbs.	X	X		

#### 0.75" ID, 2.5" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2.9	x	1	LD- R3TU5B		575	36	14 lbs.	X	X	X	X
4	x	2	LD- R2AQ5J	X	300	36	23 lbs.	X	X	X	X
4	x	3	LD- R6AO5B	X	200	36	23 lbs.	X	X	X	X
4	x	4	LD- R3AK5B	X	160	36	24 lbs.	X	X	X	X
4	x	6	LD- R4AW5B	X	105	36	24 lbs.	X	X	X	X

Labels are equipped with black mark sensing.

#### 0.75" ID, 1.5" OD

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2.09375	x	1	10034526	X	145	36	8 lbs.		X		
2.09375	x	1.25	10034527	X	120	36	8 lbs.		X		
2.09375	x	3	10034528	X	50	36	8 lbs.		X		
2.953125	x	1	10034815	X	150	36	8 lbs.		X		
2.953125	x	1.75	10034816	X	90	36	8 lbs.		X		

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

0.75" ID, 2.5" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2.94	x	4.94	LD-R6AD5W		130	36	18 lbs.	X	X	X	X
3	x	1.75	LD-R3AT5F	X	350	36	18 lbs.	X	X	X	X

Labels equipped with black mark sensing.

### IQ Color 2000D

A coated direct thermal paper label with a permanent acrylic adhesive which allows the ability to print vibrant color on-demand in pre-defined zones to be used as a visual cue.

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1	10020397	X	450	36	18 lbs.	X			

Red color zone runs along the left edge of the label and measures 0.25" wide x 1" long. Black mark sensing.

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1.5	10015767	X	284	36	10 lbs.	X			
3	x	2	10001962	X	210	36	18 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### 8000D Lab

A premium, direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75°F.

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations				
W	x	L						WI	GA	TX	CA	
2	x	1	10025486	X	428	12	3 lbs.	M				
2	x	1.25	10015772	X	330	12	3 lbs.	X	X			
2	x	1.5	10015773	X	280	12	3 lbs.	X				
2	x	2	10015774	X	215	12	3 lbs.	X				
2	x	1.25	10017573	X	330	12	3 lbs.	X				

\*PN's 10025486 & 10017573 equipped with black mark sensing

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations				
W	x	L						WI	GA	TX	CA	
2	x	2.1875	10015780	X	200	12	3 lbs.	X				

Slits through face stock create three labels: (1) 2" x 1.25" label and (2) 1" x 0.9375" labels.

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations				
W	x	L						WI	GA	TX	CA	
2	x	2.1875	10015775	X	200	12	5 lbs.	X	X			

Slits through face stock create three labels: (2) 1" x 0.9375" labels and (1) 2" x 1.25" labels. Black mark sensing.

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations				
W	x	L						WI	GA	TX	CA	
2	x	2.1875	10024049	X	200	36	15 lbs.	X				

Slits through face stock create three labels: (1) 2x1 label and (2) 1" x 1.1875 labels. Black mark sensing.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID, 2.6" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
4	x	6	10008549		110	16	17 lbs.	X	X		X

Labels are equipped with black mark sensing.

### PolyPro 4000D

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID, 2" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1	LD-R7BL5B		350	36	7 lbs.	X	X		X
2	x	1.25	LD-R2BF5W		280	36	8 lbs.	X	X		

Labels are equipped with black mark sensing.

0.75" ID, 2.2" OD

Size			Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1.25	10015778	X	380	12	3 lbs.	X			
2	x	1.25	10017577	X	380	12	3 lbs.	X			
2	x	2	10015779	X	245	12	3 lbs.	X			
2	x	2	10017578	X	245	12	3 lbs.	X			

PN's 10017577 & 10017578: labels equipped with black mark sensing and overprotective varnish

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID, 2.6" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1.25	10010073		520	12	12 lbs.	X			
3	x	3	10008551		230	12	16 lbs.	X	X	X	

Labels are equipped with black mark sensing.

## PolyPro 4000T

A white thermal transfer Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID, 2.6" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
4	x	6	10008424		80	36	36 lbs.	X	X		

1" ID, 2" OD

Size			Part #	Perf.	Labels/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	1	82414		260	12	3 lbs.	X	X		X
3	x	3	82413		90	12	5 lbs.	X			

## Z-Perform 1000D 2.4 mil Receipt (10-year achivability)

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

Refer to *Mobile Reference Guide* for printer compatibility

Inner Diameter	Outer Diameter	Size			Part #	Perf.	Length	Rolls/carton	Carton Weight	Stocking Locations			
		W	x	L						WI	GA	TX	CA
0.5	1.8	2	x	cont.	10011041		80'	36	9 lbs.	X	X	X	
0.5	1.2	2.25	x	cont.	10021203		26'	50	9 lbs.	X			
0.5	1.57	2.2812	x	cont.	10021233		50'	50	10 lbs.	X			
0.5	1.8	3	x	cont.	10011042		80'	36	13 lbs.	X	X	X	

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

Inner Diameter	Outer Diameter	Size			Part #	Perf.	Length	Rolls/ carton	Carton Weight	Stocking Locations			
		W	x	L						WI	GA	TX	CA
0.5	1.57	3.14	x	cont.	10021232		50'	50	13 lbs.	X			
0.75	2	3	x	cont.	10023348		80'	36	9 lbs.	X			
0.75	2.2	4.105	x	cont.	10008657		100'	36	15 lbs.	X	X		
0.75	2.25	4	x	cont.	10006224		100'	36	13 lbs.	X	X	X	X
0.75	2.25	4.375	x	cont.	10031411		100'	36	15 lbs.	X			
0.75	2.6	3	x	cont.	10021769		150'	36	15 lbs.	X			
1	2	4	x	cont.	800398-004		75'	12	5 lbs.	X			

**Z-Select 4000D 3.2 mil Receipt (25-year archivability)**

A premium, direct thermal, bright white, coated, 3.2 mil receipt paper that provides an ideal solution for applications requiring limited durability.

Refer to Mobile Reference Guide for printer compatibility

Inner Diameter	Outer Diameter	Size			Part #	Perf.	Length	Rolls/ carton	Carton Weight	Stocking Locations			
		W	x	L						WI	GA	TX	CA
0.5	1.57	2.25	x	cont.	10008899		40'	36	9 lbs.	X			
0.5	1.8	2	x	cont.	10011043		55'	36	9 lbs.	X	X		X
0.5	1.8	3	x	cont.	10011044		55'	36	13 lbs.	X	X		X
0.5	1.57	3.14	x	cont.	10021236		40'	50	13 lbs.	X			
0.75	2	3	x	cont.	10023347		64'	36	9 lbs.	X	X	X	
0.75	2.25	2	x	cont.	LD-R2KH5B		81.25'	36	9 lbs.	X	X		
0.75	2.25	3	x	cont.	LD-R3KX5B		81.25'	36	13 lbs.	X	X		
0.75	2.25	4	x	cont.	LD-R4KN5B		81.25'	36	13 lbs.	X	X	X	X

**8000D 3.2 mil High-Temp Receipt (20-year archivability)**

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194°F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

0.75" ID, 2.25" OD

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
4	x	cont.	10001965		74'	36	7 lbs.	X	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## 8000D Linerless

(Requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent adhesive. Features a specially formulated silicone coating for easy release.

Refer to Mobile Reference Guide for printer compatibility

Inner Diameter	Outer Diameter	Size			Part #	Perf.	Length	Rolls/ carton	Carton Weight	Stocking Locations			
		W	x	L						WI	GA	TX	CA
0.75	2	3	x	cont.	10024007		42'	36	16 lbs.	X			
0.75	2.2	2	x	cont.	LD-R2LS5W		65'	36	16 lbs.	X			
0.75	2.25	4	x	cont.	10024006		56'	36	20 lbs.	X			
0.75	2.5	4	x	cont.	LD-R4LF5P		85'	20	23 lbs.	X			

PN's: 10024007, LD-R2LS5W, 10024006 are acrylic based adhesive; PN: LD-R4LF5P has a rubber-based adhesive

## ThermaLock 4000D

A Premium direct thermal silver polypropylene label with an acrylic adhesive. Designed for up to 18 months outdoor exposure. Prints well at speeds up to 6 in/sec.

W	Size		Part #	Perf.	Labels/ roll	Rolls/ carton	Carton Weight	Stocking Locations				
	x	L						WI	GA	TX	CA	
4	x	2	10033481	X	235	36	16 lbs.	M				
4	x	4	10033482	X	120	36	16 lbs.	M				
4	x	6	10033483	X	120	36	16 lbs.	X				

M = made-to-order (MTO). MTO lead time = ships within 7 business days.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Wristband Media – Industrial Printers

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

3" ID, 8" OD

Size			Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations				
W	x	L						WI	GA	TX	CA	
1	x	11	White	10005007	450	6	9 lbs.	X				
1	x	11	Red	10003854-1	450	6	9 lbs.	M				
1	x	11	Yellow	10003854-2	450	6	9 lbs.	M				
1	x	11	Blue	10003854-3	450	6	9 lbs.	M				
1	x	11	Green	10003854-4	450	6	9 lbs.	M				
1	x	11	Pink	10003854-5	450	6	9 lbs.	M				
1	x	11	Orange	10003854-6	450	6	9 lbs.	M				

All wristband part numbers are perforated. M = Made to order (2 carton minimum)

### Z-Band Fusion

See datasheet on [zebra.com](http://zebra.com) for more information

Self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

3" ID, 8" OD

Wristband Length	Image Area			Part #	Sheet Width	Color	Bands/ roll	Rolls/ carton	Case Weight	Stocking Locations				
	W	x	L							WI	GA	TX	CA	
9.25	2.75	x	0.875	FID-ADULT- L3-3-500T	3	White	500	2	7 lbs.	X				

All wristband part numbers are perforated

### Z-Band Fusion Infant ID Tags

Zebra's self-laminating Z-Band Fusion direct thermal polypropylene infant tags are perfect for use in the NICU where the average infant stay exceeds 14 days. They can be used in conjunction with the ComfyCuff foam wristband, SwaddleBand and Vinyl Infant Wristband Solution. Latex-free.

3" ID, 8" OD

Sheet Length	Image Area			Part #	Sheet Width	Color	Bands/ roll	Rolls/ carton	Case Weight	Stocking Locations				
	W	x	L							WI	GA	TX	CA	
2.875	2.5	x	0.875	FID-BABY-T- 3-1M	2.5	White	1,000	1	7 lbs.	X				

All wristband part numbers are perforated

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

### Z-Band 4000 Wristband Kit

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

3" ID, 8" OD

Size			Color	Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	11	White	ZBAND1	530	3	6 lbs.	X			X

Kit contains 3 rolls of perforated wristbands and 1 roll of Zebra's 5095 resin ribbon.

### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement. Color clips also available.

3" ID, 8" OD

Size			Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
W	x	L					WI	GA	TX	CA
1.1875	x	11	97890K	550	6	11 lbs.	X			

Includes 6 rolls of perforated wristbands and 3,480 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

Part #	Color	Clips/ pack	WI	Stocking Locations		
				GA	TX	CA
97032-Blue	Blue	275	X			
97032-Green	Green	275	X			
97032-Pink	Pink	275	X			
97032-Purple	Purple	275	X			
97032-Red	Red	275	X			
97032-Yellow	Yellow	275	X			

### Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

3" ID, 8" OD

Size			Color	Part #	Bands/roll	Rolls/carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	10	Red	10012714-1	800	4	7 lbs.	M			
1	x	10	Yellow	10012714-2	800	4	7 lbs.	M			
1	x	10	Blue	10012714-3	800	4	7 lbs.	M			
1	x	10	Green	10012714-4	800	4	7 lbs.	M			
1	x	10	Pink	10012714-5	800	4	7 lbs.	M			
1	x	10	Orange	10012714-6	800	4	7 lbs.	M			
1	x	10	Purple	10012714-7	800	4	7 lbs.	M			

All wristband part numbers are perforated; M = Made to Order (Minimum order = 4 rolls)

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts, and cruise lines. It features a durable, water-resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

3" ID, 8" OD

Size			Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations				
W	x	L						WI	GA	TX	CA	
1	x	10	Red	10012719-1	800	4	7 lbs.	M				
1	x	10	Yellow	10012719-2	800	4	7 lbs.	M				
1	x	10	Blue	10012719-3	800	4	7 lbs.	M				
1	x	10	Green	10012719-4	800	4	7 lbs.	M				
1	x	10	Pink	10012719-5	800	4	7 lbs.	M				
1	x	10	Orange	10012719-6	800	4	7 lbs.	M				
1	x	10	Purple	10012719-7	800	4	7 lbs.	M				

All wristband part numbers are perforated; M= Made to order  
(Minimum order = 4 rolls)

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Wristband Media – Desktop Printers

### Z-Band UltraSoft

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement.  
1" ID, 5" OD

W	Size		Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
0.75	x	11	White	10018855	175	6	6 lbs.	X			
1	x	6	White	10019015	300	6	6 lbs.	X			
1	x	7	White	10018857	250	6	6 lbs.	X			
1	x	11	White	10018856	175	6	6 lbs.	X			

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

1" ID, 5" OD

W	Size		Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
0.75	x	11	White	10004448	200	6	4.8 lbs.	X			X
1	x	11	White	10005008	200	6	4.8 lbs.	X	X		X
1	x	11	Red	10004443-1	200	6	4.8 lbs.	X			
1	x	11	Yellow	10004443-2	200	6	4.8 lbs.	M			
1	x	11	Blue	10004443-3	200	6	4.8 lbs.	X			
1	x	11	Green	10004443-4	200	6	4.8 lbs.	X			
1	x	11	Pink	10004443-5	200	6	4.8 lbs.	X			
1	x	11	Orange	10004443-6	200	6	4.8 lbs.	X			
1.25	x	11	White	10006647	200	6	4.8 lbs.	X			
1	x	6	White	10003853	350	6	4.8 lbs.	X			
1	x	7	White	10003852	300	6	4.8 lbs.	X			

All wristband part numbers are perforated.

### Z-Band Direct Lite (White)

A lightweight, direct thermal polypropylene wristband with a tamper-evident adhesive closure. Latex-free.

W	Size		Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1	x	11	White	10037679	200	6	4.8 lbs.	X			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



## Soft Infant Z-Band Wristband

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

1" ID, 5" OD

Size			Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
2	x	7	White	10007909	275	6	6 lbs.	X			

All wristband part numbers are perforated.

## Z-Band Fusion

See datasheet on zebra.com for more information

A self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

1" ID, 5" OD

Wristband Length	Image Area			Part #	Sheet Width	Color	Bands/ roll	Rolls/ carton	Case Weight	Stocking Locations			
	W	x	L							WI	GA	TX	CA
5.75		x	0.75	FID-BABY-L3-1-200T	3	White	200	5	8 lbs.	X			
7.375		x	0.875	FID-PED-L3-1-200T	3	White	200	5	8 lbs.	X			
9.25		x	0.875	FID-ADULT-L3-1-200T	3	White	200	5	7 lbs.	X			

## Z-Band Fusion Infant Tags

See datasheet on zebra.com for more information

Zebra's self-laminating Z-Band Fusion direct thermal polypropylene infant tags are perfect for use in the NICU where the average infant stay exceeds 14 days. They can be used in conjunction with the ComfyCuff foam wristband, SwaddleBand and Vinyl Infant Wristband Solution. Latex-free.

1" ID, 5" OD

Wristband Length	Image Area			Part #	Sheet Width	Color	Bands/ roll	Rolls/ carton	Case Weight	Stocking Locations			
	W	x	L							WI	GA	TX	CA
2.875	2.5	x	0.875	875 FID-BABY-T-1-500	2.5	White	500	2	7 lbs.	X			

All wristband part numbers are perforated.

## Z-Band 4000

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

1" ID, 5" OD

Size			Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	11	White	17158	300	4	2 lbs.	X			

All wristband part numbers are perforated.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

1" ID, 5" OD

Size			Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1.1875	x	11	White	10027728K	240	6	11 lbs.	X			

Includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

## Color Clips for use with QuickClip Wristbands

Part #	Color	Clips/ pack	WI	Stocking Locations		
				GA	TX	CA
97032-Blue	Blue	275	X			
97032-Green	Green	275	X			
97032-Pink	Pink	275	X			
97032-Purple	Purple	275	X			
97032-Red	Red	275	X			
97032-Yellow	Yellow	275	X			

## Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

1" ID, 5" OD

Size			Color	Part #	Bands/ roll	Rolls/ carton	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	10	Red	10012712-1	350	4	4 lbs.	X	X	X	
1	x	10	Yellow	10012712-2	350	4	4 lbs.	X	X	X	
1	x	10	Blue	10012712-3	350	4	4 lbs.	X	X	X	
1	x	10	Green	10012712-4	350	4	4 lbs.	X	X	X	
1	x	10	Orange	10012712-6	350	4	4 lbs.	X	X	X	
1	x	10	Pink	10012712-5	350	4	4 lbs.	X	X	X	
1	x	10	Purple	10012712-7	350	4	4 lbs.	X	X	X	

All wristband part numbers are perforated. M = Made to order (Minimum order = 4 rolls)

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts, and cruise lines. It features a durable, water-resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

1" ID, 5" OD

W	Size		Color	Part #	Bands/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1	x	10	Red	10012718-1	350	4	4 lbs.	X			
1	x	10	Yellow	10012718-2	350	4	4 lbs.	X			
1	x	10	Blue	10012718-3	350	4	4 lbs.	X			
1	x	10	Green	10012718-4	350	4	4 lbs.	X			
1	x	10	Pink	10012718-5	350	4	4 lbs.	X			
1	x	10	Orange	10012718-6	350	4	4 lbs.	X			
1	x	10	Purple	10012718-7	350	4	4 lbs.	X			

All wristband part numbers are perforated. M = Made to order (Minimum order = 4 rolls)

## Z-Band Direct Lite

A lightweight, direct thermal polypropylene wristband with a tamper-evident adhesive closure. Latex-free.

W	Size		Color	Part #	Bands/roll	Rolls/carton	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
1	x	11	White	10037679	200	6	4.8 lbs.	X			

## Wristband Cartridges

### Z-Band UltraSoft Kit

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement.

W	Size		Color	Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
	x	L						WI	GA	TX	CA
0.75	x	11	White	10015356K	175	6	6 lbs.	X			
1	x	11	White	10015355K	175	6	6 lbs.	X			X
1	x	7	White	10015357K	250	6	6 lbs.	X			
1	x	6	White	10015358K	300	6	6 lbs.	X			
1	x	11	Blue	10015355-2K	175	6	6 lbs.	X			
1	x	11	Green	10015355-3K	175	6	6 lbs.	X			
1	x	11	Pink	10015355-5K	175	6	6 lbs.	X			

All wristband part numbers are perforated

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Band UltraSoft Kit - Bracelet Design

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with a tamper-evident adhesive closure and bracelet design. Latex-free.

Size			Color	Part #	Bands/ roll	Rolls/ kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	7	White	10026691K	275	6	6 lbs.	X			
1	x	7	Pink	10026692K	275	6	6 lbs.	X			
1	x	10.75	White	10033832K	175	6	6 lbs.	X			
1	x	10.75	Red	10033832-1K	175	6	6 lbs.	X			
1	x	10.75	Blue	10033832-2K	175	6	6 lbs.	X			
1	x	10.75	Green	10033832-3K	175	6	6 lbs.	X			
1	x	10.75	Yellow	10033832-4K	175	6	6 lbs.	X			
1	x	10.75	Pink	10033832-5K	175	6	6 lbs.	X			

All wristband part numbers are perforated  
With the gutter, wristband sizes are 1.1875"x7.25" and 1.1875"x11"

## Z-Band Direct Wristband Cartridges

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

Size			Color	Part #	Bands/ roll	Rolls/ kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
0.75	x	11	White	10006997K	200	6	6 lbs.	X	X		
1	x	11	White	10006995K	200	6	6 lbs.	X	X		X
1	x	11	Red	10006995-1K	200	6	6 lbs.	X	X		
1	x	11	Blue	10006995-2K	200	6	6 lbs.	X	X		X
1	x	11	Green	10006995-3K	200	6	6 lbs.	X	X		
1	x	11	Purple	10006995-4K	200	6	6 lbs.	X	X		
1	x	11	Pink	10006995-5K	200	6	6 lbs.	X	X		
1	x	11	Orange	10006995-6K	200	6	6 lbs.	X	X		
1	x	11	Yellow	10006995-7K	200	6	6 lbs.		X		
1.1875	x	11	White	10006996K	200	6	6 lbs.	X	X		
1	x	6	White	10006998K	350	6	6 lbs.	X			
1	x	7	White	10006999K	300	6	6 lbs.	X	X		X

All wristband part numbers are perforated

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

### Z-Band Comfort Wristband Cartridges

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

Size			Color	Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	11	White	10010951K	300	6	6 lbs.	X			X
1	x	11	Red	10010951-1K	300	6	6 lbs.	X			
1	x	11	Blue	10010951-2K	300	6	6 lbs.	X			
1	x	11	Yellow	10010951-7K	300	6	6 lbs.	X			
1	x	6	White	10011953K	600	6	6 lbs.	X			
1	x	7	White	10011954K	500	6	6 lbs.	X			X

All wristband part numbers are perforated

### Z-Band Newborn Soft Kit

A direct thermal, white, soft, flexible polypropylene wristband with a soft nylon backing and a permanent acrylic adhesive paper tab for securement.

Size			Color	Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
0.75	x	7.6875	White	10031289K	260	6	5 lbs.	X			

Wristband size is 1x7.9375 before tearing from gutter. All wristband part numbers are perforated.

Must be ordered in carton quantities. Each part number represents 1 carton.

### Z-Band Newborn Kit

A direct thermal, white, soft, flexible polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

Size			Color	Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
0.75	x	7.6875	White	10035439K	260	6	5 lbs.	X			

### Z-Band UltraSoft Maternity ID Solution

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with a tamper-evident adhesive closure and maternity ID set design. Latex-free

Size			Color	Part #	Bands/roll	Rolls/kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	17	White	10035358-M1K	115	6	6 lbs.	X			

\*115 sets of wristbands per cartridge: 1 adult wristband (1x11") + 1 infant wristband (1x6") per set. 230

Total wristbands per cartridge.

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Z-Band Quickclip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

Size			Color	Part #	Bands/ roll	Rolls/ kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	7	White	10027729K	380	3	6 lbs.	X			
1.1875	x	11	White	10027730K	240	4	6 lbs.	X			X

QuickClip - must be ordered in carton quantities

\*PN 10027729K: (1x7) Includes 3 wristband cartridges and 1,450 white clips. Color clips sold separately.

\*\*PN 10027730K: (1.1875x11) Includes 4 wristband cartridges and 1,160 white clips. Color clips sold separately.

## Color Clips for use with QuickClip Wristbands

Part #	Color	Clips/ pack	WI	Stocking Locations		
				GA	TX	CA
97032-Blue	Blue	275	X			
97032-Green	Green	275	X			
97032-Pink	Pink	275	X			
97032-Purple	Purple	275	X			
97032-Red	Red	275	X			
97032-Yellow	Yellow	275	X			

## Z-Band Fun Wristband Cartridges

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

Size			Color	Part #	Bands/ roll	Rolls/ kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	10	Red	10012713-1K	350	6	6 lbs.	X			
1	x	10	Yellow	10012713-2K	350	6	6 lbs.	X			
1	x	10	Blue	10012713-3K	350	6	6 lbs.	X			
1	x	10	Green	10012713-4K	350	6	6 lbs.	X			
1	x	10	Pink	10012713-5K	350	6	6 lbs.	X			
1	x	10	Orange	10012713-6K	350	6	6 lbs.	X			
1	x	10	Purple	10012713-7K	350	6	6 lbs.	X			
1	x	10	All Colors	10012713-WK	350	7	7 lbs.	X			

All wristband part numbers are perforated

\*Week of Fun kit contains 1 cartridge of each color - Red, Yellow, Blue, Green, Pink, Orange, Purple

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Z-Band Splash Wristband Cartridges

A direct thermal wristband for multiple day use at waterparks, resorts, and cruise lines. It features a durable, water-resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

Size			Color	Part #	Bands/ roll	Rolls/ kit	Carton Weight	Stocking Locations			
W	x	L						WI	GA	TX	CA
1	x	10	Red	10012717-1K	350	6	6 lbs.	X			
1	x	10	Yellow	10012717-2K	350	6	6 lbs.	X			
1	x	10	Blue	10012717-3K	350	6	6 lbs.	X			
1	x	10	Green	10012717-4K	350	6	6 lbs.	X			
1	x	10	Pink	10012717-5K	350	6	6 lbs.	X			
1	x	10	Orange	10012717-6K	350	6	6 lbs.	X			
1	x	10	Purple	10012717-7K	350	6	6 lbs.	X			

All wristband part numbers are perforated

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Wristband Media – Non-Printable

### [Alert Solutions](#) – follow the link for more information

#### Spot Alert Labels

Spot-alert color-coded can be adhered to any wristband and feature a strong adhesive that causes the label to tear if tampered with. They are available in standard color and designation combinations to support the most critical patient conditions.

Alert Description	W	Size		Color	Part #	Labels/form	Forms/Case	Case Weight	Stocking Locations				
		x	L						WI	GA	TX	CA	
ALL	2.5	x	3.5	All	LB-ALERT-AZ	12	1,000	3 lbs.	X				
ALLERGY	2.5	x	3.5	Red	LB-ALERT-ALLERGY	12	1,000	3 lbs.	X				
FALL RISK	2.5	x	3.5	Yellow	LB-ALERT-FALLRISK	12	1,000	3 lbs.	X				
DNR	2.5	x	3.5	Purple	LB-ALERT-DNR-PUR	12	1,000	3 lbs.	X				
LATEX ALLERGY	2.5	x	3.5	Green	LB-ALERT-LATEXALLERGY	12	1,000	3 lbs.	X				
LIMB ALERT	2.5	x	3.5	Pink	LB-ALERT-LIMBALERT	12	1,000	3 lbs.	X				

Sheet contains (6) 1.3125" x 0.375" labels and (6) 0.75" x 0.25" labels.

#### Slim Alert Wristbands

These color-coded vinyl clip-closure alert wristbands are pre-printed with patient conditions.

Alert Description	W	Size		Color	Part #	Labels/form	Case Weight	Stocking Locations				
		x	L					WI	GA	TX	CA	
ALLERGY	0.625	x	10	Red	PS-ALLERGY-RED	500	3 lbs.	X				
FALL RISK	0.625	x	10	Yellow	PS-FALLRISK-YEL	500	3 lbs.	X				
DNR	0.625	x	10	Purple	PS-DNR-PUR	500	3 lbs.	X				
BLANK	0.625	x	10	Purple	PS-BLANK-PUR	500	3 lbs.	X				
LIMB ALERT	0.625	x	10	Pink	PS-LIMBALERT-PNK	500	3 lbs.	X				
LATEX ALLERGY	0.625	x	10	Green	PS-LATEXALLERGY-GRE	500	3 lbs.	X				

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

## Tyvek® Alert Wristbands

These color-coded Tyvek adhesive closure wristbands are pre-printed with patient conditions.

Alert Description	Size			Color	Part #	Labels/form	Case Weight	Stocking Locations			
	W	x	L					WI	GA	TX	CA
ALLERGY	1	x	10	Red	TY-ALLERGY	1000	2 lbs.	X			
FALL RISK	1	x	10	Yellow	TY-FALLRISK	1000	2 lbs.	X			
NO NEEDLES/NO BP	1	x	10	Pink	TY-NOSTICKNOBP	1000	2 lbs.	X			
BLANK	1	x	10	Silver	TY-BLANK-SIL	1000	2 lbs.	X			
OSA RISK	1	x	10	Blue	TY-OSARISK	1000	2 lbs.	X			
ISOLATION	1	x	10	Green	TY-ISOLATION	1000	2 lbs.	X			
DNR	1	x	10	Purple	TY-DNR-PUR	1000	2 lbs.	X			
LIMB ALERT	1	x	10	Pink	TY-LIMBALERT	1000	2 lbs.	X			

## [STATBand](#) – follow the link for more information

Enables responders to identify quickly and accurately, record and track people and their personal items at the scene of an emergency with a customizable StatBand. Zebra's durable moisture and abrasion resistant identification tags feature a patented fastening system for quick securement. They are also compatible with emergency response and disaster management software for easy implementation.

## Triage Band

This all-in-one wristband and triage tag with uniquely numbered barcode labels enables responders to identify, record and track the injured at the scene of an emergency quickly and accurately.

W	Size		Part #	Labels/band	Bands/case	Case Weight	Stocking Locations			
	x	L					WI	GA	TX	CA
3	x	17.5	SB-TRIAGE	15	500	6 lbs.	X			

## EMS Band

The EMS Statband enables responders to identify, record and track the injured at the scene of an emergency quickly and accurately. The flexible design allows it to be used to triage, accident/casualty scenes or everyday emergencies by removing the color-coded identifiers.

W	Size		Part #	Labels/band	Bands/case	Case Weight	Stocking Locations			
	x	L					WI	GA	TX	CA
1.25	x	19.5	SB-EMS	11	250	2 lbs.	X			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## Rapid ID Band

This tag contains preprinted and uniquely numbered barcodes and labels to enable caregivers the ability to track patients, their belongings and other information in everyday emergency response situations.

W	Size		Part #	Labels/band	Bands/case	Case Weight	Stocking Locations				
	x	L					WI	GA	TX	CA	
1.25	x	17.5	SB-RAPID	5	1000	5 lbs.	X				

## [OmniBand](#) – Follow the link for more information

Healthcare providers currently printing barcode labels can quickly implement barcode wristbands by placing a laser or thermal barcode label on Zebra's self-laminating OmniBand wristband, without the need for IT support.

Wristband Length	Max Label Size			Part #	Extender Length	Color	Case Weight	Stocking Locations			
	W	x	L					WI	GA	TX	CA
10	3.25	x	1	LB2-ADULT-WL3	3.25	White	10 lbs.	X			
10	3.25	x	1	LB2-ADULT-WL3-RED	3.25	Red	10 lbs.	M			
10	3.25	x	1	LB2-ADULT-WL3-BLU	3.25	Blue	10 lbs.	X			
10	3.25	x	1	LB2-ADULT-WL3-ORA	3.25	Orange	10 lbs.	X			
8	2.25	x	0.75	LB2-PED-WL3	2.625	White	7 lbs.	X			

Sheet measures 4.25" x 11". 500 sheets per case containing (2) wristbands and (2) wristband extenders each.

## Vinyl Infant Wristband Solutions

See datasheet on [zebra.com](http://zebra.com) for more information

These soft, flexible vinyl wristbands for use with Z-Band Fusion Infant ID Tags. The narrow width allows some models of "Abduction Prevention Systems" to be attached. Available in clip or self-locking closure. Self-Locking closure can be adjusted with a gentle tug as the infant loses mass around the wrists and ankles within the first 24 hours of birth. Latex-free.

Closure Style	Max Label Size			Color	Part #	Bands/case	Case Weight	Stocking Locations			
	W	x	L					WI	GA	TX	CA
Clip	0.39	x	6.25	White	PS-BABY	250	1 lb.	X			
Self-Locking	0.39	x	8.5	White	PS-INFANT-ADJ	250	1 lb.	X			

## ComfyCuff

See datasheet on [zebra.com](http://zebra.com) for more information

ComfyCuff is a soft foam cuff featuring an adjustable Velcro® closure ensuring infant comfort. Can be used in conjunction with Z-Band Fusion Infant ID Tags, ComfyCuff Infant Swaddle Band and ComfyCuff Security Seal.

W	Size		Color	Part #	Bands/case	Case Weight	Stocking Locations			
	x	L					WI	GA	TX	CA
1.375	x	5.5	White	LB2-BABY-P	100	1 lbs.	X			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## ComfyCuff Infant Swaddle Band

See datasheet on [zebra.com](http://zebra.com) for more information

ComfyCuff Infant SwaddleBand makes identifying a swaddled baby quick and easy. The SwaddleBand creates an extension between the ComfyCuff and Z-Band Fusion Infant ID Tags or wristband allowing the tag to be easily accessible.

Available in Tyvek® (LB2-BABYT-SWB9) or polypropylene (LB2-BABY-SWB). Latex-free.

W	Size		Color	Part #	Bands/case	Case Weight	Stocking Locations				
	x	L					WI	GA	TX	CA	
0.41	x	9	White	LB2-BABY-SWB9	500	1 lb.	X				
0.25	x	6		LB2-BABY-SWB	250	1 lb.	X				

## ComfyCuff Security Seal

See datasheet on [zebra.com](http://zebra.com) for more information

This security label is designed to securely adhere to the ComfyCuff material and self-destruct to indicate wristband tampering. Latex-free.

W	Size		Color	Part #	Bands/case	Case Weight	Stocking Locations				
	x	L					WI	GA	TX	CA	
2.875	x	0.4375	White	LB2-BABY-CCS	1000	1 lbs.	X				

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Zebra ZipShip Ribbons

Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

<b>Zebra Ribbons</b>		
<b>Wax</b>	<b>Wax/Resin</b>	<b>Resin</b>
1600 Standard	6100 Standard	6200 Standard
6000 Standard	5555 Standard	5095 High-Performance
2000 High-Performance	3200 High-Performance	5100 Premium
2100 High-Performance	5586 Premium	Image Lock
5319 Performance		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Ribbon	Material Compatibility	Darkness Setting		Print Speed		Darkness Setting		Print Speed	
		Low	High	Low	High	Low	High	Low	High
1600 Standard	Coated Paper/Certain Uncoated Applications								
6000 Standard	Coated paper								
2000 High-Performance	Coated paper								
2100 High-Performance	Coated paper								
5319 Performance	Uncoated paper/Coated paper								
6100 Standard	Coated Paper/Matte Synthetics								
5555 Standard	Coated Paper/Matte Synthetics								
3200 High-Performance	Coated Paper/Matte Synthetics								
5586 Premium	Matte Synthetics								
6200 Standard	Matte/Gloss Synthetics								
5095 High-Performance	Matte/Gloss Synthetics								
5100 Premium	Gloss Synthetics								
Image Lock	Z-Xtreme 5000T and 8000T Image Lock								

		Ribbon					
	Printer	Core Size		Max Length		Max Width	
		Standard	Metric	US	Metric	US	Metric
Tabletop/Industrial	ZT220	1"	25.4"	984'	300m	4.3"	110mm
	ZT230	1"	25.4"	1476'	450'	4.3"	110mm
	ZT410/ZT420	1"	25.4"	1476'	450'	4.3"	110mm
	ZT510	1"	25.4"	1476'	450'	4.3"	110mm
	ZT610/ZT620	1"	25.4"	1476'	450'	4.3"	110mm
	110XiIIPlus / 110Xi4 / R110Xi4	1"	25.4"	1476'	450'	4.3"	110mm
	140XiIIPlus / 140Xi4	1"	25.4"	1476'	450'	4.3"	110mm
	170XiIIPlus / 170Xi4 / R170Xi4	1"	25.4"	1476'	450'	4.3"	110mm
	220XiIIPlus / 220Xi4	1"	25.4"	1476'	450'	4.3"	110mm
	105SL / 105SPlus	1"	25.4"	1476'	450'	4.3"	110mm
	S4M	1"	25.4"	1476'	450'	4.3"	110mm
	ZM400	1"	25.4"	1476'	450'	4.3"	110mm
	ZM600	1"	25.4"	1476'	450'	4.3"	110mm
	Desktop	ZD410	Direct Thermal		N/A	N/A	N/A
ZD420c (ribbon cartridge)		Ribbon cartridge		N/A	N/A	N/A	N/A
ZD240t (ribbon roll)		0.5" / 1"	12.7mm / 25.4mm	984'	300mm	4.3"	110"
ZD500 / ZDZD500R		0.5"	12.7mm	244'	74mm	4.3"	110"
ZD620t		0.5" / 1"	12.7mm / 25.4mm	984'	300mm	4.3"	110"
G-Series		0.5"	12.7mm	244'	74mm	4.3"	110"
LP 2824 Series / LP 2824 Plus		Direct Thermal		N/A	N/A	N/A	N/A
LP 2844 Series		Direct Thermal		N/A	N/A	N/A	N/A
TLP 2824 Series / TLP 2824 Plus		0.5"	12.7mm	244'	74mm	2.2"	58mm
TLP 2844 / TLP244-Z		0.5"	12.7mm	244'	74mm	4.3"	110"
TLP 3842		0.5"	12.7mm	244'	74mm	4.3"	110"
TLP 3844-Z		0.5"	12.7mm	244'	74mm	4.3"	110"
GT800		0.5" / 1"	12.7mm / 25.4mm	984'	300mm	4.3"	110"
R2844-Z	0.5"	12.7mm	244'	74mm	4.3"	110"	
Mobile	QIn Series	Direct Thermal		N/A	N/A	N/A	N/A
	ZQ Series	Direct Thermal		N/A	N/A	N/A	N/A
	iMZ220 / iMZ320	Direct Thermal		N/A	N/A	N/A	N/A
	W Series / RW 420 Print Statio	Direct Thermal		N/A	N/A	N/A	N/A
	P4T / RP4T	Snap-in ribbon cartridge		98.4'	30m	4.3	110mm
Print Engine	ZE500-4	1"	25.4mm	1970'	600m	4.3"	110mm
	ZE500-6	1"	25.4mm	1970'	600m	7.1"	110mm
	110PAX4	1"	25.4mm	2995'	900m	4.3"	110mm
	170PAX4	1"	25.4mm	2995'	900m	7.1"	180mm

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Industrial Wax Ribbons

### 1600

A standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
3.27"	83mm	1476'	450m	01600BK08345	18	18	15 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	01600BK11045	18	18	20 lbs.	X	X	X	X
6.14"	156mm	1476'	450m	01600BK15645	18	18	28 lbs.	X	X	X	X

### 6000

A high-performance thermal transfer wax formulation that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.36"	60mm	1476'	450m	06000BK06045	24	24	24 lbs.	X	X	X	X
3.27"	83mm	1476'	450m	06000BK08345	24	24	25 lbs.	X	X	X	X
4.02"	102mm	1476'	450m	06000BK10245	24	24	26 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	06000BK11045	24	24	33 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	06000BK13145	24	24	36 lbs.	X	X	X	X
6.16"	156mm	1476'	450m	06000BK15645	12	12	24 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

**2000**

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	02000BK04045	24	24	12 lbs.	X	X	X	X
2.36"	60mm	984'	300m	02000BK06030	24	24	13 lbs.	X	X		
2.36"	60mm	1476'	450m	02000BK06045	24	24	18 lbs.	X	X	X	X
3.27"	83mm	984'	300m	02000BK08330	24	24	16 lbs.	X	X	X	
3.27"	83mm	1476'	450m	02000BK08345	24	24	24 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	02000BK08945	24	24	26 lbs.	X	X	X	X
4.02"	102mm	1476'	450m	02000BK10245	24	24	29 lbs.	X	X	X	X
4.16"	106mm	1476'	450m	02000BK10645	24	24	32 lbs.	X	X	X	X
4.33"	110mm	984'	300m	02000BK11030	24	24	20 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	02000BK11045	24	24	36 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	02000BK13145	24	24	39 lbs.	X	X	X	X
6.16"	156mm	1476'	450m	02000BK15645	12	12	22 lbs.	X	X	X	X
6.85"	174mm	1476'	450m	02000BK17445	12	12	24 lbs.	X	X	X	X
8.66"	220mm	1476'	450m	02000BK22045	12	12	31 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

**2100**

High-performance thermal transfer formulation that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	02100BK04045	12	12	7 lbs.	X	X		
2.36"	60mm	1476'	450m	02100BK06045	12	12	9 lbs.	X	X		X
3.15"	80mm	1476'	450m	02100BK08045	12	12	10 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	02100BK08945	12	12	13 lbs.	X	X	X	X
4.02"	102mm	1476'	450m	02100BK10245	12	12	15 lbs.	X	X	X	X
4.16"	106mm	1476'	450m	02100BK10645	12	12	15 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	02100BK11045	12	12	16 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	02100BK13145	12	12	16 lbs.	X	X		X
6.16"	156mm	1476'	450m	02100BK15645	12	12	24 lbs.	X	X		
6.85"	174mm	1476'	450m	02100BK17445	12	12	25 lbs.	X	X	X	
8.66"	220mm	1476'	450m	02100BK22045	12	12	30 lbs.	X	X		

**5319**

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper face stocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek®. Prints at speeds up to 8 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
0.94"	24mm	1476'	450m	05319BK02445	6	24	15 lbs.	X			
1.57"	40mm	1476'	450m	05319BK04045	6	24	5 lbs.	X	X		X
2.36"	60mm	1476'	450m	05319BK06045	6	24	6 lbs.	X	X	X	X
3.27"	83mm	1476'	450m	05319BK08345	6	24	6 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	05319BK08945	6	24	8 lbs.	X	X		X
4.02"	102mm	1476'	450m	05319BK10245	6	24	8 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	05319BK11045	6	24	8 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	05319BK13145	6	24	9 lbs.	X	X	X	X
6.06"	154mm	1476'	450m	05319BK15445	6	12	13 lbs.	X	X	X	
6.85"	174mm	1476'	450m	05319BK17445	6	12	14 lbs.	X	X		X
8.66"	220mm	1476'	450m	05319BK22045	6	12	15 lbs.	X	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



## Industrial Wax/Resin Ribbons

### 6100

A standard wax/resin formulation for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL recognized when used in conjunction with selected Zebra materials.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.36"	60mm	1476'	450m	06100BK06045	6	6	6 lbs.	X	X	X	X
3.15"	80mm	1476'	450m	06100BK08045	6	6	7 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	06100BK11045	6	6	7 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	06100BK13145	6	6	9 lbs.	X	X	X	X

### 5555

A standard thermal transfer wax/resin formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	05555BK04045	6	24	5 lbs.	X	X		
2.36"	60mm	1476'	450m	05555BK06045	6	24	6 lbs.	X	X	X	
3.27"	83mm	1476'	450m	05555BK08345	6	24	6 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	05555BK08945	6	24	7 lbs.	X	X	X	
4.33"	110mm	1476'	450m	05555BK11045	6	24	7 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	05555BK13145	6	24	9 lbs.	X	X	X	
6.06"	154mm	1476'	450m	05555BK15445	6	12	13 lbs.	X	X		
6.85"	174mm	1476'	450m	05555BK17445	6	12	14 lbs.	X	X		
8.66"	220mm	1476'	450m	05555BK22045	6	12	15 lbs.	X	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

**3200**

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	03200BK04045	6	24	3 lbs.	X	X	X	X
2.36"	60mm	984'	300m	03200BK06030	6	24	4 lbs.	X	X	X	X
2.36"	60mm	1476'	450m	03200BK06045	6	24	5 lbs.	X	X	X	X
3.15"	80mm	1476'	450m	03200BK08045	6	24	7 lbs.	X	X	X	X
3.27"	83mm	984'	300m	03200BK08330	6	24	4 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	03200BK08945	6	24	8 lbs.	X	X	X	X
4.02"	102mm	1476'	450m	03200BK10245	6	24	8 lbs.	X	X	X	X
4.33"	110mm	984'	300m	03200BK11030	6	24	6 lbs.	X	X	X	
4.33"	110mm	1476'	450m	03200BK11045	6	24	8 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	03200BK13145	6	24	9 lbs.	X	X	X	X
6.16"	156mm	1476'	450m	03200BK15645	6	12	12 lbs.	X	X	X	X
6.85"	174mm	1476'	450m	03200BK17445	6	12	13 lbs.	X	X	X	
8.66"	220mm	1476'	450m	03200BK22045	6	12	15 lbs.	X	X	X	X

**5586**

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper and many Zebra synthetic materials.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	05586BK04045	6	24	5 lbs.	X	X		
2.36"	60mm	1476'	450m	05586BK06045	6	24	4 lbs.	X	X		X
3.27"	83mm	1476'	450m	05586BK08345	6	24	6 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	05586BK08945	6	24	6 lbs.	X	X		X
4.02"	102mm	1476'	450m	05586BK10245	6	24	8 lbs.	X	X		X
4.33"	110mm	1476'	450m	05586BK11045	6	24	7 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	05586BK13145	6	24	9 lbs.		X		X
6.06"	154mm	1476'	450m	05586BK15445	6	12	13 lbs.	X	X		X
6.85"	174mm	1476'	450m	05586BK17445	6	12	14 lbs.	X	X		X
8.66"	220mm	1476'	450m	05586BK22045	6	12	15 lbs.	X			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Industrial Resin Ribbons

### 6200

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used in conjunction with selected Zebra materials.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	06200BK04045	6	6	4 lbs.	X	X	X	X
2.36"	60mm	1476'	450m	06200BK06045	6	6	6 lbs.	X	X	X	X
3.27"	83mm	1476'	450m	06200BK08345	6	6	7 lbs.	X	X	X	X
4.33"	110mm	1476'	450m	06200BK11045	6	6	7 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	06200BK13145	6	6	9 lbs.	X	X	X	X

### 5095

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	05095BK04045	6	24	3 lbs.	X	X	X	X
2.36"	60mm	984'	300m	05095BK06030	6	24	6 lbs.	X	X		
2.36"	60mm	1476'	450m	05095BK06045	6	24	5 lbs.	X	X	X	X
3.27"	83mm	984'	300m	05095BK08330	6	24	13 lbs.	X	X		
3.27"	83mm	1476'	450m	05095BK08345	6	24	5 lbs.	X	X	X	X
3.50"	89mm	1476'	450m	05095BK08945	6	24	7 lbs.	X	X	X	X
4.33"	110mm	984'	300m	05095BK11030	6	24	1 lbs.	X	X		
4.33"	110mm	1476'	450m	05095BK11045	6	24	7 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	05095BK13145	6	24	9 lbs.	X	X	X	X
6.06"	154mm	984'	300m	05095BK15430	12	12	19 lbs.	X			
6.06"	154mm	1476'	450m	05095BK15445	6	12	10 lbs.	X	X	X	X
6.85"	174mm	1476'	450m	05095BK17445	6	12	13 lbs.	X	X	X	X
8.66"	220mm	1476'	450m	05095BK22045	6	12	14 lbs.	X	X	X	

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## 5100

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	1476'	450m	05100BK04045	6	24	5 lbs.	X	X	X	X
2.36"	60mm	1476'	450m	05100BK06045	6	24	4 lbs.	X	X	X	X
3.27"	83mm	1476'	450m	05100BK08345	6	24	6 lbs.	X	X		X
3.50"	89mm	1476'	450m	05100BK08945	6	24	7 lbs.	X	X		X
4.33"	110mm	1476'	450m	05100BK11045	6	24	7 lbs.	X	X	X	X
5.16"	131mm	1476'	450m	05100BK13145	6	24	9 lbs.	X			
6.06"	154mm	1476'	450m	05100BK15445	6	12	10 lbs.	X			
6.85"	174mm	1476'	450m	05100BK17445	6	12	13 lbs.	X			
8.66"	220mm	1476'	450m	05100BK22045	6	12	13 lbs.	X	X		

## Image Lock Resin Ribbon

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.57"	40mm	984'	300m	74775	6	6	1 lbs.	M	M	M	
2.36"	60mm	984'	300m	74776	6	6	3 lbs.	M	M	M	
3.15"	80mm	984'	300m	74777	6	6	4 lbs.	M	M	M	
3.94"	100mm	984'	300m	74778	6	6	1 lbs.	M	M		

Note: Minimum Order - 6 Rolls; M = Made to order (MTO); MTO lead time = 3 weeks

## ChemResist

To be used with Z-Xtreme 5000T

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. Provides exceptional resistance to outdoor elements and chemical solvents.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	1476'	450m	08000CR11030	6	6	4.8 lbs.				

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Industrial Color Wax Ribbons

### 5319

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper face stocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek®. Prints at speeds up to 8 inches per second. UL recognized when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Color/PMS	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m			Carton	Outer Box		WI	GA	TX	CA
2.36"	60mm	1,476'	450m	05319BL06045	Blue 2728C	6	24	6 lbs.	M			
2.36"	60mm	1,476'	450m	05319RD06045	Red 185C	6	24	6 lbs.	M			
2.36"	60mm	1,476'	450m	05319MN06045	MRN 216C	6	24	6 lbs.	M			
2.36"	60mm	1,476'	450m	05319GN06045	Green 334C	6	24	6 lbs.	M			
4.33"	110mm	1,476'	450m	05319BL11045	Blue 2728C	6	24	8 lbs.	M			
4.33"	110mm	1,476'	450m	05319RD11045	Red 185C	6	24	8 lbs.	M			
4.33"	110mm	1,476'	450m	05319MN11045	MRN 216C	6	24	8 lbs.	M			
4.33"	110mm	1,476'	450m	05319GN11045	Green 334C	6	24	8 lbs.	M			

M = Made to order (Delivery in 2 weeks)

### Red Resin

A premium red resin ribbon that produces images resistant to most harsh environments: smearing, moisture, abrasion, extreme temperatures, and chemicals when printed on Zebra's synthetic label and tag materials.

Core: 1" ID

Width		Length		Part #	Color/PMS	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m			Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	984'	300m	74801	Red 187	24	24	3 lbs.	M			
6.06"	154mm	984'	300m	74802	Red 187	24	12	2 lbs.	M			

M = Made to order (MTO); MTO lead time = ships within 17 business days

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Desktop Ribbons

### For use with all 4" desktop printers

#### 6000 Wax Ribbons

A high-performance thermal transfer wax formulation that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52	64mm	243'	74m	06000GS06407	48	48	9 lbs.	X	X	X	X
3.31"	84mm	243'	74m	06000GS08407	48	48	10 lbs.	X	X	X	X
4.33"	110mm	243'	74m	06000GS11007	48	48	12 lbs.	X	X	X	X

#### 5319 Wax Ribbons

A performance wax ribbon for printing high-quality, durable barcodes. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized when used with Zebra approved labels.

Core: 0.5"

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	05319GS06407	12	48	4 lbs.	X	X	X	X
3.31"	84mm	243'	74m	05319GS08407	12	48	5 lbs.	X	X	X	X
4.30"	110mm	243'	74m	05319GS11007	12	48	2 lbs.	X	X	X	X

#### 6100 Wax/Resin Ribbons

A standard wax/resin formulation for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL recognized when used in conjunction with selected Zebra materials.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	06100GS06407	48	48	9 lbs.	X	X	X	X
3.31"	84mm	243'	74m	06100GS08407	48	48	10 lbs.	X	X	X	X
4.33"	110mm	243'	74m	06100GS11007	48	48	12 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

### 5555 Wax/Resin Ribbons

A standard thermal transfer wax/resin ink formulation for printing barcodes on Zebra coated paper. Provides a clear image under harsh conditions.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	05555GS06407	12	48	2 lbs.	X	X	X	
3.31"	84mm	243'	74m	05555GS08407	12	48	3 lbs.	X	X		
4.30"	110mm	243'	74m	05555GS11007	12	48	4 lbs.	X	X		X

### 3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	03200GS06407	12	12	1 lbs.	X	X	X	X
3.31"	84mm	243'	74m	03200GS08407	12	12	2 lbs.	X	X	X	X
4.30"	110mm	243'	74m	03200GS11007	12	12	2 lbs.	X	X	X	X

### 5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper and many Zebra synthetic materials.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	05586GS06407	12	48	4 lbs.	X	X	X	X
3.31"	84mm	243'	74m	05586GS08407	12	48	5 lbs.	X	X	X	X
4.30"	110mm	243'	74m	05586GS11007	12	48	6 lbs.	X	X	X	X

### 6200 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used in conjunction with selected Zebra materials.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	06200GS06407	48	48	9 lbs.	X	X	X	X
3.31"	84mm	243'	74m	06200GS08407	48	48	10 lbs.	X	X	X	X
4.33"	110mm	243'	74m	06200GS11007	48	48	12 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 0.5"

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	05095GS06407	12	48	4 lbs.	X	X	X	X
3.31"	84mm	243'	74m	05095GS08407	12	48	5 lbs.	X	X	X	X
4.33"	110mm	243'	74m	05095GS11007	12	48	6 lbs.	X	X	X	X

## 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized when used with Zebra approved labels.

Core: 0.5"

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.30"	33mm	243'	74m	05100GS03307	12	48	10 lbs.	X		X	
2.52"	64mm	243'	74m	05100GS06407	12	48	4 lbs.	X	X		X
3.31"	84mm	243'	74m	05100GS08407	12	48	5 lbs.	X	X		X
4.30"	110mm	243'	74m	05100GS11007	12	48	6 lbs.	X	X	X	X

## Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	74941	12	48	8 lbs.	M			
3.31"	84mm	243'	74m	74942	12	48	10 lbs.	M			
4.33"	110mm	243'	74m	74943	12	48	12 lbs.	M			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Zebra ZipShip

## ChemResist

To be used with Z-Xtreme 5000T

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. Provides exceptional resistance to outdoor elements and chemical solvents.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	243'	74m	08000CR11007	12	12	2.2 lbs.				

## For use with the ZD411t and ZD611t 2" printers

### 1600

A standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.25"	57mm	243'	74m	01600ZD25707	24	24	7 lbs.	X	X	X	X

### 5319 Wax Ribbons

A performance wax ribbon for printing high-quality, durable barcodes. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized when used with Zebra approved labels.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.25"	57mm	243'	74m	05319ZD25707	48	48	8 lbs.	X	X	X	X

### 6100 Wax/Resin Ribbons

A standard wax/resin formulation for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL recognized when used in conjunction with selected Zebra materials.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.25"	57mm	243'	74m	06100ZD25707	48	48	7 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## 3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized when used with Zebra approved labels.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.25"	57mm	243'	74m	03200ZD25707	24	24	6 lbs.	X	X	X	X

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.25"	57mm	243'	74m	05095ZD25707	48	48	8 lbs.	X	X	X	X
1.30"	33mm	243'	74m	05095ZD23307	48	48	8 lbs.	X	X	X	X

## For use with the ZD420c (ribbon cartridge)

\*ZD420c has now been replaced by ZD421c and the ribbon works with both models

## 2000 Wax Ribbon

Ribbon cartridge for use with the ZD420 printer

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	243'	74m	02000CT11007	6	6	3 lbs.	X	X	X	X

## 5555 Wax/Resin Ribbon

Ribbon cartridge for use with the ZD420 printer

A standard thermal transfer wax/resin formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	243'	74m	05555CT11007	6	6	3 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## 5095 Resin Ribbon

Ribbon cartridge for use with the ZD420 printer

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	243'	74m	05095CT11007	6	6	2 lbs.	X	X	X	X

## Image Lock Resin Ribbon

Ribbon cartridge for use with the ZD420 printer

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	243'	74m	74783	6	6	2 lbs.	X			

**For use with TLP 2824 printer only**

## 5319 Wax Ribbon

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper face stocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek®. Prints at speeds up to 8 inches per second. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.30"	33mm	243'	74m	800132-001	12	48	6 lbs.	X	X	X	X
2.24"	57mm	243'	74m	800132-002	12	48	7 lbs.	X	X	X	X

## 3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear and scratch resistant, this ribbon offers excellent power and durability in harsh environments. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.30"	33mm	243'	74m	800132-101	12	12	3 lbs.	X	X		
2.24"	57mm	243'	74m	800132-102	12	12	3 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.30"	33mm	243'	74m	800132-201	12	48	2 lbs.	X	X	X	X
2.24"	57mm	243'	74m	800132-202	12	48	6 lbs.	X	X	X	X

## 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
1.30"	33mm	243'	74m	05100NT03307	12	12	3 lbs.	X	X		
2.24"	57mm	243'	74m	05100NT05707	12	12	3 lbs.	X	X		

NT: No Reflective Trailer

**For use with ZD230t, ZD420t, ZD620t, & GT800**

## 1600 Wax Ribbons

Standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	984'	300m	01600GT06430	24	24	13 lbs.		X		
3.31"	84mm	984'	300m	01600GT08430	24	24	16 lbs.		X		
4.33"	110mm	984'	300m	01600GT11030	24	24	21 lbs.		X		

## 2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64 mm	984'	300m	02000GT06430	24	24	13 lbs.	X	X		
3.31"	84 mm	984'	300m	02000GT08430	24	24	17 lbs.	X	X		
4.33"	110 mm	984'	300m	02000GT11030	24	24	20 lbs.	X	X		

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

Zebra ZipShip

## 5555 Wax/Resin Ribbons

A standard thermal transfer wax/resin formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64 mm	984'	300m	05555GT06430	24	24	13 lbs.			X	X
3.31"	84 mm	984'	300m	05555GT08430	24	24	16 lbs.			X	X
4.33"	110 mm	984'	300m	05555GT11030	24	24	16 lbs.				X

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64 mm	984'	300m	05095GT06430	24	24	10 lbs.	X	X	X	X
3.31"	84 mm	984'	300m	05095GT08430	24	24	13 lbs.	X	X	X	
4.33"	110 mm	984'	300m	05095GT11030	24	24	16 lbs.		X	X	

## For use with G-Series, ZD420t, and ZD620t printers

## 1600 Wax Ribbons

For use with G-Series, ZD420t and ZD620t printers

Standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Core: 0.5" ID

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
2.52"	64mm	243'	74m	01600GS06407	24	24	8 lbs.		X	X	
3.31"	84mm	234'	74m	01600GS08407	24	24	10 lbs.		X	X	
4.33"	110mm	243'	74m	01600GS11007	24	24	12 lbs.		X	X	

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Mobile Ribbons

### For use with the P4T and RP4T printers

#### 5555 Wax/Resin Ribbon

For use with the P4T and RP4T printers

A standard thermal transfer wax/resin ink formulation for printing barcodes on Zebra coated paper. Provides a clear image under harsh conditions.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	98'	30m	05555BK110D	10	10	2 lbs.	X	X	X	X

#### 5095 Resin Ribbon

For use with the P4T and RP4T printers

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	98'	30m	05095BK110D	10	10	2 lbs.	X	X	X	X

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Specialty Printer Ribbons

### For use with Zebra Print Engines

#### 6000 Wax Ribbon

A high-performance wax ribbon that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	1968'	600m	06000BK11060	12	12	6 lbs.		X		

#### 2100 Wax Ribbon

A high-performance wax ribbon that provides excellent print quality for normal and rotated barcodes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches.

Width		Length		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm	feet	m		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	2,955'	900m	02100BK11090	6	6	8 lbs.	M			M
5.16"	131mm	2,955'	900m	02100BK13190	6	6	8 lbs.	M	M	M	M
6.16"	156mm	2,955'	900m	02100BK15690	6	6	25 lbs.	X	X		X
6.85"	174mm	2,955'	900m	02100BK17490	6	6	45 lbs.	X	X		

## Industrial Ribbon Cores

#### Replacement Core Kit

For use with ZT220 Series printers

Replacement take-up cores for use with ZT200 series laptop printers. Cores are packaged in 12 units per kit.

Width		Part #	Quantity per		Outer Box Weight	Stocking Locations			
inches	mm		Carton	Outer Box		WI	GA	TX	CA
4.33"	110mm	10015353	12	12	3 lbs.	X			

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Zebra ZipShip Samples

Zebra's Sample Program enables you to order short sample rolls of Zebra media and ribbons. On average, samples ship in one to two working days. Orders are limited to 4 items. This sample program is not designed for order fulfillment, and sample rolls may not be available for all materials. If a sample roll is not listed, a sample may be available through Zebra's sample room. **Please contact your Zebra Supplies Specialist with any questions or to place an order.**

### Tabletop/Industrial Printers – 3" Core Media

Material Description	Part #	Size			Labels/ Roll
		Width		Length	
Z-Perform 1000T 9.5 mil Tag	SAM5242	3"	x	4"	80
Z-Perform 2000T	SAM66105	4"	x	6"	50
Z-Perform 2000D	SAM65791	4"	x	6"	50
Z-Select 4000D	SAM5176	4"	x	6"	50
Z-Select 4000D 5.3 mil Tag	SAM5074	3"	x	4"	50
Z-Select 4000D 7.5 mil Tag	SAM5847	3"	x	4"	80
Z-Select 4000D Removable	SAM65945	3"	x	3"	100
Z-Select 4000T	SAM5210	4"	x	6"	50
Z-Select 4000T All-Temp	SAM5273	4"	x	6"	50
Z-Select 4000T Removable	SAM5233	4"	x	6"	50
Z-Select 4000T 5.0 mil Tag	SAM5396	3"	x	4"	75
Z-Select 4000T 9.0 mil Tag	SAM5274	3"	x	4"	80
IQ Color 2000D (with red and green boxes)	SAM68300	4"	x	6"	50
IQ Color 2000D (with a blue box, red box, and red stripe)	SAM68300-1	4"	x	2"	50
PolyPro 3000T	SAM65330	3"	x	3"	100
PolyPro 3000T High-Tack	SAM65310	3"	x	3"	100
PolyPro 4000D	SAM65843	3"	x	3"	100
PolyPro 4000T	SAM5178	2"	x	1"	50
PolyPro 4000T High-Tack	SAM5440	3"	x	3"	100
PolyPro 4000T Removable	SAM5032	3"	x	3"	100
PolyPro 4000T 8.5 mil Tag	SAM5127	3"	x	4"	80
ThermaLock 4000D	SAM10022704	3"	x	3"	50
PolyO 4000T	SAM5139	3"	x	3"	100
Z-Ultimate 2000T White	SAM68130	3"	x	3"	100
Z-Ultimate 3000T White	SAM5612	3"	x	3"	100
Z-Ultimate 3000T Silver	SAM5272	3"	x	3"	100
Z-Ultimate 4000T 8.0 mil Tag	SAM5470	3"	x	4"	80
Z-Ultimate 4000T White	SAM5219	3"	x	3"	100
Z-Ultimate 4000T White High Tack	SAM65300	2"	x	1"	50
Z-Ultimate 4000T Silver	SAM5571	3"	x	3"	100
Z-Ultimate 4000T Clear	SAM5061	3"	x	3"	100
Z-Ultimate 4000T Removable	SAM5040	3"	x	3"	100
Z-Xtreme 2000T High-Tack	SAM65306	3"	x	3"	100
Z-Xtreme 2000T White	SAM66748	3"	x	3"	100
Z-Xtreme 4000T Silver	SAM5385	3"	x	3"	100
Z-Xtreme 4000T Silver High-Tack	SAM5386	3"	x	3"	100
Z-Xtreme 4000T White	SAM5381	3"	x	3"	100
Z-Xtreme 4000T White High-Tack	SAM5382	3"	x	3"	100
Z-Supreme 2000T White	SAM68165	1.625"	x	0.25"	200

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.



Material Description	Part #	Size			Labels/ Roll
		Width		Length	
Z-Supreme 3000T White	SAM65080	1.625"	x	0.25"	200
Z-Supreme 4000T White	SAM65929	1.625"	x	0.25"	200
Z-Supreme 4000T Yellow	SAM66685	1.625"	x	0.25"	200
8000T High-Gloss	SAM66153	3"	x	3"	100
8000T High-Tack	SAM5443	3"	x	3"	100
8000T Multi-Removable	SAM65171	3"	x	3"	100
8000T Opaque	SAM5291	3"	x	3"	100
8000T Piggyback	SAM5286	2.015"	x	1.015"	130
8000T Semi-Gloss	SAM5279	3"	x	3"	100
8000T Ultra-Removable	SAM5292	3"	x	3"	100
8000T Checkerboard Gloss	SAM5662	1.5"	x	0.5"	50
8000T CryoCool	SAM66680	3"	x	3"	100
8000T ESD Gloss	SAM5076	1.625"	x	0.25"	100
8000T Image Lock	SAM65513	2"	x	0.5"	50
8000T Light-Weight 8.0 mil Tag	SAM5066	2.5"	x	3"	110
8000T Low-Temp Gloss White	SAM5973	1.5"	x	0.625"	150
8000T Low-Temp Matte	SAM5227	1.5"	x	0.625"	150
8000T Piggyback Clear Matte	SAM5325	2.125"	x	1.125"	120
8000T Retroskan	SAM5224	2.75"	x	8.5"	30
8000T Ultra High-Tack Matte	SAM5384	3"	x	3"	100
8000T Ultra-Tuff 9.5 mil Tag	SAM5021	3"	x	6"	80
8000T Vinyl Clear	SAM5395	3"	x	3"	100
8000T Void Matte	SAM5145	3"	x	3"	100
8000T Z-Destruct	SAM5456	3"	x	3"	100
Z-Endure 4000T	SAM5827	3"	x	3"	50

All sample rolls come with perforation between labels

## RFID Printers - 3" Core Media

Description	Part #	Size			Labels/ Roll
		Width		Length	
Silverline Blade RFID Labels	S10028598	2.36"	x	0.98"	100

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.

## Desktop Printers - 1" Core Media

Description	Part #	Size		Labels/ Roll
		Width	Length	
HC100 Wristband Cartridges Z-Band Direct	S10006995K	1"	x 11"	200
HC100 Wristband Cartridges Z-Band Direct	S10006996K	1.875"	x 11"	200
HC100 Wristband Cartridges Z-Band Direct	S10006997K	0.75"	x 11"	200
HC100 Wristband Cartridges Z-Band Direct	S10006998K	1"	x 6"	200
HC100 Wristband Cartridges Z-Band Direct	S10006999K	1"	x 7"	200

## Tabletop/Industrial Printers - 1" Core Ribbons

Formulation	Part #	Size		Length
		Width		
Wax	1600 Standard	01600BK11005	110mm	x 50m
	2000 Standard	02000BK08305	83mm	x 50m
	2100 Standard	02100BK08005	80mm	x 50m
	5319 Performance	05319BK08305	83mm	x 50m
Wax/Resin	3200 Performance	03200BK08005	80mm	x 50m
	5555 Enhanced	05555BK08305	83mm	x 50m
	5586 Premium	05586BK08305	83mm	x 50m
Resin	5095 Performance	05095BK08305	83mm	x 50m
	5100 Premium	05100BK08305	83mm	x 50m

Stock - ships within 1-3 business days. Made to order (MTO) – Due to the volatile market, please reach out to your sales rep for a lead time.