

ProductSheet

HP LaserJet Image Transfer Belt (527G8A)



HP transfer belt kits transfer toner to the paper

HP transfer belt kits transfer the image permanently to the page for professional quality printing.

Print quality

Efficiency

Reliability

Specifications

Print Technology	Laser
Supply type	Fuser/Maintenance Kits
Operating temperature range	15 to 30°C
Storage temperature range	0 to 35°C
Operating humidity range	10 to 80% RH
Non-Operating Humidity Range	35 to 85% RH
UPC number	196188797396
Package dimensions (W x D x H)	598 x 487 x 219 mm
Package dimensions (W x D x H)	23.54 x 19.17 x 8.62 in
Package weight	3.5 kg
Package weight	7.72 lb
Page Yield	225000
Page yield (combo-pack)	225,000 pages
Manufacturer Warranty	90 day limited warranty (manufacturing parts only)

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Messaging Footnotes

No Messaging Footnotes

Technical Specifications Footnotes

No Technical Specifications Footnotes

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

