



HP LaserJet Tray 2 Roller Kit (527H2A)

Overview

HP roller kits feeds media from the input tray into the printer.

HP roller kits feeds media from the input tray into the printer for professional quality printing.



Print quality

Reliability

Efficiency

Specifications

Print Technology	Laser
Supply type	Fuser/Maintenance Kits
Operating temperature range	15 to 30°C
Storage temperature range	0 to 35°C
Operating humidity range	10 to 80% RH
Non-Operating Humidity Range	35 to 85% RH
UPC number	196188797433
Package dimensions (W x D x H)	151 x 68 x 87 mm
Package dimensions (W x D x H)	5.94 x 2.67 x 3.42 in
Package weight	0.1 kg
Package weight	0.22 lb
Page Yield	150000
Page yield (combo-pack)	150,000 pages
Manufacturer Warranty	90 day limited warranty (manufacturing parts only)

Additional specifications

Business filter	cMPS
Component type	LLC
Country of origin	Made in China
Mono yield	150000
Operating temperature range	59 to 86°F
Package count	1
Page yield (black)	(~150,000) pages
Page yield (cyan)	(~150,000) pages
Page yield (magenta)	(~150,000) pages
Page yield (yellow)	(~150,000) pages
Page yield footnote	Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
Photo (product photo, jpg, 190x170)	Ink Toner Paper Printer Supplies/Q5422A_190x170.jpg
Photo (product photo, jpg, 70x100)	Ink Toner Paper Printer Supplies/Q5422A_70x100.jpg
Print technology	Laser
Product subgroup	Fuser/Maintenance Kits
Segment (filter)	Traditional HP Toners
Storage temperature range	32 to 95°F
Sub-brand name	LaserJet
UNSPSC code	44103121

Warranty

This HP product is warranted to be free from defects in materials and workmanship until the printer provides a low-life indicator on the control panel. This warranty does not apply to products that (a) have been refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight

0.05 kg

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Oct 10, 2024 12:49 AM UTC+0000