



# HP LaserJet MP Tray Roller Kit (527H3A)



## Overview

HP roller kits feeds media from the input tray into the printer.

HP roller kits feeds media from the input tray into the printer for professional quality printing.

**Print quality**

**Reliability**

**Efficiency**

## Specifications

<b>Print Technology</b>	Laser
<b>Supply type</b>	Fuser/Maintenance Kits
<b>Operating temperature range</b>	15 to 30°C
<b>Storage temperature range</b>	0 to 35°C
<b>Operating humidity range</b>	10 to 80% RH
<b>Non-Operating Humidity Range</b>	35 to 85% RH
<b>UPC number</b>	196188797440
<b>Package dimensions (W x D x H)</b>	300 x 92 x 58 mm
<b>Package dimensions (W x D x H)</b>	11.81 x 3.62 x 2.28 in
<b>Package weight</b>	0.2 kg
<b>Package weight</b>	0.44 lb
<b>Page Yield</b>	150000
<b>Page yield (combo-pack)</b>	150,000 pages
<b>Manufacturer Warranty</b>	90 day limited warranty (manufacturing parts only)

## Additional specifications

<b>Business filter</b>	cMPS
<b>Component type</b>	LLC
<b>Country of origin</b>	Made in China
<b>Mono yield</b>	150000
<b>Operating temperature range</b>	59 to 86°F
<b>Package count</b>	1
<b>Page yield (black)</b>	(~150,000) pages
<b>Page yield (cyan)</b>	(~150,000) pages
<b>Page yield (magenta)</b>	(~150,000) pages
<b>Page yield (yellow)</b>	(~150,000) pages
<b>Page yield footnote</b>	Actual yields vary considerably based on images printed and other factors. For more information, visit <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
<b>Photo (product photo, jpg, 190x170)</b>	Ink Toner Paper Printer Supplies/Q5422A_190x170.jpg
<b>Photo (product photo, jpg, 70x100)</b>	Ink Toner Paper Printer Supplies/Q5422A_70x100.jpg
<b>Print technology</b>	Laser
<b>Product subgroup</b>	Fuser/Maintenance Kits
<b>Segment (filter)</b>	Traditional HP Toners
<b>Storage temperature range</b>	2 to 95°F
<b>Sub-brand name</b>	LaserJet
<b>UNSPSC code</b>	44103121

## Warranty

This HP product is warranted to be free from defects in materials and workmanship until the printer provides a low-life indicator on the control panel. This warranty does not apply to products that (a) have been refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

## Weight

0.074 kg

---

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Oct 10, 2024 1:01 AM UTC+0000