#### I. IDENTIFICATION

Product identification used on label Product Name: Product Identifier: Recommended Use of the Chemical and restrictions on use:

AIRWORKS 3.0 FRESH GARDEN AWPA232, AWPA232-BX Liquid Odor Counteractant Revised 6-1-2018

Company:	HOSPECO	
	26301 Curtiss W	Vright Parkway
	Richmond Heigl	hts, OH 44143
Emergency Phone	Emergency Nun	nber: 800-255-3924 (Chem Tel Inc)
Number:	Information:	800-321-9832

#### II. HAZARD(S) IDENTIFICATION

#### Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS	$\mathbf{\wedge}$	$\mathbf{\wedge}$
Hazard		NY.
Symbols:		<b>T</b>

GHS Classification:	Skin/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2; Flammable Liquid Category 4
GHS Signal Word:	Warning
GHS Hazard	Cumbustible Liquid; Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life; Toxic to aquatic life with long lasting effects.
<b>GHS Precautions:</b>	
Safety Precautions:	Keep away from open flames. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. Use personal protective equipment as required.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Storage:	Store in a well-ventilated place.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS			
Chemical Name	CAS #	%	
3-Octanol, 3,7-dimethyl-	78-69-3	15 - 40	
AIRWORKS 3.0 FRESH GARDEN		Page 1 of 7	

Acetic acid, phenylmethyl ester	140-11-4	10 - 30	
Benzoic acid, 2-hydroxy-, hexyl ester	6259-76-3	10 - 30	
Hydrotreated light distillate (Petroleum)	64742-47-8	10 - 20	
7-Octen-2-ol, 2,6-dimethyl-	18479-58-8	1 - 5	
2-Phenylethanol	60-12-8	1 - 5	
Benzoic acid, 2-amino-, methyl ester	134-20-3	1 - 5	
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	1 - 5	
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - 1	
3-Octanol, 3,7-dimethyl-	78-69-3	15 - 40	
Acetic acid, phenylmethyl ester	140-11-4	10 - 30	
The specific chemical identity and/or exact percentage (co	oncentration) of composition	nas been withheld as a trad	e secret is
required.			

### IV. FIRST-AID MEASURES

Inhalation:		fresh air. If breathing is difficult, have a trained individual administer ot breathing, give artificial respiration and have a trained individual		
	administer	oxygen. Get medical attention immediately.		
Eyes:	Immediatel	y flush eyes with plenty of water for at least 20 minutes retracting		
		n. Tilt the head to prevent chemical from transferring to the		
		nated eye. Get immediate medical attention and monitor the eye daily		
	as advised b	by your physician.		
Skin Contact:		soap and water. Remove contaminated clothing and launder. Get		
		ention if irritation develops or persists.		
Ingestion:		ice vomiting and seek medical attention immediately. Drink two glasses		
		milk to dilute. Provide medical care provider with this MSDS. Induce		
	-	a last measure. Induced vomiting may lead to aspiration of the material		
	into the lun	into the lungs potentially causing chemical pneumonitis.		
Most important				
symptoms and effects -	No Data Av	ailable		
acute				
Most important				
symptoms and effects -	No Data Available			
chronic				
Notes to Doctor:	No addition	al first aid information available		
. FIRE FIGHTING MEASURE	S			
Flammability Summary:		Combustible		
Extinguishing Media:		Use alcohol resistant foam, carbon dioxide, or dry chemical		
		extinguishing agents. Water may be ineffective but water spray can		
		be used extinguish a fire if swept across the base of the flames.		
		Water can absorb heat and keep exposed material from being		
		damaged by fire.		
Extinguishing Media advised against:		No Data Available		
Fire and/or Explosion Haza	ards:	Vapors may be ignited by sparks, flames or other sources of ignition		
		if material is above the flash point giving rise to a fire (Class B).		
		Vapors are heavier than air and may travel to a source of ignition and		
		flash back. Combustible Liquid. Can form explosive mixtures at		
		temperatures at or above the flash point.		
AIRWORKS 3.0 FRESH GA	ARDEN	Page 2 of 7		

Fire Fighting Methods and Protection: Hazardous Combustion Products:	Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for the surrounding fire. Carbon Oxides, Carbon dioxide, Carbon monoxide, nitrogen oxides (NOx)	
VI. ACCIDENTAL RELEASE MEASURES		
Personal Precautions and Equipment: Methods for Clean-up:	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash.	
VII. HANDLING AND STORAGE		
Handling Technical Measures and Precau	tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use with adequate ventilation Use spark-proof tools and explosion- proof equipment	
Storage Technical Measures and Conditio	Keep container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame Limit quantity of material stored. Store in a tightly closed container Keep away from sources of ignition Store in a cool place in original container and protect from sunlight Do not store near combustible materials	
Materials to Avoid/Chemical Incompatib	ility: Strong oxidizing agents Acid chlorides Acid anhydrides Strong acids Strong bases Acids Bases Reducing agents Amines Caustics (bases) Chloroformates	

#### **VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Measures:Local exhaust ventilation or other engineering controls are normally required when<br/>handling or using this product to avoid overexposure. Engineering controls must be<br/>designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is<br/>required to maintain operator exposure below published exposure limits. Use process<br/>enclosures, local exhaust ventilation, or other engineering controls to control

#### **AIRWORKS 3.0 FRESH GARDEN**

airborne levels below recommended exposure limits Engineering controls must be designed to control vapor concentrations to below levels published in 29 CFR 1910.1000. Facilities storing or using this material should be equipped with an eyewash and safety shower. Explosion proof exhaust ventilation should be used.

**Respiratory Protection:** Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible. A supplied air type respiratory will be required. Respiratory protection may be required in addition to ventilation depending upon conditions of use. **Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield **Skin Protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield Gloves: No information available Handling Instructions: As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well-ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use with adequate ventilation Use spark-proof tools and explosion-proof equipment

Control Parameters:			
Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available	No TLV		No PEL established

#### **IX. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Liquid
Color:	Clear
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Melting Point/Freezing Point:	-60 º F
Initial Boiling Point:	160 - 163 º F
Flash Point:	170 º F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	6.0
Lower Flammable/Explosive Limit:	1.2
Vapor Density:	>1

#### AIRWORKS 3.0 FRESH GARDEN

Relative Density:	1
Solubility in Water:	Soluble in water- No
<b>Octanol/Water Partition Coefficient:</b>	3.3 at 20 °C (68 °F) 4.3
Volatiles, % by weight:	0.0
Bulk Density:	40.181

#### X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	None known. Heat flame sparks Contamination Elevated
	temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Acid chlorides Acid anhydrides Strong
	acids Strong bases Acids Bases Reducing agents Amines
	Caustics (bases) Chloroformates
Hazardous Decomposition Products:	Carbon Oxides Carbon dioxide Carbon monoxide nitrogen
	oxides (NOx)

#### **XI. TOXICOLOGICAL INFORMATION**

Routes of Entry:	Skin contact, Eye contact, In	halation
Most Important	No Data Available	
Symptoms:		
Target Organs Poten	tially Affected by Exposure:	Kidneys, Eyes, Skin, Nervous System, Respiratory Tract
<b>Chemical Interaction</b>	s That Change Toxicity:	None Known
Medical Conditions	Aggravated by Exposure:	Kidney disease, Eye disease, Skin disease including eczema and sensitization,
		Respiratory disease including asthma and bronchitis

#### Immediate (Acute) Health Effects by Route of Exposure:

Skin Contact:	Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. May cause sensitization.
Skin Absorption:	Minimal hazard in normal industrial use. May cause gastrointestinal discomfort
Eye Contact:	Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Ingestion Irritation:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.
Ingestion Toxicity:	Harmful if swallowed.
Long-Term (Chronic) Health E	:ffects:
Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive toxicity:No data available to indicate product or any components present at greater than<br/>0.1% may cause birth defects. Possible reproductive hazard.Germ cell mutagenicity:No data available to indicate product or any components present at greater than

AIRWORKS 3.0 FRESH GARDEN

Page 5 of 7

	0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,
	dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.
Skin Contact:	Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,
	and dermatitis. Not likely to cause permanent damage.
Skin Absorption:	Upon prolonged or repeated exposure, minimal hazard in normal industrial use.
	May cause gastrointestinal discomfort.

Component Toxicology Data:		
Chemical Name	CAS Number	LD50/LC50
No data available		

### Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

#### **XII. ECOLOGICAL INFORMATION**

Overview:	This mate	erial is not e	xpected to be harmfu	Il to the ecology	
Mobility in Soil:	No Data			a to the ecology.	
Persistence:	No Data /				
Bioaccumulation:	No Data				
Other adverse effects	No Data				
	No Bata /	wallable			
Ecotoxicity Data					
Chemical Name	CAS Number		Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish
			Crustacea	Algae	
No Data Available				U	
XIII. DISPOSAL CONSIDERATION	NS				
Waste Description for Spent F	Product:	Spent or c	liscarded material ma	ay be a hazardous wast	e
Waste Description for Empty		No Data /			
Packaging:		No Data /			
Disposal Methods:			UMP INTO ANY SEW	ERS, ON THE GROUND,	OR INTO ANY
				practices must be in co	
				ocal laws and regulation	•
				. Waste characterizatio	-
				vs are the sole responsi	
		-		e have no control over	-
		-		cesses of parties handl	•
		-		sented here pertains or	
			•	ling to this MSDS. For u	
				preferred options include	
		uncontan			

licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

US DOT Ground Shipping Description:	Not Restricted		
IATA Shipping Description:	Not Restricted		
IMDG Shipping Description:	Not Restricted		
XV. REGULATORY INFORMATION			
TSCA Status All components in this	product are on the TSCA	Inventory.	
Chemical Name	CAS #	Regulation	% Range
		SARA 313	
No 313-listed chemicals in this product		SANA 313	
No 313-listed chemicals in this product   XVI. OTHER INFORMATION			
		JULY 313	

good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.