

Page 1/6 Printing date 26.06.2019 Revision: 26.06.2018 Version number 13



(Contd. on page 2)

EU

Page 2/6 Printing date 26.06.2018 Revision: 26.06.2018 Version number 13

(Contd. of page 1)

Trade name: WB 72xx Series ; xx = 11 red, 18 violet, 23 black, 38 violet blue, 39 dark blue, 40 red

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

•	Dangerous components:		
	CAS: 64-17-5	ethanol	50-1008
		🚯 Flam. Liq. 2, H225; 🚯 Eye Irrit. 2, H319	
	Reg.nr.: 01-2119457610-43		
-	CAS: 107-98-2	1-methoxy-2-propanol	10-25%
	EINECS: 203-539-1	🚯 Flam. Liq. 3, H226; 🚯 STOT SE 3, H336	
9	Reg.nr.: 01-2119457435-35		
•	Additional information: Fo	r the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Wear protective clothing.
6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.
 Information about storage in one common storage facility: Not required.

(Contd. on page 3)

- EU

,

Safety data sheet according to 1907/2006/EC, Article 31

Page 3/6 Printing date 26.06.2018 Revision: 26.06.2018 Version number 13

		(Contd. of page
	r information about storage condit: ontainer tightly sealed.	ions:
	in cool, dry conditions in well sea	aled receptacles.
-	class: 3	-
· 7.3 Spe	cific end use(s) No further releva	ant information available.
anome		7 mart a bilan
SECTI	ON 8: Exposure controls/per.	sonal protection
· Additio	mal information about design of t	echnical facilities: No further data; see item 7.
	trol parameters	
-	ents with limit values that requi:	re monitoring at the workplace:
	-2 1-methoxy-2-propanol (10-25%)	
IOELV	Short-term value: 568 mg/m ³ , 150 p Long-term value: 375 mg/m ³ , 100 p	
	Skin	
· Additic	onal information: The lists valid	during the making were used as basis.
	posure controls	-
_	al protective equipment:	
	protective and hygienic measures	:
	way from foodstuffs, beverages and	
	tely remove all soiled and contam.	
	ands before breaks and at the end	of work.
	contact with the eyes.	
	contact with the eyes and skin.	
	atory protection:	an waa reaminatary filter device. In case of intensive or
	exposure use self-contained respi	on use respiratory filter device. In case of intensive or
	tion of hands:	latory protective device.
		and resistant to the product/ the substance/ the
prepara	-	and resistant to the product, the substance, the
Due to		o the glove material can be given for the product/ the
Select: degrada	ion of the glove material on consid	deration of the penetration times, rates of diffusion and
If only higher	y a short-term loading of the glove wearability for the better accept	e material by splashes is expected, tricoted gloves with ance of the users are recommended.
	al of gloves	a set only depend on the material but also on further may
of qua. substai	lity and varies from manufacturer	s not only depend on the material, but also on further max to manufacturer. As the product is a preparation of severa material can not be calculated in advance and has therefor
Nitrile	e rubber, NBR	
	ation time of glove material	
		und out by the manufacturer of the protective gloves and h
	observed.	
· Eye pro	otection:	
£0-0	Tightly sealed goggles	
OTOTT	ov 0. Physical and sharing 1	
SECTI	ON 9: Physical and chemical	properties
	formation on basic physical and ch l Information	emical properties
· Appear		
For		Fluid
	n. our:	According to product specification
		Product specific
· Odour:		

 Important information on protection of health environment, and on safety. 	and -	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	78 °C	
· Flash point:	13 °C	

(Contd. on page 4) EU -

Safety data sheet according to 1907/2006/EC, Article 31

Trade name: WB 72xx Series ; xx = 11 red, 18 violet, 23 black, 38 violet blue, 39 dark blue, 40 red

	{Contd. of page
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	287 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
• Explosion limits: Lower: Upper:	1.7 Vol % 15 Vol %
• Vapour pressure at 20 °C:	59 hPa
· Density at 20 °C: · Relative density · Vapour density · Evaporation rate	0.9 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Partly miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic at 20 °C: Kinematic:	8 mPas Not determined.
Solvent content: Organic solvents:	73.7 %
Solids content: 9.2 Other information	10.8 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5) EU

(Contd. of page 4)

Trade name: WB 72xx Series ; xx = 11 red, 18 violet, 23 black, 38 violet blue, 39 dark blue, 40 red

Additional ecological information:
General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1263
 14.2 UN proper shipping name 	
· ADR	1263 PAINT
· IMDG, IATA	PAINT
· 14.3 Transport hazard class(es)	
ADR	
ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
 14.4 Packing group ADR, IMDG, IATA 	II
 14.5 Environmental hazards: 	Not applicable.
 14.6 Special precautions for user 	Warning: Flammable liquids.
· Danger code (Kemler):	33
· EMS Number:	<i>F</i> - <i>E</i> , <u><i>S</i>-<i>E</i></u>
· Stowage Category	В
• 14.7 Transport in bulk according to Annex	
Marpol and the IBC Code	Not applicable.
• Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
• Transport category	2
• Tunnel restriction code	D/E
· IMDG	
 Limited quantities (LQ) 	5L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	(Contd. on page 6)
	FI

according to 1907/2006/EC, Article 31

SECTION 15: Regulatory information

Page 6/6 Printing date 26.06.2018 Revision: 26.06.2018 Version number 13

Trade name: WB 72xx Series ; xx = 11 red, 18 violet, 23 black, 38 violet blue, 39 dark blue, 40 red

· UN "Model Regulation":

UN 1263 PAINT, 3, II

(Contd. of page 5)

ΕU

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Directive 2012/18/EU
Named dangerous substances - ANNEX I None of the ingredients is listed.
Seveso category P5c FLAMMABLE LIQUIDS
Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• National regulations:

· Technical instructions (air):

Class	Share in *
NK	50-100

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic PET: Persistent, Bloaccommulative and Toxic VPVB: very Persistent and very Bioaccommulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 & Defa communate definition and the second * Data compared to the previous version altered.



Page 1/6 Printing date 21.02.2018 Revision: 21.02.2018 Version number 15

CECTTON 1.	Thetification of the substance (mintum and of the same
	Identification of the substance/mixture and of the company/
undertaking	
· 1.1 Product is	dentifier
· Trade name: W	B 72xx Series ; xx = 34 red, 41 green, 42 dark green, 43(.1) forest green, 45 lilac, 46
	ark blue
· Article number	r: 10000000527
· Registration	number
	ts of this ink meet the criteria of the Regulation 1907/2006/EC (REACH).
	identified uses of the substance or mixture and uses advised against such applications are identified.
	f the substance / the mixture dry erase whiteboard ink
· 1.3 Details o	f the supplier of the safety data sheet
· Manufacturer/	
DOKUMENTAL Gm	
Woellnerstraß D-67065 Ludwig	
Phone + 49(0)	
Fax + 49(0)62.	1/37702 391
www.dokumenta.	l, de
· Further inform	mation obtainable from:
	vice, Dr. B. Polzin
Tel.: +49-621 Mobile +49-17	
	.polzin@dokumental.de
· 1.4 Emergency	telephone number:
GBK Gefahrgut	
++49 (0) 6132 Ingelheim, De	
SECTION 2:	Hazards identification
· 2 1 Classific	ation of the substance or mixture
	n according to Regulation (EC) No 1272/2008
\wedge	
CHER	2 flame
GHS0	2 flame
¥.	
¥.	2 flame H225 Highly flammable liquid and vapour.
¥.	
¥.	H225 Highly flammable liquid and vapour.
Flam. Liq. 2	H225 Highly flammable liquid and vapour.
Flam. Liq. 2 GHS0	H225 Highly flammable liquid and vapour.
Flam. Liq. 2 GHSO Eye Irrit. 2	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation.
Flam. Liq. 2 GHS0	H225 Highly flammable liquid and vapour.
Flam. Liq. 2 Flam. Liq. 2 GHSO Eye Irrit. 2 STOT SE 3	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments
Flam. Liq. 2 Flam. Liq. 2 GHSO Eye Irrit. 2 STOT SE 3 · 2.2 Label elem · Labelling acco	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.
Flam. Liq. 2 Flam. Liq. 2 GHSO Eye Irrit. 2 STOT SE 3 · 2.2 Label elem · Labelling acco	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 · 2.2 Label elev · Labelling accu The product i. · Hazard pictog	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 · 2.2 Label elev · Labelling accu The product i. · Hazard pictog	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams
Flam. Liq. 2 Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label elem Labelling accur The product in Hazard pictogr GHS02 GHS Signal word D	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 · 2.2 Label elex · Labelling acc. The product i. · Hazard pictog: GHS02 GHS · Signal word D. · Hazard-determ 1-methoxy-2-p.	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 007 anger ining components of labelling:
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 · 2.2 Label elex · Labelling acc. The product i. · Hazard pictog. GHS02 GHS · Signal word D. · Hazard-determ I-methoxy-2-p propan-2-ol	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 007 anger ining components of labelling: ropanol
Flam. Liq. 2 Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label elevent Labelling accur The product in Hazard pictog GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p. propan-2-ol Hazard statem	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 007 anger ining components of labelling: ropanol ents
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in Hazard pictog. GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p propan-2-ol Hazard statem H225 Highly f.	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 007 anger ining components of labelling: ropanol
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 · 2.2 Label elex · Labelling acc. The product i. · Hazard pictog: GHS02 GHS · Signal word D. · Hazard-determ I-methoxy-2-p propan-2-ol · Hazard statem H25 Highly ff. H319 Causes s H336 May caus.	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 007 anger ining components of labelling: ropanol ents lammable liquid and vapour. erious eye irritation. e drowsiness or dizziness.
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product i. Hazard pictog. GHS02 GHS Signal word D. Hazard-determ I-methoxy-2-p. propan-2-ol Hazard statem H25 Highly f. H316 Causes s. H336 May caus. Precautionary	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rans 507 anger ining components of labelling: ropanol ents lammable liquid and vapour. erious eye irritation. e drowsiness or dizziness. statements
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product in Hazard pictor GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p propan-2-01 Hazard staterm H225 Highly f. H319 Causes s. H336 May caus. Precautionary P241	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 0 0 0 0 0 0 0 0 0 0 0 0 0
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product i. Hazard pictog: GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p. propan-2-ol Hazard statem H25 Highly f. H319 Causes s. H336 May caus. Precautionary P241 P261	<pre>H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams ording components of labelling: ropanol ents lammable liquid and vapour. erious eye irritation. erious eye irritatire eye irritation. erious eye irritation.</pre>
Flam. Liq. 2 Flam. Liq. 2 GHS0 Eye Irrit. 2 STOT SE 3 2.2 Label elex Labelling acc. The product i. Hazard pictog: GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p. propan-2-ol Hazard statem H25 Highly f. H319 Causes s. H336 May caus. Precautionary P241 P261	H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 0 0 0 0 0 0 0 0 0 0 0 0 0
Flam. Liq. 2 Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label elevents Labelling acc. The product i. Hazard pictog. GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p propan-2-ol Hazard statem H25 Highly f. H319 Causes s. H336 May caus. Precautionary P241 P303+P361+P35.	<pre>H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams oording components of labelling: ropanol ents lammable liquid and vapour. erious eye irritation. e drowsiness or dizziness. statements Use explosion-proof electrical/ventilating/lighting equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. 3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. </pre>
Flam. Liq. 2 Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label elevents Labelling acc. The product i. Hazard pictog. GHS02 GHS Signal word D. Hazard-determ 1-methoxy-2-p propan-2-ol Hazard statem H25 Highly f. H319 Causes s. H336 May caus. Precautionary P241 P303+P361+P35.	<pre>H225 Highly flammable liquid and vapour. 7 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams ording to Regulation (EC) No 1272/2008 sofor anger ining components of labelling: ropanol ents lammable liquid and vapour. erious eye irritation. e drowsiness or dizziness. statements Use explosion-proof electrical/ventilating/lighting equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. 3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</pre>



Trade name: WB 72xx Series ; xx = 34 red, 41 green, 42 dark green, 43(.1) forest green, 45 lilac, 46 dark blue

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol	50-100%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	10-25%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol	2.5-10%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor. • 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents:
- Water
- Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Wear protective clothing. · 6.2 Environmental precautions: Prevent seepage into sewage system; workpits and cellars. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 3)

EU



Page 3/6 Printing date 21.02.2018 Revision: 21.02.2018 Version number 15

according to 1907/2006/EC, Article 31 Trade name: WB 72xx Series ; xx = 34 red, 41 green, 42 dark green, 43(.1) forest green, 45 lilac, 46 dark blue (Contd. of page 2) · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. , Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities Storage: · Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Storage class: 3 · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 107-98-2 1-methoxy-2-propanol (10-25%) Short-term value: 568 mg/m3, 150 ppm TOELV Long-term value: 375 mg/m3, 100 ppm Skin Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures:



Not determined.

· Odour threshold:

ć.

(Contd. on page 4)



Page 4/6 Printing date 21.02.2016 Revision: 21.02.2018 Version number 15

Trade name: WB 72xx Series ; xx = 34 red, 41 green, 42 dark green, 43(.1) forest green, 45 lilac, 46 dark blue

Important information on protection of health and environment, and on safety.	{Contd. of page
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 78 °C
Flash point:	13 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	287 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits: Lowar: Upper:	1.7 Vol % 15 Vol %
Vapour pressure at 20 °C:	59 hPa
Density at 20°C: Relative density Vapour density Evaporation rate	0.9 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Partly miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic at 20 °C: Kinematic:	8-11 mPas Not determined.
Solvent content: Organic solvents:	80.6 %
Solids content: 9.2 Other information	6.5 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of th mixture. These data are no binding product specifications.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure
- May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5) - EU



Page 5/6

	0 1907/2006/EC, Artic		Printing date 21.02.2 Revision: 21.02.2 Version number
Trade name: W b	B 72xx Series ; xx = 34 lue	red, 41 green, 42 dark green, 43(.1) forest green,	45 lilac, 46 dai
2			
· Aspiratio	n hazard Based on avail	lable data, the classification criteria are not met.	(Contd. of page
SECTION	12: Ecological inf	formation	
		101ma (10m	
· 12.2 Pers · 12.3 Bios · 12.4 Mobi · Additions	oxicity: No further rel istence and degradabili ccumulative potential No lity in soil No further l ecological information	evant information available. Ety No further relevant information available. No further relevant information available. relevant information available. m:	8
sewage sy • 12.5 Resu	ard class 1 (German Regu low undiluted product of	rulation) (Self-assessment): slightly hazardous for w or large quantities of it to reach ground water, wate ressment	vater er course or
• vPvB: Not • 12.6 Othe	applicable. r adverse effects No fur	rther relevant information available.	
SECTION	13: Disposal consi	iderations	
Recommend		th household garbage. Do not allow product to reach	
· European	raste catalogue		
08 00 00	WASTES FROM THE MANUFA VARNISHES AND VITREOUS	ACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATIN S ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	GS (PAINTS,
08 01 00	wastes from MFSU and r	removal of paint and varnish	_
08 01 13*	sludges from paint or	varnish containing organic solvents or other hazard	ous substances
· Uncleaned · Recommend.	packaging: tion: Disposal must be	made according to official regulations.	
SECTION	14: Transport info	rmation	
· 14.1 UN-N	mber		
· ADR, IMDG,		UN1263	
· 14.2 UN pr · ADR · IMDG, IATA	oper shipping name	1263 PAINT PAINT	
· 14.3 Trans	port hazard class(es)	A \$36.171	
ADR			
· Class · Label		3 (F1) Flammable liquids.	
		3 (F1) Flammable liquids. 3	

Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler);	33
EMS Number;	F-E, <u>S-E</u>
Stowage Category	B

(Contd. on page 6) EU



Trade name: WB 72xx Series ; xx = 34 red, 41 green, 42 dark green, 43(.1) forest green, 45 lilac, 46 dark blue

14.7 Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	51
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	·
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1263 PAINT, 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- Technical instructions (air):

Class	Share	in	용
NK	50-3	100	

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour.

- H226 Flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- Abbreviations and acronyms:
- RDD Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAD: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Demography Goode by Radi)
- of Dangerous Goods by Road) of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic VPCB: very Persistent and very Bioaccumulative

- PDF: Persistent, Bloaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids Category 2 Flam. Liq. 3: Flammable liquids Category 3 Eye Irrit. 2: Serious eye damage/eye irritation Category 2 STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- * Data compared to the previous version altered.