

Overview

Ideal for 3-15 users, this versatile printer lets you easily print on many paper types and sizes.

Gain control of your printed documents and make an impact when communicating. One versatile printer covers all your printing needs from general office to oversize documents.

Affordable A3 printing

Now you can handle all your business printing and A3 output in your own office using a single printer. Print everyday business documents, marketing materials and wide-format projects at an affordable price—often less than printing at a copy shop.

High-quality output on a range of documents

Make an impact by putting your business in the best light. Using in-line printer architecture, four colors are aligned and applied in a single pass for reliable, accurate print quality.

Easy to use, share and maintain

The printer's control panel is intuitive and instructive. Networked models are easy to share, and it's a snap to replace and order supplies.

Features



Print color up to 20 ppm



A3 support



2-sided printing



Only the power you need^[4]





On-the-go printing with HP ePrint^[5]

Ethernet (printer)

[4] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[5] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times

Specifications

Print Resolution Technologies	HP ImageREt 3600
Print quality black (best)	Up to 600 x 600 dpi
Print quality color (best)	Up to 600 x 600 dpi
Print speed black (ISO, A4)	Up to 20 ppm
Print speed black (ISO, letter)	Up to 20 ppm
Print Speed Color (ISO)	Up to 20 ppm
Print speed color (ISO)	Up to 20 ppm
Print speed	Print speed up to 20 ppm (black) and 20 ppm (color)
Bottom margin (A4)	4.23 mm
Left margin (A4)	4.23 mm
Right margin (A4)	4.23 mm
Top margin (A4)	4.23 mm
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 75,000 pages
Duty cycle (monthly, letter)	Up to 75,000 pages
Replacement cartridges	HP Color LaserJet Black Print Cartridge (~7000 pages); HP Color LaserJet Cyan Print Cartridge (~7300 pages); HP Color LaserJet Yellow Print Cartridge (~7300 pages); HP Color LaserJet Magenta Print Cartridge (~7300 pages)
Connectivity, standard	1 Hi-Speed USB 2.0; 1 Fast Ethernet 10/100 Base-T
Network capabilities	Via built-in 10/100 Base-T networking
Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	Mobile Print Capability not supported
Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); management: SNMPv1, HTTP
Software included	Print driver (HP PCL 6); Toolbox FX configuration utility; SNP alerts; and installation software on CD-ROM

Compatible Operating Systems	Windows 10 (For more information go to http://support.hp.com/us-en/document/c04658195), Windows 8 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03365145), Windows 7 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03737332), Windows Vista, Windows XP Home, Windows XP Professional, Windows XP Professional x64, Windows XP Media Center, Windows Server 2003, Windows 2000; Mac OS X v 10.3, v 10.4, v 10.5, v 10.6; Linux (see http://www.hplip.net)
Energy star certified	No
Ecolabels	EPEAT® Silver; CECP
Display	2-line, 16-character backlit display
Minimum dimensions (W \times D \times H)	545 x 599 x 338 mm
Minimum dimensions (W x D x H)	21.5 x 23.6 x 13.3 in (Without trays and covers extended)
Weight	40.9 kg
Weight	90.2 lb (With print cartridges)
Power consumption	440 watts (printing), 30 watts (ready), 4.4 watts (sleep), 0.5 watts (off) (Values subject to change. See http://www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.)
Power supply type	Built-in power supply
What's in the box	HP Color LaserJet Professional CP5225dn Printer; Power cord; Getting Started Guide; CD with software and documentation; Pre-installed black (~7000 pages) and cyan, magenta, and yellow (~7300 pages) HP Color LaserJet print cartridges with HP ColorSphere toner; 100-sheet multipurpose tray; 250-sheet input tray; Built-in Fast Ethernet 10/100 Base-T networking; Built-in automatic two-sided printing
Manufacturer Warranty	One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Accessories	HP Color LaserJet 500-sheet Paper Tray CE860A, HP 64 MB DDR2 144-pin SDRAM DIMM CB421A, HP 128 MB DDR2 144-pin SDRAM DIMM CB422A, HP 256 MB DDR2 144-pin SDRAM DIMM CB423A, HP USB Cable (a-b) 2 meter C6518A, HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A, HP Barcode Printing Solution HG271US, HP Barcodes and More Solution HG281US, HP Scalable Barcode Set Solution HG282UT, HP MICR USB Fonts Solution HG283US
Acoustic power emissions (active, printing)	6.3 B(A)
Acoustic power emissions (ready)	5.3 B(A)
Acoustic power note	Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. Values are subject to change. For current information see http://www.hp.com/support.
Acoustic pressure emissions bystander (active, printing)	49 dB(A)
Additional information about Eco	http://www.hp.com/ecosolutions
Automatic paper sensor	No
Business filter	cMPS
Cable included	Yes, 1 USB cable (AP); No, please purchase USB cable separately (EMEA)
Cartons per layer	1
Color or black	Color
Compatible Network Operating Systems	Windows 2000, Windows XP Home, Windows XP Professional, Windows Server 2003, Windows Vista(R), Windows XP Media Center, Windows XP Professional x64, Windows 7 (HP UPD only), Mac OS X v 10.3, Mac OS X v 10.4 or higher, Linux (see http://www.hplip.net)
Component type	Printer
Control panel	2-line; 16-character backlit display; 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LED indicator lights (Attention, Ready)
Count of layers in pallet	4
Country of origin	Product of China
Driver updates	Latest printer driver information available at http://www.hp.com/support
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.
Eco products	CP5225dn model
Electromagnetic compatibility	CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Engine life	600000

Envelope Feeder	No
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 16 sec
First page out black (letter, ready)	As fast as 16 sec
First page out color (A4, ready)	As fast as 17 sec
First page out color (letter, ready)	As fast as 17 sec
First page out footnote	Exact speed varies depending on the system configuration, software application, driver and document complexity.
Fonts and typefaces	84 scalable TrueType fonts
HP ePrint capability	No
Input capacity	Up to 350 sheets
Internal Storage	None
Mac compatible	Yes
Maximum Memory	448 MB
Maximum dimensions (W \times D \times H)	34 x 42 x 14.6 in
Maximum dimensions (W x D x H)	862 x 1066 x 370 mm
Maximum input capacity (sheets)	Up to 850 sheets
Maximum output capacity (sheets)	Up to 250 sheets
Media size, tray 1	A3; A4; A5; A6; RA3; SRA3; B4; B5; 8k; 16k; 10 x 15 cm; post cards (JIS single and double); envelopes (DL, C5, B5); 76 x 127 to 320 x 457 mm
Media size, tray 2	A3; A4; A5; B4; B5; 8k; 16k; Double postcard; 148 x 182 to 297 x 432 mm
Media size, tray 3	A3; A4; B4; B5; 8k; 16k; Double postcard; 148 x 210 to 297 x 432 mm
Media sizes supported	Tray 1: Letter, legal, executive, 11x17, 12x18, 4x6, 5x8, 8.5x13, envelopes (No. 10, Monarch), custom: 3 x 5 to 12.6 x 18 in, Tray 2: letter, legal, executive, 11x17, 8.5x13, custom: 5.8 x 7.2 to 11.7 x 17 in, Optional tray 3: letter, legal, executive, 11x17, 8.5x13, custom: 5.8 x 8.3 to 11.7 x 17 in
Media sizes supported	Tray 1: A3, A4, A5, A6, RA3, SRA3, B4, B5, 8k, 16k, 10x15 cm, post cards (JIS single and double); envelopes (DL, C5, B5); custom: 76 x 127 to 320 x 457 mm; Tray 2: A3, A4, A5, B4, B5, 8k, 16k, double postcard; custom: 148 x 182 to 297 x 432 mm; Optional tray 3: A3, A4, B4, B5, 8k, 16k, double postcard; custom: 148 x 210 to 297 x 432 mm
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes supported, key	10 x 15 cm; A3; A4; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 12.6 x 18 in; 250-sheet input Tray 2: 5.8 x 7.2 to 11.7 x 17 in; optional 500-sheet input Tray 3: 5.8 x 8.3 to 11.7 x 17 in
Media sizes, custom	Tray 1: 76 x 127 to 320 x 457 mm; 250-sheet input Tray 2: 148 x 182 to 297 x 432 mm; optional 500-sheet input Tray 3: 148 x 210 to 297 x 432 mm
Media type and capacity, tray 1	Sheets: 100; envelopes: 20

Media type and capacity, tray 2	Sheets: 250
Media type and capacity, tray 3	Sheets: 500
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough); cardstock; glossy film; transparencies; labels; envelopes
Media weight (tray 1)	60 to 220 g/m ²
Media weight (tray 2)	Up to 120 g/m² plain papers, up to 160 g/m² coated papers
Media weight (tray 3)	Up to 120 g/m² plain papers, up to 160 g/m² coated papers
Media weight, supported	Tray 1: 16 to 58 lb bond, Tray 2, automatic two-sided printing unit, optional Tray 3: up to 32 lb plain papers, up to 43 lb coated papers
Media weight, supported	Tray 1: 60 to 220 g/m², Tray 2, automatic two-sided printing unit, optional Tray 3: up to 120 g/m² plain papers, up to 160 g/m² coated papers
Memory	192 MB
Memory Slots	1 slot, 144-pin, DDR2 DIMM
Memory card compatibility	None
Memory upgrade	Expandable to 448 MB through one DDR2 DIMM slot
Minimum System Requirements	Windows 10 (For more information go to http://support.hp.com/us-en/document/c04658195), Windows 8 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03365145), Windows 7 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03737332), Windows Vista (32-bit and 64-bit): 1 GHz processor, 512 MB RAM, 250 MB hard disk space; Windows XP-32 Home, Windows XP-32 Professional, Windows XP-x64 (print driver only): any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space; Windows 2000, Windows Server 2003 (print driver only): any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space; SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher, CD-ROM drive, USB or Ethernet port
Minimum System Requirements for Macintosh	Mac OS X v 10.3, 10.4, 10.5, 10.6; Power PC G3, G4, G5, or Intel Core processor; 150 MB available hard disk space; CD-ROM drive; USB or Ethernet port
Model number	CP5225dn
Network ready	Standard (built-in Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	5-15 Users
Operating humidity range	10 to 80% RH
Operating temperature range	10 to 30º C
Operating temperature range	50 to 86º F
Output capacity	Up to 250 sheets
Package dimensions (W x D x H)	718 x 702 x 478 mm

Package dimensions (W x D x H)	28.26 x 27.63 x 18.81 in	
Package weight	95 lb	
Package weight	43 kg	
Page yield footnote	For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield	
Pallet dimensions	28.38 x 30.15 x 77.20 in	
Pallet dimensions (W x D x H)	721 x 766 x 1961 mm	
Pallet weight	428 lb	
Pallet weight	195 kg	
Paper handling input, optional	500-sheet input tray 3	
Paper handling input, standard	100 sheet multi-purpose tray, 250-sheet input tray 2, automatic two-sided printing	
Paper handling output, standard	250-sheet output bin	
Paper trays, maximum	3	
Paper trays, standard	2	
Photo (product photo, jpg, 190x170)	Printers and Multifunction/CE710A_190x170.jpg	
Photo (product photo, jpg, 70x100)	Printers and Multifunction/CE710A_70x100.jpg	
Ports	1 Hi-Speed USB 2.0; 1 Fast Ethernet	
Ports	1 Hi-Speed USB 2.0; 1 Fast Ethernet 110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.	
	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code	
Power	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.	
Power Power consumption (active)	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.	
Power consumption (active) Power consumption (manual-off)	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep)	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors Print languages	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes HP PCL 6, HP PCL 5, HP postscript level 3 emulation	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors Print languages Print quality black (normal)	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes HP PCL 6, HP PCL 5, HP postscript level 3 emulation Up to 600 x 600 dpi	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors Print languages Print quality black (normal) Print speed black (normal, A3)	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes HP PCL 6, HP PCL 5, HP postscript level 3 emulation Up to 600 x 600 dpi Up to 10 ppm	
Power Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors Print languages Print quality black (normal) Print speed black (normal, A3) Print speed color (normal, A3)	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes HP PCL 6, HP PCL 5, HP postscript level 3 emulation Up to 600 x 600 dpi Up to 10 ppm Up to 10 ppm	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors Print languages Print quality black (normal) Print speed black (normal, A3) Print speed color (normal, A3) Print technology	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes HP PCL 6, HP PCL 5, HP postscript level 3 emulation Up to 600 x 600 dpi Up to 10 ppm Up to 10 ppm Laser	
Power consumption (active) Power consumption (manual-off) Power consumption (sleep) Print Technology Print colors Print languages Print quality black (normal) Print speed black (normal, A3) Print speed color (normal, A3) Print technology Printer Management	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier. 440 watts 0.5 watts 4.4 watts Laser Yes HP PCL 6, HP PCL 5, HP postscript level 3 emulation Up to 600 x 600 dpi Up to 10 ppm Up to 10 ppm Laser SNP (default install); Toolbox FX (additional software install)	

Processor speed	540 MHz
Product logos	Microsoft Windows; Microsoft Vista; Macintosh; USB
Product long name specifications	HP Color LaserJet Professional CP5225dn Printer, Color Printer for Business, Print, Optional high-capacity trays; Two-sided printing
Product short name specifications	HP LaserJet CP5225dn Multifunction Color Printer, Ethernet Only; Duplex
Quantity per pallet	4
Recommended media weight (duplex)	Up to 32 lb plain papers, up to 43 lb coated papers
Recommended media weight (duplex)	Up to 120 g/m² plain papers, up to 160 g/m² coated papers
Recommended monthly page volume	1500 to 5000
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended operating humidity range	20 to 60% RH
Recommended operating temperature range	59 to 80.6º F
Recommended operating temperature range	15 to 27º C
Replacement cartridges footnote	Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
Safety	IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC 60825-1+A1+A2; NRTL Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change
Standard input capacity (envelopes)	Up to 20
Standard media sizes (duplex)	A3; A4; A5; SRA3; B4; B5
Standard media sizes (duplex, imperial)	Letter; legal; executive; 11 x 17 in; 12 x 18 in
Standard output capacity (envelopes)	Up to 15 envelopes
Standby mode power demand	30 watts
Storage device and direct print support	Storage devices not supported
Storage temperature range	0 to 35º C
Storage temperature range	32 to 95º F

Sub-brand name	Color LaserJet
Target user and print volume	For teams up to 15 users; Prints up to 5,000 pages/month
Tariff numbers	8443321010
Technical support information	http://www.hp.com/support
Top key features	Two-sided printing
Typical electricity consumption (TEC) number	1.787 kWh/Week
UNSPSC code	43212105
UPC number	(A2S) 884420971726; (AB0) 884420971658; (AB2) 884420971665; (ABG) 884420971702; (ABJ) 884420971696; (ABT) 884420971634; (ABU) 884420971597; (ABY) 884420971641; (AC4) 884420971573; (AC8) 884420971580; (ACJ) 884420971719; (ACQ) 884420971627; (AKV) 884420971566; (ARR) 884420971689; (ARS) 884420971733; (B13) 888182819982; (B19) 884420971603; (B1H) 884420971559; (BAZ) 884420971610; (BFO) 884420984474; (BFQ) 884420971672; (BGJ) 884420977568
Upgradability	Memory upgradeable to 448 MB; optional 500 sheet tray; only one additional tray may be added
Web address for additional information	Solutions: http://www.hp.com/go/gsc; Paper: http://www.hp.com/go/paper; Services: http://www.hp.com/services/printer

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Color Laser Toner Printer Cartridges

HP 307A Black Original LaserJet Toner Cartridge	CE740A ★
HP 307A Cyan Original LaserJet Toner Cartridge	CE741A ★
HP 307A Magenta Original LaserJet Toner Cartridge	CE743A ★
HP 307A Yellow Original LaserJet Toner Cartridge	CE742A ★
HP Color LaserJet CE980A Toner Collection Unit	CE980A ★

★ : Recommended

HP Laser Printer Supply Kits

HP LaserJet CE731A 110V Maintenance Kit	CE731A ★
HP LaserJet MFP ADF Maintenance Kit	CE248A ★

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	НРСЗНР
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN06A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN09A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV81A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV82A
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830

HP Paper Designed for Laser Printers

HP Laser Photo Paper

HP Superior Laser Paper

HP Superior Glossy Laser Paper-150 sht/A4/210 x 297 mm

HP Color Laser Glossy Photo Paper-100 sht/10 x 15 cm	Q8843A	
HP Glossy Photo Laser Paper-100 sht/210 x 297 mm	Q6614A	obsolete
HP Laser Everyday Paper		
HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm	CHP360	
HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350	
HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CHP345	
HP Color Laser Paper 120 gsm-250 sht/A4/210 x 297 mm	CHP340	
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342	
HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm	CHP380	
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370	
HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124	
HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310	
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P	
HP Laser Brochure Paper		
HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A	

Q6616A

obsolete

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720
HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P
HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPJ1124P

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	6MF93A	
---	--------	--

Accessories

Paper Handling

★ : Recommended

Staple Cartridges

HP Staple Cartridge Refill C8091A ★

Input Trays

HP Color LaserJet 500-sheet Paper Tray CE860A ★

Fax Upgrades

HP MFP Analog Fax Accessory 700 **2EH31A ★**

Memory

DDRAM

HP 256 MB DDR2 144-pin DIMM CB423A

Solutions

HP Document and Workflow Solutions

★: Recommended

HP Document and Workflow Solutions Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP Document and Workflow Solutions Print Management	
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN

HP Care Pack Services

\star : Recommended

Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Parts Exchange Service for Color LaserJet CP5225	U4TK5PE
HP 3 year Parts Exchange Service for Color LaserJet CP5225	U4TK2E
HP 4 year Parts Exchange Service for Color LaserJet CP5225	U4TK3E
HP 5 year Parts Exchange Service for Color LaserJet CP5225	U4TK4E
HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E

Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Wty Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UQ491PE
HP 1 year Post-Warranty 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ493PE
HP 3 year 4 hour response 9x5 Onsite Color LaserJeet CP5225 Hardware Support	UQ501E
HP 3 year Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UQ496E
HP 4 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ500E
HP 4 year Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UT990E
HP 5 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ499E
HP 5 year Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UU868E

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 28, 2024 3:25 PM UTC+0000