



HP LaserJet 110V Fuser Kit (P1B91A)

Overview

Maintain the printer's reliability and quality

Maintain consistent print quality and system uptime with the easy to install 110-volt fuser. Ensure reliable paper picking by refreshing your pick rollers.



Keep print quality consistent and increase uptime

Keep the printer running smoothly

Get reliable paper picking

Specifications

| | |
|---------------------------------------|---|
| Print Technology | Laser |
| Operating temperature range | 15 to 30°C |
| Storage temperature range | 0 to 35°C |
| Operating humidity range | 10 to 80% RH |
| Non-Operating Humidity Range | 35 to 85% RH |
| Compatibility | HP Color LaserJet Enterprise M652n J7Z98A, HP Color LaserJet Enterprise M652dn J7Z99A, HP Color LaserJet Enterprise M653dn J8A04A, HP Color LaserJet Enterprise M653x J8A05A, HP Color LaserJet Enterprise M653dh J8A06A, HP Color LaserJet Enterprise MFP M681dh J8A10A, HP Color LaserJet Enterprise MFP M681f J8A11A, HP Color LaserJet Enterprise Flow MFP M681f J8A12A, HP Color LaserJet Enterprise Flow MFP M681z J8A13A, HP Color LaserJet Enterprise Flow MFP M682z J8A17A, HP Color LaserJet Managed E65050dn L3U55A, HP Color LaserJet Managed E65060dn L3U56A, HP Color LaserJet Managed MFP E67550dh L3U66A, HP Color LaserJet Managed Flow MFP E67560z L3U70A |
| Quantity per pallet | 72 |
| UPC number | 889899076088 |
| Minimum dimensions (W x D x H) | 435 x 70 x 215 mm |
| Minimum dimensions (W x D x H) | 17.13 x 2.76 x 8.46 in <i>(Replacement parts only; no shipping material)</i> |
| Package dimensions (W x D x H) | 498 x 198 x 284 mm |
| Package dimensions (W x D x H) | 19.6 x 7.8 x 11.2 in |
| Pallet dimensions (W x D x H) | 1200 x 1000 x 2422 mm |
| Pallet dimensions | 47.2 x 39.4 x 95.4 in |
| Package weight | 2.6 kg |
| Package weight | 5.7 lb |
| Pallet weight | 258.6 kg |
| Pallet weight | 570 lb |
| Page yield (black and white) | Up to 150,000 pages |
| What's in the box | Fuser unit (110V); Documentation (Hardware Install Guide, Recycle Guide) |
| Warranty | 90 Day HP Dealer Exchange; Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. |

Additional specifications

| | |
|--|---|
| Count of cartons per pallet layer | 12 |
| Count of layers in pallet | 8 |
| Country of origin | Made in Japan |
| Electromagnetic compatibility | CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014 (EU), EN 61000-3-3: 2013 (EU), EN 55024: 2010 (EU), EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 6 Class A (US/Canada). Other EMC approvals as required by individual countries |
| Operating temperature range | 59 to 86°F |
| Orderable product number | P1B91A |
| Page yield (color) | Up to 150,000 pages |
| Print technology | Laser |
| Product subgroup | Fuser/Maintenance Kits |
| Safety | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); Low Voltage Directive 2014/35/EU with CE Mark (Europe). Other safety approvals as required by individual countries |
| Storage temperature range | 32 to 95°F |
| Sub-brand name | LaserJet |
| Tariff numbers | 8443992550 (AM-Base-HTS); 8443999000 (EU-Base-HTS); 84439990 (AP-Base-HTS) |
| UNSPSC code | 44103116 |
| Warranty | 90 Day HP Dealer Exchange; Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. |
| Weight | 4.17 lb <i>(Replacement parts only; no shipping material)</i> |
| Weight | 1.89 kg |