

ProductSheet
HP Smart Tank 7301e All-in-One (28B70A)



Specifications

Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 input dpi
Print speed black (ISO, A4)	Up to 15 ppm
Print Speed Color (ISO)	Up to 9 ppm
Print speed	Print speed up to 15 ppm (black) and 9 ppm (color)
Functions	Print, Scan, Copy, ADF, Wireless
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 5,000 pages
Duty cycle (monthly, letter)	Up to 5,000 pages
Printer smart software features	Duplex Printing
Energy savings feature technology	Schedule On and Schedule Off; HP Auto-Off Technology
Replacement cartridges	HP 32 90-ml Black bottle (~4000 pages), HP 32XL 135-ml Black bottle (~6000 pages), HP 31 70-ml Cyan bottle (~8000 pages), HP 31 70-ml Magenta bottle (~8000 pages), HP 31 70-ml Yellow bottle (~8000 pages); For more information about fill and yield see www.hp.com/go/learnaboutsupplies ^[6]
Connectivity, standard	Hi-Speed USB 2.0; Wi-Fi; Bluetooth LE; Ethernet
Network capabilities	Yes, via built-in Ethernet; Wi-Fi
Wireless capability	Yes, 2.4/5G dual band Wi-Fi, Wi-Fi Direct, Bluetooth low energy
Mobile printing capability	Apple AirPrint; Mopria certified; HP Print Service Plugin (Android printing); HP Smart app; Wi-Fi Direct Printing
Software included	HP Printer Software, available online
Compatible Operating Systems	Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur (Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer; macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required)
Sustainable impact specifications	25% post-consumer recycled plastic; Recyclable through HP Planet Partners
Scan speed (normal, A4)	Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm 200 ppi, color)
Scan speed (normal, letter)	Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm 200 ppi, color)
Scan file format	BMP, JPEG, TIFF, PDF, PNG
Scan input modes	Front Panel Copy; HP Software; EWS
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Display	2-line LCD Smart guided buttons, 2.0 x 0.4 in (50.8 x 10.16 mm)
Minimum dimensions (W x D x H)	42.75 x 36.40 x 24.03 cm
Minimum dimensions (W x D x H)	16.83 x 14.33 x 9.46 in
Weight	7.70 kg
Weight	16.98 lb
Power consumption	0.1 watts (off); 1.10 watts (sleep) ^[2]
Power supply type	Internal

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Messaging Footnotes

No Messaging Footnotes

Technical Specifications Footnotes

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[6] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://hp.com/go/learnaboutesupplies>

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

