

UHD Signage UM5J Series

# UHD Large Screen Signage Display



(())

Elegant Slim Design

Built-in Speakers

] Ultra HD Resolution



High Brightness

UM5J		
Inch	110"/98"	
Screen Resolution	reen Resolution 3,840 x 2,160	
Operation Time 16 Hours / 7 Day		
Brightness 500 nits		
Wi-Fi	Built-in Wi-Fi / Bluetooth	
Speaker	eaker Built-in Speaker (10 W + 10 W)	



#### **Elegant Slim Design**

The UM5J series features a slim bezel that is designed to blend into any interior to enhance the décor of the environment in which it's installed and deliver an immersive viewing experience.



#### Ultra HD Resolution Delivers Superb Picture Quality

Ultra HD resolution is four times FHD for content that is vivid and highly detailed.



### **Built-in Speakers**

Built-in speakers eliminate the need to purchase and install external speakers while delivering supporting audio to enrich content and immerse viewers.

\* Internal Built-in Speaker Support (L/R max 10 W)



#### **High Brightness**

With a brightness rating of 500 nits the UM5J series displays deliver brilliant content and attract attention, making these displays an ideal choice for a wide variety of businesses, including retail and corporate.



#### Support HDMI CEC Command

Support HDMI CEC Command allows you to use the LG Remote Control to control the basic functions of connected HDMI devices.

\* The LG Media Player and LG Remote Controller may appear differently than the actual ones.

#### CONNECTIVITY

110" / 98"



\* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.

#### UM5J Series

## **SPECIFICATIONS**

MODEL		110UM5J	98UM5J
PANEL	Screen Size	110"	98"
	Panel Technology	IPS	IPS
	Back Light Type	Direct	Direct
	Aspect Ratio	16:9	16:9
	Native Resolution	3840 x 2160 (UHD)	3840 x 2160 (UHD)
	Refresh Rate	120Hz	60Hz
	Brightness	500 nits	500 nits
	Contrast Ratio	1,200:1	1,200:1
	Dynamic CR	1,000,000:1	200,000:1
	Color gamut	NTSC 85%	NTSC 85%
	Viewing Angle (H x V)	178 Deg. (H) x 178 Deg. (V)	178 Deg. (H) x 178 Deg. (V)
	Color Depth	1.07Billon colors (8bit + FRC)	1.07Billon colors (8bit + FRC)
	Response Time	8ms	8ms
	Surface Treatment (Haze)	1%	1%
	Life time	50,000Hrs (Typ.)	30,000Hrs (Typ)
	Operation Hours (Hours/Day)	16/7	16/7
	Portrait / Landscape	No / Yes	Yes / Yes
CONNECTIVITY	HDMI	Yes (3)	Yes (3)
	RJ45 (LAN)	(1) Firmware Update Only	(1) Firmware Update Only
	USB	USB2.0 Type A(2)	USB2.0 Type A(2)
	Audio Out	SPDIF (1), 3.5mm Audio (1)	SPDIF (1), 3.5mm Audio (1)
	Bezel Color	Black	Black
MECHANICAL KEY FEATURE	Bezel Width	T/B/L/R: 17 mm	T/B/L/R: 17 mm
	Weight (Head)	176.4 lbs / 80 kg	172.0 lbs / 78 kg
	Packed Weight	242.5 lbs / 110 kg	231.5 lbs / 105 kg
		97.4 x 55.4 x 3.9 in /	86.5 x 49.3 x 3.1 in /
	Monitor Dimension (W x H x D)	2474 x 1408 x 99 mm	2198 x 1253 x 79.5 mm
	Carton Dimensions (W x H x D)	105.5 x 68.1 x 12.6 in /	96.1 x 57.8 x 10.8 in /
	(Box outer size)	2680 x 1730 x 320 mm	2440 x 1468 x 275 mm
	Wall Mount Interface	1500 x 600 mm	800 x 400 mm or 800 x 800 mm
	Internal Memory	16GB (Based on EMMC)	16GB (Based on EMMC)
	Wi-Fi / Bluetooth	Yes (Built-in)	Yes (Built-in)
	Power Indicator	Yes	Yes
	Local Key Operation	7key Power/UP/DOWN/LEFT/RIGHT/INPUT/MENU	7key Power/UP/DOWN/LEFT/RIGHT/INPUT/MENU
	webOS ver.	Non Smart / Non webOS platform	Non Smart / Non webOS platform
	Screen Rotation	No	Yes (Manually Change)
	HDMI-CEC	Yes	Yes
NVIRONMENT	Operation Temperature	32°F to 104°F / 0°C to 40°C	32°F to 104°F / 0°C to 40°C
CONDITIONS	Operation Humidity	10%-80%	10%~80%
POWER	Power Supply	100-240 Vac, 50/60 Hz	100-240 Vac, 50/60 Hz
	Power Type	Built-In Power	Built-In Power
POWER CONSUMPTION	Тур.	520W	500W
	Max.	600W	560W
	BTU (British Thermal Unit)	1774 BTU/Hr (Typ.), 2047 BTU/Hr(Max)	1706 BTU/Hr (Typ.), 1911 BTU/Hr (Max)
	Power off	0.5W	0.5W
		10W + 10W	10W + 10W
CERTIFICATION	Speaker Safety	UL, CB	UL, CB
			FCC Class "A" / CE
	EMC ErP	FCC Class "A" / CE	Yes (NewErP)
		Yes (NewErP)	
ANGUAGE	OSD	English, French, German, Spanish, Italian, Korean , Chinese(Simplified), Chinese(Original), Portugues(Brazil), Swedish, Finnish, Norwegian, Danish, Russian, Japanese, Portugues(Europe), Dutch, Czech, Greek, Turkish, Arabic, polski	English, French, German, Spanish, Italian, Korean , Chinese(Simplified), Chinese(Original), Portugues(Brazil), Swedish Finnish, Norwegian, Danish, Russian, Japanese, Portugues(Europe) Dutch, Czech, Greek, Turkish, Arabic, polski
ACCESSORIES	Basic	LG Remote Control (includes 2 batteries), Power Cord, Manual	LG Remote Control (includes 2 batteries), Power Cord, Manual

ttps://www.lg.com/us/business/commercial-display

https://www.twitter.com/LGCommDisplays
https://www.facebook.com/LGcommercialdisplays

in https://www.linkedin.com/company/lg-commercial-displays-usa

https://www.youtube.com/lgcommercialdisplayusa

 $\textcircled{\sc copyright 2021}$   $\textcircled{\sc copyright 2021}$   $\textcircled{\sc copyright 2021}$ registered trademarks of LG Corp. All other trademarks are the property of their respective owners. Prices, promotions, and availability may vary by dealer. The information contained herein is subject to change without notice. All screen images are simulated. SPEC\_UM5J\_Series\_112122\_LR

