



HP OfficeJet Pro 9130b All-in-One Printer (4U555A)



Overview

Manage printing like a Pro.

The professional color inkjet printer for distributed offices/hybrid workforce from the World's #1 Printer Company, paired with our best technology to help manage it all. This streamlines work into any network with extra performance features.[1,2]

Deploy. Integrate. Customize with ease.

Easily deploy, integrate, and set up your fleet of printers across multiple locations.

Our best technology to help manage it all[2]

Stay connected with our most reliable Wi-Fi® - dual-band, self-healing - that automatically reconnects.[2]

Empower your business with a productivity powerhouse

Always ready for high volumes, get an HP OfficeJet Pro printer equipped with two 250-page input trays.

Driving innovation with 40% recycled plastic[5]

Choose printers made with at least 40% recycled plastic.[5]

[1] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[2] HP OfficeJet Pro 9100b printer series has dual-band, self-healing Wi-Fi, HP Wolf Pro Security and HP Web Jetadmin, HP's best technologies to seamlessly and securely support your IT business needs. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at www.hp.com/go/mobileprinting. HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

[5] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print Resolution Technologies	HP Thermal Inkjet
Print Resolution Black (best)	1200 x 1200 rendered dpi
Print Resolution Color (best)	Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input
Print Speed Black (normal, A4)	Up to 25 ppm
Print Speed Black (normal, letter)	Up to 25 ppm
Print Speed Color (normal, A4)	Up to 19 ppm
Print Speed Color (normal, letter)	Up to 19 ppm
Print Speed	Print speed up to 25 ppm (black) and 19 ppm (color)
Print Margin Bottom (A4)	3.3 mm
Print Margin Left (A4)	3.3 mm
Print Margin Right (A4)	3.3 mm
Print Margin Top (A4)	3.3 mm
AIO Functions	Print, copy, scan, fax
Duplex Print Options	Automatic
Duty Cycle (monthly, A4)	Up to 30,000 pages
Duty Cycle (monthly, letter)	Up to 30,000 pages ^[7]
Printer Smart Software Features	Orientation: Portrait/Landscape/Rotate by 180 degrees; Print On Both Sides; None, Flip on Long Edge, Flip on Short Edge; Pages per sheet: 1 page per sheet/2 pages per sheet/4 pages per sheet/6 pages per sheet/9 pages per sheet/16 pages per sheet; Print Quality: HP Standard/Quick Draft/Premium/Detailed; RGB color: Printer Default/Office (sRGB)/Photo (sRGB)/Device RGB/Adobe RGB/Vivid (sRGB)/Custom RGB Printing Shortcuts; Factory Defaults; EcoSMART settings; Labels; CardStock/Heavy; Transparencies; Booklet Printing; General Everyday Printing; Page order: Front to Back/Back to Front/; Booklet Layout: Off/Left binding/Right binding; Print page borders; Special pages: Front cover/Back Cover/Print pages on different paper/Insert Blank Pages Resizing Options: Actual size/Print document on:/Scale manually Watermarks: None/Confidential/Draft/Sample/Custom Copies: Up to 99; Collate; Reverse page order; Print all text as black; Control Panel Shortcuts; HP EasyColor: Off/Conservative/Automatic Wireless
Copier Smart Software Features	Duplex copy, ID Copy, Resolution adjustment, Reduce / enlarge settings, Infinity glass for easy document removal.
Scanner Advanced Features	Single pass two sided scanning with Auto Document Feeder
Energy Savings Feature Technology	HP Auto-On/Auto-Off Technology

Replacement Cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. HP 937 Black Original Ink Cartridge (~1,250 pages) 4S6W5N; HP 937 Cyan Original Ink Cartridge (~800 pages) 4S6W2N; HP 937 Magenta Original Ink Cartridge (~800 pages) 4S6W3N; HP 937 Yellow Original Ink Cartridge (~800 pages) 4S6W4N. HP EvoMore planned to be available April 2024: HP 937e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6W9N; HP 937e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6W6N; HP 937e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6W7N; HP 937e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6W8N. Actual yield varies considerably based on content of printed pages and other factors. HP 938 Black Original Ink Cartridge (~1,250 pages) 4S6X8P; HP 938 Cyan Original Ink Cartridge (~800 pages) 4S6X5P; HP 938 Magenta Original Ink Cartridge (~800 pages) 4S6X6P; HP 938 Yellow Original Ink Cartridge (~800 pages) 4S6X7P. HP EvoMore planned to be available April 2024: HP 938e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6Y2P; HP 938e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6X9P; HP 938e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6Y0P; HP 938e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6Y1P. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies
Connectivity, Std	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band); 2 RJ-11 Fax/Modem port/phone line
Modem	Synaptics Troy modem; Data rate up to 33.6 kbps
Network Capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac
Wireless Capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
Mobile Printing Capability	Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ certified
Supported Network Protocols	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client; LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
Software Included	HP Printer Software
Compatible Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS (Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, linux (for more information see http://developers.hp.com/hp-linux-imaging-and-printing))
Technical Features	Borderless Printing; Automatic two-sided printing; Wireless; Wireless Direct; AirPrint; Touchscreen; ADF
Sustainable Impact Specifications	Recyclable through HP Planet Partners; Forest First product

Energy Star Certified	Yes
Ecolabels (fixed)	IT ECO Declaration; EPEAT® registered
Copy Speed Black (best A4)	Up to 5 cpm
Copy Speed Black (best, letter)	Up to 5 cpm
Copy Speed Color (best A4)	Up to 4 cpm
Copy Speed Color (best, letter)	Up to 4 cpm
Digital Sending Standard Features	Scan-to E-mail; Fax Archive to E-mail
Fax Resolution Black (best)	300 x 300 dpi
Fax	Yes, color
Scan Speed (normal, A4)	Up to 18 ipm (200 ppi, b&w); Up to 18 ipm (200 ppi, color)
Scan Speed (normal, letter)	Up to 18 ipm (200 ppi, b&w); Up to 18 ipm (200 ppi, color)
Scan File Format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan Input Modes	Front-panel scan, copy, fax, or from software
Scan Technology	Contact Image Sensor (CIS)
Scan Type	Flatbed, ADF
Display Description	4.3" (10.92cm) touchscreen control panel with CGD (color graphic display)
Product Dimensions (metric)	437 x 396.3 x 318.3 mm (Minimum Storage Mode) <i>(Dimensions vary as per configuration)</i>
Product Dimensions (imperial)	17.20 x 15.60 x 12.53 in (Minimum Storage Mode) <i>(With built-in duplexer and second 250-sheet paper tray installed)</i>
Weight (metric)	~11.84 kg <i>(Weight varies as per configuration)</i>
Weight (imperial)	~26.10 lb <i>(Weight varies as per configuration)</i>
Power Consumption Description	5.58 watts (ready), 1.22 watts (sleep), 0.14 watts (manual-Off) ^[3] <i>(Power measurements are based on ENERGY STAR® OM test procedure with 230 VAC, 50 Hz input.)</i>
Power Supply Type	Internal (Built-in) Universal Power Supply

What Is In The Box

NA: HP OfficeJet Pro 9130b AiO Printer; HP 936 Setup Black Ink Cartridge; HP 936 Setup Cyan Ink Cartridge; HP 936 Setup Magenta Ink Cartridge; HP 936 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies>]; EU / AP Developed Market: HP OfficeJet Pro 9130b AiO Printer; HP 937 Setup Black Ink Cartridge; HP 937 Setup Cyan Ink Cartridge; HP 937 Setup Magenta Ink Cartridge; HP 937 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies>]; LAR / AP Emerging Market: HP OfficeJet Pro 9130b AiO Printer; HP 938 Setup Black Ink Cartridge; HP 938 Setup Cyan Ink Cartridge; HP 938 Setup Magenta Ink Cartridge; HP 938 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies>]

Manufacturer Warranty

One-year limited warranty. For more information please visit us at <http://support.hp.com> [8]

Additional specifications

Acoustic Power Emissions (active, printing)	7.0 B(A) (printing at 21ppm)
Acoustic Pressure Emissions	61 dB (A) (printing at 21ppm)
Auto Document Feeder Capacity	Standard, 35 sheets
Auto Fax Reduction Supported	Yes
Automatic Paper Sensor	No
Bit Depth	24-bit
Borderless Printing	Yes, on photo paper only, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
Business Filter	cMPS
Camera Phone Supported	Yes
Cartons Per Layer	6
Color	Cement
Color Copy Capability	Yes
Color Scanning	Yes
Color or Black (filter)	Color
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Compliance Alliances	Digital compliance alliances: Wi-Fi Alliance; BT Sig; Mopria.
Component Type	Printer
Connection Type	Wireless
Control Panel	4.3" (10.92cm) touchscreen control panel with CGD (color graphic display)
Copier Reduce/enlarge	25 to 400%
Copier Settings	Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements
Copy Resolution, Black Graphics	Up to 600 dpi
Copy Resolution, Black Text	Up to 600 dpi
Copy Resolution, Color Text and Graphics	Up to 600 dpi
Copy Speed Black (ISO)	Up to 23 cpm
Copy Speed Black (draft, letter)	Up to 33 cpm
Copy Speed Black (maximum, A4)	Up to 33 cpm
Copy Speed Color (ISO)	Up to 15 cpm
Copy Speed Color (draft, letter)	Up to 22 cpm
Copy Speed Color (maximum, A4)	Up to 22 cpm

Count of Layers In Pallet	5
Distinctive Ring Detection Supported	Yes
Duty Cycle Note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color InkJet devices.
Dynamic security	Dynamic security enabled printer
Electromagnetic Emission Standard	CISPR 32:2015 / EN 55032:2015 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B ICES-003, Issue 7; Class B VCCI V-3:2015
Engine life	30000
Envelope Feeder	No
Fax Auto-redialing	Yes
Fax Broadcasting, Max Locations	20
Fax Delayed Sending	Yes
Fax Forwarding Supported	Yes (black only)
Fax Memory (A4)	Up to 100 pages
Fax Memory (letter)	Up to 100 pages
Fax Memory Footnote	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax Polling Supported	No
Fax Resolution Black (standard)	200 x 100 dpi
Fax Resolution Color (fine)	200 x 200 dpi
Fax Resolution Color (standard)	200 x 200 dpi
Fax Speed	4 sec per page
Fax Speed (letter)	4 sec per page
Fax Speed Footnote	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax Telephone Mode Supported	No
Fax/modem Description	Synaptics Troy modem; Data rate up to 33.6 kbps
Faxing Options (ADF)	Two-sided
File Formats	PDF, TIFF, JPEG
First Copy Out Black (letter)	As fast as 8 sec
First Copy Out Color (letter)	As fast as 10 sec
First Page Out Black (A4, ready)	As fast as 12 sec
First Page Out Black (letter, ready)	As fast as 12 sec

First Page Out Color (A4, ready)	As fast as 13 sec
First Page Out Color (letter, ready)	As fast as 13 sec
Geographic Availability of Product	WW
Grayscale Levels	256
HP Real Life Technologies™	supported
Hard Disk	No hard disk
Image Scaling or Enlargement Range	25 to 400%
In Box Cable	No, please purchase USB cable separately
Ink Types	Pigment-based (black and color)
Input Capacity Maximum (4 X 6 Photo)	Up to 50 sheets
Input Capacity Maximum (photo paper)	Up to 50 sheets
Input Capacity, Envelopes (primary)	Up to 30 sheets
Input Capacity, Max	Up to 500 sheets
Input Capacity, Max, 10 X 15 cm Photo	Up to 50 sheets
Input Capacity, Max, Cards	Up to 50 cards
Input Capacity, Max, Envelopes	Up to 30 envelopes
Input Capacity, Max, Labels	Up to 50 sheets
Input Capacity, Standard, Legal	Up to 250 sheets
Input Capacity, Std	Up to 500 sheets (Tray 1: up to 250 sheets, Tray 2: up to 250 sheets)
Input Capacity, Std (secondary tray)	Up to 250 sheets
Input Capacity, Std, Cards	Up to 50 cards
Junk Barrier Supported	Yes
Key Media Sizes Supported (imperial)	4 x 6 in; Letter; Legal; Envelopes
Key Media Sizes Supported (metric)	10 x 15 cm; A4; Envelopes
Mac Compatible	Yes
Max Dimensions (imperial)	17.20 x 21.54 x 12.53 in (Output Tray Extend)
Max Dimensions (metric)	437 x 547 x 318.3 mm (Output Tray Extend)
Max Number Of Copies	Up to 99 copies
Maximum Memory	512 MB
Media Handling, Document Finishing	Sheet Feed

Media Sizes Custom (imperial)	Tray 1: 3 x 5 to 8.5 x 14; 5 x 8.3 to 8.5 x 14 in. Tray 2: N/A
Media Sizes Custom (metric)	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm. Tray 2: N/A
Media Types	Tray 1: Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper, Light/Recycled Plain Paper, HP Tri-fold Brochure Paper, Glossy. Tray 2: Plain Paper.
Media Weight Recommended (imperial)	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
Media Weight Recommended (metric)	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)
Media Weights Supported, By Paper Path (Imperial)	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
Media Weights Supported, By Paper Path (metric)	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)
Model Number	9130b
Multitasking Supported	Yes
Non-operating Altitude (imperial)	15,000 ft
Non-operating Altitude (metric)	4,500 m
Number of Simultaneous Users (local + network)	1-5 Users
Operating Altitude (imperial)	10,000 ft
Operating Altitude (metric)	3,000 m
Operating Humidity Range	20 to 80% RH
Operating Humidity Range (recommended)	25 to 75% RH
Operating Temperature Range (celsius)	5 to 40°C
Operating Temperature Range (fahrenheit)	41 to 104°F
Operating Temperature Range (recommended celsius)	15 to 32°C
Operating Temperature Range (recommended fahrenheit)	59 to 90°F
Orderable Supplies	HP 936 Black Original Ink Cartridge 4S6V2LN, HP 936 Cyan Original Ink Cartridge 4S6U9LN; HP 936 Magenta Original Ink Cartridge 4S6V0LN; HP 936 Yellow Original Ink Cartridge 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge 4S6V5LN
Output Capacity Max (photo paper)	Up to 30 sheets
Output Capacity, Max	Up to 100 sheets

Output Capacity, Max, Cards	Up to 30 cards
Output Capacity, Max, Envelopes	Up to 10 envelopes
Output Capacity, Max, Labels	Up to 30 sheets
Output Capacity, Std	Up to 100 sheets
Output Capacity, Std, Cards	Up to 30 cards
Output Capacity, Std, Envelopes	Up to 10 envelopes
Output Capacity, Std, Labels	Up to 30 sheets
Output Capacity, Std, Legal	Up to 100 sheets
Output File Format	PDF; TIFF; JPEG (scan to Thumbdrive)
PC Interface Supported	Yes, HP Software support provided
Package Dimensions (imperial)	19.53 x 14.84 x 19.25 in
Package Dimensions (metric)	496 x 377 x 489 mm
Package Weight (imperial)	32.5 lb
Package Weight (metric)	14.8 kg
Page Yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite
Pallet Dimensions (imperial)	48 x 40 x 102 in
Pallet Dimensions (metric)	1219 x 1016 x 2590 mm
Pallet Weight (imperial)	1025 lb
Pallet Weight (metric)	466 kg
Paper Handling Standard/input	250-sheet input tray; 250-Sheet Multipurpose Tray; 35-sheet ADF
Paper Handling Standard/output	Up to 100 sheets
Paper Trays, Maximum	2
Paper Trays, Standard	2
Power Supply Required	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
Print Cartridge/Bottle, Color(s)	Black, cyan, magenta, yellow
Print Cartridges/Bottle, Number	4 (1 each black, cyan, magenta, yellow)
Print Colors	Yes
Print Colors Maximum	4
Print Head Nozzles	Total Print Head nozzles: 6272
Print Heads	4 (1 each black, cyan, magenta, yellow)
Print Languages, Standard	HP PCL6, PCL5, native PDF, HP Postscript
Print Speed Black (ISO)	Up to 25 ppm
Print Speed Black (best, A4)	Up to 5 ppm
Print Speed Black (best, letter)	Up to 5 ppm
Print Speed Black (draft, A4)	Up to 39 ppm

Print Speed Black (draft, letter)	Up to 39 ppm
Print Speed Black Duplex (A4)	Up to 15 ipm
Print Speed Black Duplex (Letter)	Up to 15 ipm
Print Speed Color (ISO)	Up to 19 ppm
Print Speed Color (draft, A4)	Up to 39 ppm
Print Speed Color (draft, letter)	Up to 39 ppm
Print Speed Color Duplex (A4)	Up to 8 ipm
Print Speed Color Duplex (Letter)	Up to 8 ipm
Print Speed Color Photo (normal, Photo Paper, 10x15 cm)	As fast as 30 sec
Print Speed Color Photo (normal, Photo Paper, 4x6 in)	As fast as 30 sec
Print Technology	HP Thermal Inkjet
Printable Area Maximum (metric)	216 x 356 mm (Legal)
Printer Black Pages (MPV Black)	480
Printer Color Pages (MPV Color)	320
Printer Drivers Included	Windows HP SUPD (PCL6, PS), Linux, UNIX, SAP
Printer Management	HP Web Jetadmin; Embedded Web Server; HP JetAdvantage; HP Security Manager optional
Processor Speed	1.2 Ghz
Product Color Description (fixed)	Cement
Product Dimensions (with trays up metric)	437 x 421.8 x 318.3 mm
Product Logos	Energy Star; USB Hi-Speed Certified; "Works with Windows 10" logo; Wireless; Print; Fax; Scan; Copy"; AirPrint™; Ethernet; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart
Product Long Name Specifications	HP OfficeJet Pro 9130b All-in-One Printer, Color Printer for Small medium business, Print, copy, scan, fax, Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to pdf; Fax; Front USB flash drive port; Touchscreen
Product Name (back)	HP OfficeJet Pro 9130b All-in-One Printer
Product Name (front)	HP OfficeJet Pro 9130b All-in-One Printer
Product Name (primary)	HP OfficeJet Pro 9130b All-in-One Printer
Product Name (secondary)	HP OfficeJet Pro 9130b All-in-One Printer
Product Number orderable	4U555A#B1H
Product Short Name Specifications	HP OfficeJet Pro 9130b Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner
Quantity Per Pallet	30
RMN Number	SNPRC-1803-02

Recommended Monthly Page Volume	Up to 2000
Recommended Monthly Page Volume Note	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.
Remote Retrieval Capability Supported	No
Safety Approvals and Requirements	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1:2018; EN IEC 62368-1:2020; EN IEC 62368-1:2020/ A11:2020 UL 62368-1 & CAN/CSA C22.2 No. 62368-1-14 EN 62311:2008; EN 62479:2010.
Scan Resolution, Enhanced	Up to 1200 dpi
Scan Resolution, Hardware	Up to 1200 x 1200 dpi
Scan Resolution, Optical	Up to 1200 dpi
Scan Size Maximum (ADF, Imperial)	8.5 x 14 in
Scan Size Maximum (ADF,metric)	215 x 355 mm
Scan Size Maximum (flatbed, imperial)	8.5 x 11.7 in
Scan Size Maximum (flatbed, metric)	216 x 297 mm
Scan Size Minimum (ADF, imperial)	5 x 5 in
Scan Size Minimum (ADF, metric)	127 x 127 mm
Scan Speed Duplex (normal, A4)	Up to 21 ipm (200 ppi, b&w); Up to 15 ipm (200 ppi, color)
Scan Speed Duplex (normal, letter)	Up to 21 ipm (200 ppi, b&w); Up to 15 ipm (200 ppi, color)
Security Management	SSL/TLS (HTTPS); IPP over TLS; WPA2-Enterprise; WPA2-Personal; WPA3; Certificates configuration; Password protect EWS; Signed firmware
Segment (filter)	Small medium business
Send To Email Capability	Yes
Service and Support Options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support
Standard Media Sizes (duplex, Imperial)	Letter; executive; Not supported for borderless photo
Standard Media Sizes (duplex, metric)	A4; B5; Not supported for borderless photo
Standard Media Sizes Supported (imperial)	Tray 1:Letter, Legal, Government Legal; Executive; Statement; 3 x 5 in; 4 x 6 in; 5 x 7 in; 13 x 18 cm; 8 x 10 in; 10 x 15 cm; L; Photo 2L; Envelope(#10, Monarch, 5.5 bar); Card (3 x 5 in, 4 x 6 in, 5 x 8 in) Tray 2:Letter; Legal.
Standard Media Sizes Supported (metric)	A4, A5, A6, B5(JIS), Card (A4, Hagaki); Photo (13 x 18 cm, 10 x 15 cm); Envelope (A2, C5, C6, DL, Chou #3, Chou #4); 8.5 x 13 in
Standard Memory	512 MB
Standard Memory Note	None

Storage Device and Direct Print Support	Storage devices not supported
Storage Temperature Range (celsius)	-40 to 60°C
Storage Temperature Range (fahrenheit)	-40 to 140°F
System Requirements Recommended Macintosh	Apple macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura, 2 GB HD, Internet required, Internet Explorer or Edge
System Requirements, Macintosh, Minimum	Apple macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura, 2 GB HD, Internet required, Internet Explorer or Edge
System Requirements, Minimum	Windows 10, 11: 32-bit or 64-bit, 2 GB HD, Internet Required, Internet Explorer or Edge
System Requirements, Recommended	Windows 10, 11: 32-bit or 64-bit, 2 GB HD, Internet Required, Internet Explorer or Edge
Target Number of Users and Print Volume	For teams up to 5 users; Prints up to 2,000 pages/month
Technology	Ink
Telecom Compliance Certifications	FCC Rules and Regulations 47 CFR Part 68/TIA-968-B ES 203 021-2 / ES 203 021-3; EN 301 893 V2.1.1; EN 300 440 V2.1.1; Radio Equipment Directive 2014/53/EU.
Telephone Handset Supported	No
Top Key Features	Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to pdf; Fax; Front USB flash drive port; Touchscreen
Twain Version	Version 2.4
UNSPSC Code	43212110
UPC Number	(AC4) 199251692949; (AC8) 199251692956; (AKH) 199251692963; (AKY) 199251692970; (B1H) 196786896163
Wireless Technologies	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BT5.0
Wireless Technology	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BLE

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 936 Black Original Ink Cartridge	4S6V2LN ★
HP 936 Cyan Original Ink Cartridge	4S6U9LN ★
HP 936 Magenta Original Ink Cartridge	4S6V0LN ★
HP 936 Yellow Original Ink Cartridge	4S6V1LN ★
HP 936 CMYK Original Ink Cartridge 4-Pack	6C3Z5LN
HP 936 CMYK Original Ink Cartridge Club 5-Pack	6C3Z7BN
HP 937 Black Original Ink Cartridge	4S6W5NA
HP 937 Black Original Ink Cartridge	4S6W5NE
HP 937 CMYK Original Ink Cartridge 4-Pack	6C3Z9NA
HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 937 Cyan Original Ink Cartridge	4S6W2NA
HP 937 Cyan Original Ink Cartridge	4S6W2NE
HP 937 Magenta Original Ink Cartridge	4S6W3NA
HP 937 Magenta Original Ink Cartridge	4S6W3NE
HP 937 Yellow Original Ink Cartridge	4S6W4NA
HP 937 Yellow Original Ink Cartridge	4S6W4NE
HP 938 Black Original Ink Cartridge	4S6X8PA
HP 938 Black Original Ink Cartridge	4S6X8PE
HP 938 Black Original Ink Cartridge	4S6X8PL
HP 938 Cyan Original Ink Cartridge	4S6X5PA
HP 938 Cyan Original Ink Cartridge	4S6X5PE
HP 938 Cyan Original Ink Cartridge	4S6X5PL
HP 938 Magenta Original Ink Cartridge	4S6X6PA
HP 938 Magenta Original Ink Cartridge	4S6X6PE
HP 938 Magenta Original Ink Cartridge	4S6X6PL
HP 938 Yellow Original Ink Cartridge	4S6X7PA
HP 938 Yellow Original Ink Cartridge	4S6X7PE
HP 938 Yellow Original Ink Cartridge	4S6X7PL

HP EvoMore Ink Cartridges

HP 936e EvoMore Black Original Ink Cartridge	4S6V6LN ★
--	-----------

HP 936e EvoMore Cyan Original Ink Cartridge	4S6V3LN ★
HP 936e EvoMore Magenta Original Ink Cartridge	4S6V4LN ★
HP 936e EvoMore Yellow Original Ink Cartridge	4S6V5LN ★
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NA
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NE
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NA
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NE
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NA
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NE
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NA
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NE
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PA
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PE
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PA
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PE
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PA
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PE
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PA
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PE

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A
HP Matte Photo Paper 48 lb 4 x 6 in. (101 x 152 mm) 25 sheets	6QH46A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements

accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 24, 2026 12:04 PM UTC+0000