AXIOM®-DV-TC

Height: 17.9" Width: 9.0" Depth: 22.5" (45.5cm) (22.9cm) (57.2cm)





- · Adjusts automatically to varying water pressure
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Electronic diagnostics and built-in tank drain make service easier
- Ensure coffee quality with programming for brew level, cold brew lock- out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Accepts thermal carafe up to 8.5" (21.6 cm) tall
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Use in quick turn environments where high quality coffee is continuously refreshed

Additional Features

• Servers not included unless otherwise noted

Agency:

Specifications

Product #: 38700.6011 Faucet: Upper DBC

Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	-	60°F (15.5°C)	-	-	-

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				


CAD Drawings


2D	Revit	KLC		
•				

MARNING:









Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	17.9 in.	9.0 in.	22.5 in.	24.8 in.	11.9 in.	25.9 in.	-	4.401 ft ³
Metric	45.5 cm	22.9 cm	57.2 cm	62.9 cm	30.2 cm	65.7 cm	-	0.125 m³



Related Products & Accessories: AXIOM®-DV-TC(38700.6011)



FUNNEL W/DECAL,PPK NAR BLK(SM)

Product #: 02774.0011



FUNNEL W/DECAL,PPK NAR BLK(LG)

Product #: 04274.0012



FILTERS,REG/1M

Product #: 20115.6000



FUNNEL ASSY, SST-BLK HDL(7.12

Product #: 20216.0000



FUNNEL ASSY, SST-PP BLK HNDL

Product #: 29151.0000



FUNNEL ASSY,SST-PP ORANGE HDL

Product #: 29151.0001



WATER FILTER SYSTEM,EQ-17-TL

Product #: 30200.1000



WATER FILTER,IN LINE ED-17-TL

Product #: 30201.1001



CARAFE, THERMALSEAMLESS 1.9L BLK

Product #: 51746.0001



CARAFE,THRML SEAMLESS 1.9L BLK & ORN LID

Product #: 51746.0003



CARAFE, THERMAL SEAMLESS 1.9L BLK 12/

Product #: 51746.0101



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024



CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.0121



CARTRIDGE, WEQ-10.3 (1.67)5L

Product #: 56000.0137



Serving & Holding Options: AXIOM®-DV-TC(38700.6011)



ACC,1.9L THERMAL CARAFE SST

Product #:18022.6002



THERMAL CARAFE, BLK 1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK 1.83 L 1PK

Product #:36029.0001



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



CARAFE,SST 1.9L SHRT BLK 1

Product #:40163.0000