

Product data sheet

Specifications

SYMMETRA XR BATT COMM Card



SYXRCC

Overview

Presentation	Accessory solutions to tailor the Symmetra to meet your specific needs
Lead time	Usually in Stock

Main

Main Input Voltage	48 V DC
Product or Component Type	Accessory
Main Output Voltage	48 V DC
Range of Product	Symmetra Accessories

Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0

Physical

Height	1.50 in (3.8 cm)
Width	4.25 in (10.8 cm)
Depth	10.75 in (27.3 cm)
Net Weight	0.35 lb(US) (0.16 kg)
Mounting Location	Front
Mounting preference	No preference
USB compatible	No

Ordering and shipping details

GTIN	731304007593
------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.49 in (11.4 cm)
Package 1 Width	12.76 in (32.4 cm)
Package 1 Length	8.50 in (21.6 cm)
Package 1 Weight	1.26 lb(US) (0.57 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No