

# Product data sheet

Specifications



## APC Smart-UPS RT Extension Cable for XLBP2 External Battery Packs, 3.5m

SURT019

### Overview

|              |  |
|--------------|--|
| Presentation | Accessory solutions to tailor the Smart-UPS to meet your specific needs. |
| Lead time    | Usually in Stock   |

### Main

|                           |             |
|---------------------------|-------------|
| Product or Component Type | Cable       |
| Number of cables          | 1           |
| Battery Type              | VRLA        |
| Provided Equipment        | User Manual |

### Batteries & Runtime

|                          |       |
|--------------------------|-------|
| Battery Slots Empty      | 0     |
| Included Battery Modules | 0     |
| battery power in VAh     | 0 VAh |

### Physical

|               |                    |
|---------------|--------------------|
| Color         | Black              |
| Height        | 2.01 in (5.1 cm)   |
| Width         | 15.75 in (40 cm)   |
| Depth         | 13.78 in (35 cm)   |
| Net Weight    | 8.8 lb(US) (4 kg)  |
| Mounting Mode | Not rack-mountable |

### Ordering and shipping details

|      |              |
|------|--------------|
| GTIN | 731304267430 |
|------|--------------|

### Packing Units

|                              |                        |
|------------------------------|------------------------|
| Unit Type of Package 1       | PCE                    |
| Number of Units in Package 1 | 1                      |
| Package 1 Height             | 7.95 in (20.2 cm)      |
| Package 1 Width              | 15.98 in (40.6 cm)     |
| Package 1 Length             | 14.02 in (35.6 cm)     |
| Package 1 Weight             | 10.89 lb(US) (4.94 kg) |
| Unit Type of Package 2       | PAL                    |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                           |
|------------------------------|---------------------------|
| Number of Units in Package 2 | 36                        |
| Package 2 Height             | 51.97 in (132 cm)         |
| Package 2 Width              | 39.37 in (100 cm)         |
| Package 2 Length             | 47.24 in (120 cm)         |
| Package 2 Weight             | 392.07 lb(US) (177.84 kg) |





## Contractual warranty

|          |         |
|----------|---------|
| Warranty | 2 years |
|----------|---------|

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

|  |  |
|--|--|
| <div>Environmental footprint</div>  |  |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>  |
| Use Better   |  |
| <div>Materials and Substances</div> |  |
| <a href="#">EU RoHS Directive</a>  | Compliant  |
| REACH Regulation   | <a href="#">REACH Declaration</a>  |
| Use Again  |  |
| <div>Repack and remanufacture</div> |  |
| Circularity Profile  | <a href="#">End of Life Information</a>  |
| WEEE   |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |
| Take-back  | Yes  |